




46th Annual Meeting for the Japanese Society of Developmental Biologists Program Book



# 46<sup>th</sup> Annual Meeting for the Japanese Society of Developmental Biologists


cosponsor: the Asia-Pacific Developmental Biology Network

## 第46回日本発生生物学会

May 28-31, 2013/Kunibiki Messe (Matsue-City, Shimane Prefecture)

Chairperson : Takashi Matsuzaki (Shimane Univ.)

### Program Book




May 28-31, 2013 Shimane

<http://www.jsdb.jp/kaisai/jsdb2013>


LAVENDER Nitrile Exam Gloves

ラベンダー・ニトリルグローブ

250枚入



ニトリルグローブの  
イメージが変わる!!



ムレにくさUP!  
柔らかさ・フィット感UP!

注文コード	商品 No.	サイズ	入数	価格
188151	52816	XS	250枚/箱	¥ 2,900
188152	52817	S	250枚/箱	¥ 2,900
188153	52818	M	250枚/箱	¥ 2,900
188154	52819	L	250枚/箱	¥ 2,900

\*Registered Trademark or Trademark of Kimberly -Clark Worldwide,Inc. COLOR LAVENDER\*-Trademark of KCWW. (c) 2006KCWW.All Rights Reserved.120873-01

<http://www.bio-bik.co.jp>




株式会社 イナ・オプティカ  
 本 社  
 〒530-0043 大阪市北区天満2-1-29 (オブテックダイエービル)  
 TEL: 06-6882-6006 FAX: 06-6882-6116  
 E-mail: info@bio-bik.co.jp

福岡営業所  
 TEL: 092-623-8122 FAX: 092-623-8123  
 長野営業所/信州配送センター  
 TEL: 0265-86-2434 FAX: 0265-86-5613

# Welcome to the 46th Annual meeting of JSDB in Matsue

Dear colleagues,



## “Get back to the origin”

I am pleased to inform you that the 46th annual meeting for the Japanese Society of Developmental Biologists (JSDB) cosponsored by the Asia-Pacific Developmental Biology Network (APDBN) will be held in Matsue in Shimane prefecture from May 28th to 31st 2013.

Matsue is a compact and relaxing town located at about 600 km west of Tokyo and 150 km Northeast of Hiroshima. You can come to Matsue from Izumo airport or Yonago airport in 40 min, or taking JR line from Okayama.

The venue, KUNIBIKI MESSE is close to Matsue station, and most hotels are around the station, which allows you to reach the venue within 10 min walk from your hotels.

In the meeting, we are planning to provide as much time for discussion as possible. For that, all presentations will be presented both in oral and poster. We have a big space where 400 posters of all presentations could be put for discussion during the whole meeting, which is next to or close to the rooms for oral presentation. You can discuss with data and photos by the poster boards after listening the talks, during lunch and rest, and also in the Banquet.

By listening plenty of talks, including those not directly correlated with your work, and discussing with numerous colleagues, you must obtain lots of unexpected knowledge and novel ideas. For young researchers, one of most basic and substantial skills to be learned is to tell the pivotal points of their studies in a limited period. These used to be main purposes of our society meeting, but it has been difficult to get with poster-oriented presentation style these days. Therefore, we should get back to our initial standpoint once again.

Coincidentally, it is 1,300 years anniversary for publication of KOJIKI, the oldest Japanese book, describing that Shimane region was a central place in incunabula of Japanese history. We believe Matsue is the best place to return to the origin of our society.

Please come to Matsue and enjoy discussing with many smart heads much more than those of YAMATANO-OROCHI, a mythological monster snake with eight heads as shown in our poster of the meeting.

Lastly, do not miss beautiful sunset on Lake Shinji too.

We look forward to seeing you in Matsue.

Takashi Matsuzaki

Chairperson

Organizing Committee of the 46th annual meeting of JSDB 2013

## 『もう一度原点に戻ろう』

2013年5月28日から31日まで島根県松江市において、第46回日本発生生物学会年会在アジア太平洋発生生物学ネットワークの共催で開催されます。松江市は東京の西方約600km、広島北西150kmに位置するこじんまりとした落ち着いた街です。松江までは出雲空港からでも米子空港からでも40分ほどで着きますし、岡山からJR線も利用できます。学会会場の“くびきメッセ”は松江駅近傍にありますので、駅前のホテルからは会場まで徒歩10分ほどです。

今大会ではできるだけ多く討論時間が取れるようにと考えています。そのため、全演題とも口演とポスターの両方で発表していただく予定で、口演会場の近くに400演題全てのポスターを大会期間中ずっと掲示できる大きなスペースを用意します。口演の後、昼食や休息、そして懇親会の時など、ポスターボードに張られたデータを見ながらいつでもディスカッションしていただけます。

自身の研究と直接関わりがないような口演やディスカッションもたくさん聞けるので、思ってもみなかったような話や斬新なアイデアに出会えるに違いありません。また、限られた時間の中で自分の研究の要点を伝えられるようになることは、とくに若い研究者が身につけるべき基本的なスキルです。こうした経験を積むことが昔の学会では当たり前でしたが、近年はポスター発表が主流となり難しくなっています。そこで私たちはもう一度原点に立ち帰るべきだと考えました。

奇遇なことに、今年には日本最古の書物である“古事記”編纂から1,300年に当たります。古事記には島根地方が日本黎明期の中心の一つであったことが記されていますので、日本発生生物学会の原点に戻ってみようとするなら、松江こそがもっともふさわしい場所と思います。

是非松江まで足を運び、学会ポスターに描きましたヤマタノオロチの頭数をはるかに凌ぐ多くの俊英達とのディスカッションをお楽しみください。また、美しい宍道湖の夕日もお忘れなく。では、皆さんにお会いできるのを楽しみにしています。

大会長 松崎 貴（島根大学生物資源科学部）

# 目次

ご挨拶	1
スポンサー	5
大会準備委員	5
会場への交通ご案内	6
会場内の見取り図	9
日程表	10
参加者へのご案内	14
DGD 編集委員会・JSDB 運営委員会	15
懇親会	15
ランチョン・セミナー	16
託児所	17
発表についてのご注意	18
iWAB (Web Abstract Book)	20
プログラム	
プレナリー・レクチャー	25
シンポジウム	26
オーラルプレゼンテーション	29
フラッシュトーク	48
若手ワークショップ (日本語)	65
テクニカルワークショップ	69
サテライトシンポジウム	70
ポスターセッション	71
市民公開講座 (日本語)	101
男女共同参画ワークショップ (日本語)	103
Getting Published Well: Strategies for Success	104
発表者氏名索引	105
展示企業一覧	
広告	
WEB 要旨集 閲覧方法	

# Contents

<b>Welcome Messages</b> .....	1
<b>Acknowledgement of Sponsorship</b> .....	5
<b>Organizing Committee</b> .....	5
<b>Access Guide to KUNIBIKI MESSE</b> .....	6
<b>Floor Maps of KUNIBIKI MESSE</b> .....	9
<b>Program at a Glance</b> .....	10
<b>General Information for Attendance</b> .....	14
<b>DGD Editorial Meeting &amp; JSDB Board Meeting</b> .....	15
<b>Reception</b> .....	15
<b>Luncheon Seminar</b> .....	16
<b>Nursery</b> .....	17
<b>Instructions for Presentations</b> .....	18
<b>iWAB (Web Abstract Book)</b> .....	20
<b>Scientific Programs</b>	
Plenary Lectures .....	25
Symposia .....	26
Oral Presentations .....	29
Flash Talks .....	48
Satellite Workshops (in Japanese) .....	65
Technical Workshop .....	69
Satellite Symposium .....	70
Poster Sessions .....	71
Public Lectures (in Japanese) .....	101
Forum by Gender-equal society (in Japanese) .....	103
Getting Published Well: Strategies for Success .....	104
<b>Author Index</b> .....	105
<b>Advertisements</b>	
<b>How to view the online abstract book</b>	

## Acknowledgement of Sponsorship

The organizing committee of 46th Annual Meeting for JSDB gratefully acknowledges the generous financial support of the following:



### Sponsors

Osaka Pharmaceutical Manufacturers Association  
Suntory Institute for Bioorganic Research  
The Company of Biologists

### Organizing Committee

<b>Chairperson:</b>	
Takashi Matsuzaki	Shimane University
<b>Members:</b>	
Akio Nishikawa	Shimane University
Takashi Takeuchi	Tottori University
Yasuaki Shirayoshi	Tottori University
Hiroyuki Takeda	University of Tokyo
Atsuko Sehara	Kyoto University
Toshihiko Fujimori	National Institute for Basic Biology
Shigeo Hayashi	RIKEN Center for Developmental Biology
Yuji Kageyama	Kobe University
Setsunosuke Ihara	Shimane University
Mikiko Kobayashi-Miura	Shimane University
Noritaka Hirohashi	Shimane University
Toshinori Hayashi	Tottori University

# Access Guide to KUNIBIKI MESSE



7minutes by foot from JR Matsue Station.

## Airlines

There are two airports close to Matsue. One is Izumo Airport (IZO) and the other is Yonago Airport (YGJ). A shuttle bus delegates from these airports to Matsue Station near the conference venue.

## Shuttle Bus Timetable

### Izumo (IZO) to Matsue

Izumo Airport → JR Matsue Station, Matsue Shinjiko Onsen Station (JP¥1000 or 1100)

Arr. Time	Flight No.	Departure	Izumo Airport	JR Matsue Station	Matsue Shinjiko Onsen Station
8:35	2341	Osaka	8:45	9:15	9:21
9:00	1663	Tokyo	9:10	9:40	9:46
10:50	3551	Fukuoka	11:00	11:30	11:36
11:10	2343	Osaka	11:20	11:50	11:56
12:15	1665	Tokyo	12:25	12:55	13:01
12:20	2347	Osaka	12:30	13:00	13:06
13:05	3434	OkI	13:15	13:45	13:51
15:10	2351	Osaka	15:20	15:50	15:56
15:40	1667	Tokyo	15:50	16:20	16:26
16:45	2355	Osaka	16:55	17:25	17:31
17:30	1669	Tokyo	17:40	18:10	18:16
18:15	2357	Osaka	18:25	18:55	19:01
18:40	3557	Fukuoka	18:50	19:20	19:26
19:55	1671	Tokyo	20:05	20:35	20:41

JR Matsue Station, Matsue Shinjiko Onsen Station → Izumo Airport (JP¥1000 or 1100)

Matsue Shinjiko Onsen Station	JR Matsue Station	Izumo Airport	Depart. Time	Flight No.	Destination
6:20	6:30	7:00	7:50	1662	Tokyo
7:30	7:40	8:10	9:00	2342	Osaka
8:10	8:20	8:50	9:40	1664	Tokyo
9:45	9:55	10:25	11:15	3550	Fukuoka
10:05	10:15	10:45	11:35	3433	OkI
11:15	11:25	11:55	12:45	2346	Osaka
11:30	11:40	12:10	13:00	1666	Tokyo
12:15	12:25	12:55	13:45	2350	Osaka
14:05	14:15	14:45	15:35	2354	Osaka
15:05	15:15	15:45	16:35	1668	Tokyo
15:40	15:50	16:20	17:10	3558	Fukuoka
16:45	16:55	17:25	18:15	1672	Tokyo
17:10	17:20	17:50	18:40	2356	Osaka
17:35	17:45	18:15	19:05	2358	Osaka

## Yonago (YGJ) to Matsue

Yonago Airport → Matsue Station (JP¥960)

Arr. Time	Flight No.	Departure	Yonago Airport	JR Matsue Station
8:20	811	Tokyo	8:30	9:15
11:30	813	Tokyo	11:40	12:25
15:30	815	Tokyo	15:40	16:25
19:15	817	Tokyo	19:25	20:10
21:30	819	Tokyo	21:40	22:25

Matsue Station → Yonago Airport (JP¥960)

JR Matsue Station	Yonago Airport	Depart. Time	Flight No.	Destination
6:00	6:45	7:20	812	Tokyo
7:55	8:40	9:15	814	Tokyo
11:25	12:10	12:45	816	Tokyo
14:50	15:35	16:10	818	Tokyo
19:30	20:15	20:50	820	Tokyo

There are several ways to Izumo and Yonago airport. Our recommends for foreigners are as follows.

### From Narita

Narita (NRT) -[Train] → Haneda (HND) -[Airline] → Izumo (IZO)

Narita (NRT) -[Train] → Haneda (HND) -[Airline] → Yonago (YGJ)

### From Haneda

Haneda (HND) -[Airline] → Izumo (IZO)

Haneda (HND) -[Airline] → Yonago (YGJ)

### From Kansai

Kansai (KIX) -[Bus] → Itami (ITM) -[Airline] → Izumo (IZO)




## **Trains**

If you prefer to go to Matsue by train from Kansai International Airport (KIX), you may need to transfer at Shin-Osaka Station and Okayama Station. It may takes 4-5 hours from the Airport to Matsue.


### From Kansai Airport

1. JR Airport Express, “Haruka”: Kansai (KIX) → Shin-Osaka Station
2. JR Shinkansen: Shin-Osaka → Okayama Station
3. JR Super Express, “Yakumo”: Okayama → Matsue Station

# KUNIBIKI MESSE Floor map



1F



-  階段  
Stairway
-  エレベータ  
Elevator
-  トイレ  
Rest room
-  救護室  
First aid room
-  電話  
Telephone
-  エスカレーター  
Escalator
-  非常口  
Emergency exit
-  給湯室  
Hot water supply room
-  インフォメーション  
Information booth
-  身障者用トイレ  
Toilet for a handicapped person
-  喫煙場所  
Smoking area

## Program at a Glance

### Day 0 (May 28(Tue))

	13:00 - 17:00	15:00 - 17:00	17:10 - 19:00
Room 2 (多目的ホール)		<b>Satellite Workshops 1 : (in Japanese)</b> Gametogenesis, fertilization and reproduction/Early embryogenesis/Cell differentiation/Cell-Cell/-Matrix interaction/Cell proliferation/Organogenesis	<b>Satellite Workshops 2 : (in Japanese)</b> Morphogenesis/Neural development and function/Regeneration/Technology, Theoretical approach
		15:30 - 18:30	18:40 - 20:45
Room 3 (小ホール)		<b>Technical Workshop (in Japanese)</b> Technical tips	<b>Satellite symposium (in Japanese)</b> “植物の逆襲—植物の形づくりの理論モデルと実験”
Room 4 (501)	<b>DGD Editorial Meeting &amp; JSDB Board Meeting</b>		

**Day 1 (May 29 (Wed)) OP=Oral Presentation, FT=Flash Talk**

	8:30 - 10:10	10:25 - 11:50	12:10 - 13:10	13:25 - 15:50	16:25 - 17:35	17:45 - 19:00	19:00 - 20:00
Room 2 (多目的ホール)	<b>OP 1</b> Neural development and function <b>1</b>	<b>OP 3</b> Neural development and function <b>2</b>	<b>Luncheon</b> (Olympas Corporation) (in Japanese)	<b>OP 5</b> Early embryogenesis <b>1</b> / Morphogenesis & Organogenesis <b>1</b>	<b>FT 1</b> Systems biology / Technology, Theoretical approach / Regulation of gene expression / EvoDevo	<b>FT 3</b> Neural development and function / Organogenesis	
Room 3 (小ホール)	<b>OP 2</b> Early Cellular behavior and differentiation <b>1</b>	<b>OP 4</b> Early Cellular behavior and differentiation <b>2</b>		<b>OP 6</b> EvoDevo	<b>FT 2</b> Cell proliferation / Cell biology / Cell death / Cell-Cell/-Matrix interaction / Cell differentiation / Regenerative medicine	<b>FT 4</b> Stem cell / Epigenetics and Genomics / Others / Cell death / Aging	
Poster Room (大展示場)	<b>Poster</b>						<b>Mixer with Poster</b>
	<b>Exhibition (Equipment &amp; books)</b>						
	<b>Rest area</b>						

**Day 2 (May 30 (Thu)) OP=Oral Presentation, FT=Flash Talk**

	8:30 - 10:10	10:25 - 11:50	12:10 - 13:10	13:20 - 14:50	15:10 - 16:50	17:00 - 19:00	19:00 - 21:00
Room 1 (国際会議場)	<b>OP 7</b> Morphogenesis & Organogenesis 2	<b>OP 10</b> Morphogenesis & Organogenesis 3	General assembly	Plenary Lecture	<b>FT 5</b> Myogenesis / Early embryogen- esis		
Room 2 (多目的ホール)	<b>OP 8</b> Cell biology	<b>OP 11</b> Neural develop- ment and function 3 / Aging / Tech- nology, Theoretic- al approach			<b>FT 6</b> Morphogenesis		
Room 3 (小ホール)	<b>OP 9</b> Regulation of gene expression	<b>OP 12</b> Early embryogen- esis 2			<b>FT 7</b> Gametogenesis, fertilization and reproduction / Sex determination / Regeneration		
Poster Room (大展示場)	<b>Poster</b>			<b>Poster Discussion</b>			
	<b>Exhibition (Equipment &amp; books)</b>						
	<b>Rest area</b>						<b>Reception</b>

**Day 3 (May 31 (Fri)) OP=Oral Presentation, FT=Flash Talk**

	8:30 - 10:10	10:25 - 11:50	12:10 - 13:10	13:30 - 15:30
<b>Room 1</b> (国際会議場)	<b>OP 13</b> Morphogenesis & Organogenesis 4	<b>OP 16</b> Morphogenesis & Organogenesis 5 / Myogenesis	<b>Luncheon</b> Getting Published Well: Strategies for Success	<b>Symposium 1</b> “Frontiers in Reproduction Research”
	<b>OP 14</b> Regeneration	<b>OP 17</b> Gametogenesis, fertilization and reproduction / Sex determination / Chronobiology	<b>Luncheon</b> Gender-equal Society (in Japanese)	<b>Symposium 2</b> “The role of cell proliferation in development and regeneration”
	<b>OP 15</b> Stem cell	<b>OP 18</b> Regenerative medicine / Epigenetics and Genomics / Cell death		<b>Symposium 3</b> “Advances in targeted genome editing”
<b>Poster Room</b> (大展示場)	<b>Poster</b>			
	<b>Exhibition (Equipment &amp; books)</b>			
	<b>Rest area</b>			

# General Information for Attendance

## Venue

KUNIBIKI MESSE

1-2-1 Gakuen Minami, Matsue-city, Shimane 690-0826, Japan

Phone: +81-852-24-1111 Fax: +81-852-22-9219

URL: <http://www.kunibikimesse.jp/14.html>

## Official Language

English will be the official conference language, and no simultaneous translation will be provided. The Satellite Workshops and Technical workshop and Satellite symposium will be held in Japanese.

## Registrations

Advanced Registration is no longer available. Please register at the conference venue. (On-site registration is available throughout the conference period.)

## Registration Fee (On-site) (JPY)

General JSDB/ISDB/APDBN members: ¥10,000 (early ¥8,000)

Student JSDB/ISDB/APDBN members: ¥5,000 (early ¥4,000)

General Non-members: ¥10,000 (early ¥9,000)

Student Non-members: ¥6,000 (early ¥5,000)

General Non-members (Residing overseas): ¥2,000 (early ¥0)

Student Non-members (Residing overseas): ¥1,000 (early ¥0)

\*Registration includes access to all scientific sessions and exhibits.

\*Students should provide the name and affiliation of their supervisor.

## JSDB General Assembly

May 30 (Thursday), 12:15-13:10, Room 1

## Payment

All payment must be made in Japanese yen, by credit card or by bank draft, payable to “The 46th Annual Meeting of the JSDB”. Please send payment with the completed registration form to the secretariat. No checks or money orders will be accepted. All bank charges are to be borne by the remitter.

## Name Tags

Name tags will be sent to advance registrants, or will be provided at the time of registration. Participants are requested to wear their name tags at all times during the conference.

## Lunch

Lunch boxes are available (¥1,000). At the luncheon seminar, a limited number of free lunch boxes will be provided by sponsor.

### **Refreshments and Internet Access**

Wireless Internet connections are available at Poster Room.

The details of connecting methods will be presented at the reception desk.

### **DGD Editorial Meeting & JSDB Board Meeting**

May 28 (Tue) 13:00-17:00, KUNIBIKI Messe Room 4

### **Reception**

May 30 (Thu) 19:00-21:00

KUNIBIKI MESSE Poster room

Reception fee (On-site) (JPY)

General JSDB members: ¥6,000 (early ¥5,000)

Student JSDB members: ¥3,000 (early ¥4,000)

General non-members: ¥6,000 (early ¥5,000)

Student non-members: ¥3,000 (early ¥4,000)

General Non-members (Residing overseas): ¥6,000 (early ¥5,000)

Student Non-members (Residing overseas): ¥3,000 (early ¥4,000)

### **Luncheon Seminar**

オリンパス株式会社 ランチョンセミナー

=Luncheon Seminar by Olympus Corporation.=

May 29 (Wed) 12:10-13:10, Room 2

### **Getting Published Well: Strategies for Success**

Dr. Gary C. Schoenwolf (University of Utah School of Medicine)

May 31 (Fri) 12:10-13:10, Room 1

## The 46th annual meeting for the JSDB cosponsored by the APDBN

オリンパス株式会社 ランチョンセミナー  
=**Luncheon Seminar by Olympus Corporation.**=  
May 29 (Tue) 12:10-13:10, Room 2

タイトル：「全能性幹細胞はどのように制御されているのか？」

講演者：阿形 清和先生（京都大学大学院理学研究科 生物科学専攻 生物物理学教室）

Stevens の EC 細胞株の樹立から始まった全能性幹細胞（私は“多能性”ではなく日本語として生殖細胞を含む全ての細胞種に分化できる意味で“全能性”を使う）の研究は、ES 細胞の樹立と iPS 細胞の創出の 2 つがノーベル賞に輝いたことで、広く一般の人にも知られるところとなった。われわれの世代は、漫画ブラックジャックのピノコの登場で全能性幹細胞を知り、そしてプラナリアの再生能力に全能性幹細胞の威力を学んだ。そして、プラナリアから全能性幹細胞の制御の仕方を知ることができれば、ブラックジャックの手を借りなくてもピノコが作れるはずだと…。そんな中、昨年のオリンパスのランチョン・セミナーでは、理研の笹井芳樹氏が全能性幹細胞から眼を作るところをライブイメージでみせて多くの聴衆を魅了した。今や、ブラックジャック笹井と呼んだ方が良いのかもしれない。今回のランチョン・セミナーでは、私がこの 20 年間にプラナリアから学んだ全能性幹細胞の扱い方についてお話ししたい。どうやったらピノコが作れるのか、私なりの全能性幹細胞観を伝えられればと思う。

**OLYMPUS®**

Your Vision, Our Future

## 第 46 回日本発生生物学会年会 保育室のご案内

保育室の利用を希望される方は、以下の規定を御確認の上、所定の手続き方法に従って日本語でお申込ください。なお保育士は英語を話しません。

託児時間	5月29日(水) 8:00～20:00 5月30日(木) 8:00～19:00 5月31日(金) 8:00～16:00 (*原則としてお子様の昼食は、保護者にご用意いただき、一緒におとりいただくこととなります。)
対象年齢	生後3ヶ月から12歳まで(大会参加者のお子様に限る)
託児場所	※セキュリティ確保の為、お申込者のみにご案内致します。
託児形態	託児の会へ保育士派遣を依頼します。
委託先	ちゅうりっぷ託児の会
託児料	500円/時間/お子さま1名(1時間未満は切上げ) 保育料のお支払いは、お子様をお預けの際にお願いします。 *申込みによりシッターが派遣されますので、当日のキャンセルや、実際の利用時間が申込時間よりも短くなった場合は、申込時の保育料のお支払いをお願いします。また、利用時間をやむを得ず延長された場合には、延長分のお支払いをお願いします。
申込み先	「利用規約(PDF94KB)」を確認のうえ、必要事項を記入した「申込書(PDF84KB)」をFAXまたはEメールにてお申し込みください。 1. 後日、詳細を記載しました「受領確認書」をお申し込み頂いた方法で返信します。 お申し込み後一週間以内に受領確認書が届かない場合には、下記の「申し込み先・お問い合わせ先」まで必ずお問い合わせください。 ※ 保育室の場所は、受領確認書に記載させていただきます。 ※ 電話での受付は 078-306-3072 (平日 9:00～17:00) ■ 申し込み先・お問い合わせ先 日本発生生物学会 事務局 担当: 桃津 FAX: 078-306-3072 E-mail: jsdb2013@jsdb.jp TEL: 078-306-3072 (平日 9:00～17:00)
申込締切	<u>2013年5月8日(水) 17時00分</u> ただし、定員になり次第締め切らせて頂きますのでお早めにお申込み下さい。
不測の事故に対応するために、ちゅうりっぷ託児の会が保険に加入しており、保険適用範囲で補償いたします。また第46回日本発生生物学会年会は、いかなる事故の責任も負わないことを申し添えます。	

# Instructions for Presentations

大会発表についてのご注意

## Oral presentations

We generally recommend that speakers use their own PCs for their presentations. Please come to your session room at least **30 min** prior to the beginning and connect your PC to a PC switcher. Alternatively, you can also use organizer-provided PCs in the conference rooms, but we do not guarantee device compatibility for each file. Although we can accept data from a USB flash drive or a CD-ROM, it is better to bring your data in at least two different methods. Slide projectors or overhead projectors will not be available.

Oral presentation: **8 minutes** for presentation and **4 minutes** for discussion.

Flash Talk: **4 minutes** presentation only.

Satellite Workshops: **10 minutes** presentation including discussion.

## Attention: Personal computer information

The operating systems of the computer at the meeting venue are Windows 7 and Mac OS X 10.6.

Windows format files:

- Please copy your data onto a USB flash drive or a CD-ROM (Windows format).
- The system can support Windows PowerPoint 2003, 2007, and 2010.
- To avoid undesired changes of the slide layouts, we recommend using the following fonts: MS Gothic, MS Mincho, Times New Roman, or Century.

Macintosh format files:

- Please copy your data onto a USB flash drive or CD-ROM (Macintosh format).
- The system can support Macintosh PowerPoint 2004, 2008, and 2011; and Keynote 3, 4, and 5.
- Please use standard fonts installed in the program.
- If your presentation includes movies, please confirm beforehand that they can run properly on another computer. We recommend bringing your own computer to the venue as a backup.

\* If your presentation includes movies, please confirm beforehand that they can run properly on another computer, or use your own PC.

For using your own PC:

- We accept Windows (Windows XP or later) or Macintosh (Mac OSX or later) PCs.
- You can use PowerPoint (Windows, Mac) or Keynote (Mac) for presentation.
- Make sure to bring any necessary electrical adaptors and connectors for your computer.
- The meeting venue will provide a Mini D-sub15 pin cable for connecting to PC switchers. Macintosh and certain kinds of Windows computers require an appropriate connector to fit a Mini D-sub15 pin plug.
- Electric power in Matsue is provided at 100 V, 60 Hz.

- In case your computer does not work, please bring your backup files on a USB flash drive or a CD-ROM.

### Poster Presentations

Poster board size: 1,200 mm (width) × 2,100 mm (height)

- ✧ Please leave a 150 mm × 150 mm blank space at the top left corner for the organizing committee to indicate your poster number.
- ✧ During your assigned poster presentation time, please stay (or stand) in the vicinity of your poster for explanation.
- ✧ Best Presentation Awards will be given for several student presenters. Award winners will be selected using the web voting system by capable participants of the meeting, and will be announced after the meeting.

### Poster:


Mounting: 8:00 - 13:00 on 29 May

Discussion: 17:00 - 19:00 on 30 May

17:00 -18:00 for even number posters

18:00 - 19:00 for odd number posters

Removal: 8:00 - 13:00 on 31 May



### Chairpersons

All chairpersons are required to come to their assigned session rooms at least **30 minutes** prior to the start of the session they will chair.

# iWAB (Web Abstract Book)

2012年の分子生物学会では年会長 京都大学 阿形清和 教授の主導により、新たな時代の第一歩としてIT化による双方向コミュニケーションの試みが実現しました。第46回発生生物学会大会ではこのシステムを引き継ぎ、改良したiWAB (Web Abstract Book)を用意しています。

## 先端機能のその先へ

ここ数年の学会ではスマートフォンアプリなどが用意され、演題検索機能、マイスケジュール機能などが提供されています。

iWABでももちろんこれらの機能は提供しています。加えて、2012年分子生物学会にて世界で初めて試された機能も満載です。

1. 演題検索
2. マイスケジュール
3. 演題と連動した会場マップ
4. 演題と連動したポスターマップ
5. 研究者同士をつなげる「いいね！」機能
6. 参加者同士が連絡しあえるプライベートメッセージ機能
7. 飲み会の電子掲示板、「夜ゼミ」機能
8. PCとタブレット、スマートフォン、そしてiModeなどの従来型携帯でも使用可能。


## 研究者同士をつなげる「いいね！」

学会の醍醐味は研究者同士のface-to-faceのコミュニケーションです。特に知らないもの同士の新しいつながりは学会の大きな魅力です。

iWABはFacebookの「いいね！」の考えを取り入れ、研究者同士がつながるちょっとしたきっかけを演出します。

2012年の分子生物学会では99%以上の演題に「いいね！」が付き、中央値としてはポスターでは11個、口頭発表では31個の「いいね！」が付くなど、幅広い層に好評でした。

ぜひ積極的に「いいね！」をクリックしてください。



## 人を中心に演題を再構築

研究は人間がするものです。ですからiWABでは学会抄録の考え方を根本から考え直し、演題中心ではなく著者中心に抄録集を再構築しています。興味深い演題があれば、著者や研究チームについてすぐに知ることができるようになりました。

各参加者にはプロフィールページがあり、そこにTwitter、Facebook、Read&Research MapのIDおよび個人・研究室ホームページへのリンクも登録できますので、自己PRも可能です。

この上、著者は自分の演題に「いいね！」をしてくれた参加者を知り、新たな議論や協同研究につなげることもできます。

# iWAB (Web Abstract Book)


At the 2012 Annual Meeting of the Molecular Biology Society of Japan, Professor Agata of Kyoto Univ. lead an Information Technology effort, with a focus on bilateral communications, to bring forth a new age in scientific conferences. For the 46th Annual Meeting for the Japanese Society of Developmental Biology, we have improved on this and prepared iWAB (Web Abstract Book).

## Further than cutting-edge “Like” to connect scientists

Recent conferences often provide smartphone applications with search and my-schedule functionality.

iWAB provides not only these but many more features that had never been seen before prior to the 2012 MBSJ.

1. Program search.
2. My Schedule.
3. Venue maps linked to the program.
4. Poster maps linked to presentations.
5. “Like” feature for connecting scientists.
6. “Private messages” for communicating between participants.
7. “Yoruzemi”: A bulletin board system for meeting up at the bar.
8. Use on PC, tablets, smartphones and feature phones.



Conferences are fun because scientists meet face-to-face. Acquainting with new people is exceptionally exciting.

iWAB incorporates the idea behind Facebook’s “likes” and creates the small encounters that can bring scientists together.

At the 2012 MBSJ, more than 99% of the presentations had at least one like. The median likes per poster was 11, and for oral presentations, 31. In short, a lot of people enjoyed the “likes”.

Please “like” lots of presentations.



## Organize the program around the scientists

Research is done by human beings. That is why in iWAB, we re-imagined the program and re-organized it around authors. This enables you to easily learn more about the scientists and groups behind the topics that interest you.

Each participant has their own profile page on which they can link to Twitter, Facebook, Read&Research Map accounts and even their personal or group website.

Furthermore, authors can view who “liked” their presentations and easily contact them for discussions or collaborations.

# **Scientific Programs**

## Plenary Lectures

May 30 (Thu) 13:20-14:50 Room 1

Chairperson: Motonori Hoshi (The Open Univ. of Japan)

**PL-01** 13:20-14:05 EMBRYOLOGY AND I



発生学と私

○Ryuzo Yanagimachi (Univ. of Hawaii)

Chairperson: Koji Tamura (Tohoku Univ.)

**PL-02** 14:05-14:50 Development and Regeneration of Ectodermal Organs: Gradient, Topology, and Epigenetic Competence



○Cheng-Ming Chuong (University Southern California)

# Symposia

## Symposium 1: Frontiers in Reproduction Research

May 31 (Fri) 13:30-15:40 Room 1

Organizers: Noritaka Hirohashi (Shimane Univ.)

Kazuya Kobayashi (Hirosaki Univ.)

This symposium aims at briefly introducing a wide variety of hot topics in the area of reproduction research, in particular addressing fundamental questions in relation to the “tactic of sex” at the individual, cellular and molecular levels. The speakers will give us an easy and friendly talk, young people are therefore to be encouraged to join.

**S01-01** 13:35-13:58 Mechanisms for oocyte-specific DNA methylation imprints



卵子形成過程におけるインプリント機構

○Yayoi Obata (Dept. of Bioscience, Tokyo Univ. Agri.)

**S01-02** 13:58-14:21 Switching from asexual to sexual reproduction in the planarian *Dugesia ryukyuensis* : The role of D-amino acid oxidase



プラナリアの一種リュウキュウナミウズムシにおける無性生殖から有性生殖への転換機構 : D- アミノ酸酸化酵素の役割について

○Takanobu Maehara<sup>1</sup>, Hiroyuki Tanaka<sup>2</sup>, Kazuya Kobayashi<sup>1</sup> (Hirosaki Univ.<sup>1</sup>, Shiga Univ. of Medical Science<sup>2</sup>)

**S01-03** 14:21-14:44 ER chaperones, ADAM3, and sperm fertilizing ability



精巣シャペロンによる ADAM3 の品質管理と精子受精能力

○Masahito Ikawa (RIMD, Osaka Univ.)

**S01-04** 14:44-15:07 Possibility of the proteomics toward the comprehensive understanding of the fertilization and early development



受精研究におけるプロテオミクス解析の実践と可能性

○Lixy Yamada (Sugashima Marine Biol. Lab., Grad. Sch. Sci., Nagoya Univ.)

**S01-05** 15:07-15:40 Phenotypic engineering using RNAi to study sex in a simultaneous hermaphrodite: functional genomics meets sexual selection research



○Lukas Schärer (Evol Biol, Zool Inst, Uni Basel)






## Symposium 2: The role of cell proliferation in development and regeneration

May 31 (Fri) 13:30 ~ 15:30 Room 2

Organizers: Takashi Takeuchi (Tottori Univ.)

Toshihiko Fujimori (NIBB)

Cell proliferation is one of critical factors which regulate development and regeneration. The proper regulation of cell cycle is required for pattern formation, morphogenesis and differentiation. In this symposium, we will reconsider cell proliferation in various developmental aspects, focus on the research highlighting the mechanisms and significance, and discuss future perspectives in this field.

- S02-01** 13:31-13:55 Spatially regulation of cell proliferation and differentiation in the zebrafish lens  
ゼブラフィッシュ水晶体における細胞増殖と細胞分化の空間的な制御  
Toshiaki Mochizuki, <sup>○</sup>Ichiro Masai (OIST)
- 
- S02-02** 13:55-14:19 Analysis of Tooth Germ Epithelium Morphogenesis by using a Novel Four-dimensional Cell Tracking System  
歯胚上皮組織の形態形成における 4 次元細胞動態解析  
<sup>○</sup>Ritsuko Morita<sup>1</sup>, Miho Kihira<sup>2</sup>, Yousuke Nakatsu<sup>2</sup>, Kensaku Mizuno<sup>3</sup>, Kazumasa Ohashi<sup>3</sup>, Yukitaka Ishimoto<sup>4</sup>, Yoshihiro Morishita<sup>4</sup>, Takashi Tsuji<sup>1,2,5</sup> (Res. Inst. for Sci. & Tech., Tokyo Univ. of Sci.<sup>1</sup>, Fac. of Indus. Sci. & Tech., Tokyo Univ. of Sci.<sup>2</sup>, Dep. of Biomolecular Sciences, Tohoku Univ.<sup>3</sup>, Lab. for Developmental Morphogeometry, CDB, RIKEN<sup>4</sup>, Organ Technologies Inc.<sup>5</sup>)
- 
- S02-03** 14:19-14:43 Fluctuations in division modes: a way for cortical neural stem cells to find a new niche  
神経幹細胞の分裂モードの変化による脳の形成  
<sup>○</sup>Fumio Matsuzaki (RIKEN CDB)
- 
- S02-04** 14:43-15:07 Gut epithelial renewal is required for systemic response to tissue damage in Drosophila  
ショウジョウバエ組織傷害に対する全身性応答に関わる腸上皮の再生  
<sup>○</sup>Masayuki Miura (Dept. of Genetics, Grad. Sch. of Pharm. Scis., Univ. of Tokyo)
- 
- S02-05** 15:07-15:29 Molecular mechanisms of cell proliferation in cardiomyocytes during cardiac development and regeneration  
心臓の発生と再生における心筋細胞の増殖制御機構  
<sup>○</sup>Takashi Takeuchi, Shoji Tane, Hitomi Okayama, Aiko Ikenishi, Naoki Yokotani, Akira Matsumoto, Ayumi Myouga, Toshinori Hayashi (Sch. of Life Sci., Fac. of Med., Tottori Univ.)
- 

### Symposium 3: Advances in targeted genome editing

May 31 (Fri) 13:30-15:30 Room 3

Organizers: Takashi Yamamoto (Hiroshima Univ.)

Atsuo Kawahara (RIKEN Qbic)

Genome editing with engineered nucleases is an emerging technology that enables manipulation of targeted genes in many organisms and cell lines. To date, two types of engineered nucleases have been developed. Zinc finger nucleases (ZFNs), which first emerged in 1996, have a long and successful history of genome editing. However, the construction of ZFNs is highly laborious and the success rate of active ZFN construction is very low. Transcription activator-like effector nucleases (TALENs), on the other hand, have been recently developed as a more user-friendly engineered nuclease, because TALENs are easy to construct in-house and the target site may be selected in any gene. Using these engineered nucleases, targeted gene disruptions have been achieved successfully in cultured cells and various organisms. Furthermore, gene correction or targeted gene addition have been reported mainly in cultured cells, and also in several organisms. The purpose of this symposium is to share and discuss the recent research advances in genome editing and related technology.

Co-organized by Genome Editing Consortium

**S03-01** 13:30-13:50 TALEN-mediated genome modifications in zebrafish



ゼブラフィッシュにおける TALEN を用いたゲノム編集の技術開発  
Satoshi Ota, Yu Hisano, Michiko Muraki, <sup>○</sup>Atsuo Kawahara (RIKEN Qbic)

**S03-02** 13:50-14:10 Knockout of genes with TALE nucleases in the chordate *Ciona intestinalis*



脊索動物カタユレイボヤにおける TALEN を用いた遺伝子破壊  
<sup>○</sup>Yasunori Sasakura<sup>1</sup>, Nicholas Treen<sup>1</sup>, Haruka Sasaki<sup>1</sup>, Narudo Kawai<sup>2</sup>, Tetsushi Sakuma<sup>3</sup>, Takashi Yamamoto<sup>3</sup>, Keita Yoshida<sup>1</sup> (Shimoda Marine Res. Center, Univ. Tsukuba<sup>1</sup>, Dept. Biol. Res. Edu. Center Natl. Sci. Keio Univ.<sup>2</sup>, Dept. Math. Life Sci. Grad. Sch. Sci. Hiroshima Univ.<sup>3</sup>)

**S03-03** 14:10-14:30 Gene knockout in *Xenopus* using TALENs

ツメガエルにおける TALEN による遺伝子破壊

<sup>○</sup>Ken-ichi Suzuki, Tetsushi Sakuma, Yuto Sakane, Yukiko Isoyama, Keiko Kashiwagi, Akihiko Kashiwagi, Takashi Yamamoto (Hiroshima Univ.)

**S03-04** 14:30-14:50 Efficient gene targeting with ZFN/TALEN in animals



ラットにおける効率的な遺伝子改変技術

<sup>○</sup>Tomoji Mashimo<sup>1</sup>, Takehito Kaneko<sup>1</sup>, Tetsushi Sakuma<sup>2</sup>, Takashi Yamamoto<sup>2</sup>, Tadao Serikawa<sup>1</sup> (ILA, Med, Kyoto Univ.<sup>1</sup>, DMLS, Sci, Hiroshima Univ.<sup>2</sup>)

**S03-05** 14:50-15:10 Uncovering nuclear dynamics by TAL effector



<sup>○</sup>Yusuke Miyanari (IGBMC, Strasbourg, FRANCE)

**S03-06** 15:10-15:30 Transposed and Targeted Gene Expression Systems for Guiding Somatic Cell Reprogramming and Differentiation



Tan Ghee Wan<sup>1</sup>, Shin-II Kim<sup>1</sup>, Akihito Tanaka<sup>1,2</sup>, Kazuo Hayakawa<sup>1</sup>, Andras Nagy<sup>3</sup>, Hidetoshi Sakurai<sup>1</sup>, Junya Toguchida<sup>1</sup>, <sup>○</sup>Knut Woltjen<sup>1</sup> (Center for iPS Cell Research and Application (CiRA), Kyoto University<sup>1</sup>, Department of Immunology, Nagoya University Graduate School of Medicine<sup>2</sup>, Samuel Lunenfeld Research Institute (SLRI)<sup>3</sup>)

## Oral Presentations (in English)

### OP01: Neural development and function 1

May 29 (Wed) 08:30-10:10 Room 2

Chairpersons: Ichiro Masai (OIST)

Masayuki Miura (Univ. of Tokyo)

- OP01-01 (P-180)** 08:30-08:42 Role of tubulin folding pathway in neurite morphogenesis of *Drosophila* olfactory projection neuron  
神経突起形成におけるチューブリン折りたたみ経路の役割  
○Misako Okumura<sup>1</sup>, Masayuki Miura<sup>1,2</sup>, Takahiro Chihara<sup>1,2</sup> (Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- OP01-02 (P-182)** 08:42-08:54 Roles of Robo endocytic trafficking in acquisition of axonal responsiveness to the repellent Slit during midline crossing  
正中線交叉における交連軸索の Slit 応答性の不可逆性スイッチを支える分子基盤  
○Junichi Kawada<sup>1</sup>, Mariko Kinoshita-Kawada<sup>1</sup>, Shigeru Yanagi<sup>2</sup>, Ichiro Masai<sup>1</sup>, Yi Rao<sup>3</sup>, Jane Wu<sup>4</sup> (OIST<sup>1</sup>, Sch. of Life Sci. Tokyo Univ. of Pharm. Life Sci.<sup>2</sup>, Peking Univ. Sch. of Life Sci.<sup>3</sup>, Dept. of Neurology Northwestern Univ. Feinberg Sch. of Med.<sup>4</sup>)
- OP01-03 (P-183)** 08:54-09:06 Genetic analysis of the leucine-rich repeat molecule Capricious in synaptic-layer specificity in the *Drosophila* visual system  
ショウジョウバエ視覚神経系における LRR 膜タンパク質 Capricious はシナプス層の特異性を決定していない  
Sandra Berger-Mueller<sup>2,3</sup>, Atsushi Sugie<sup>2,4</sup>, Fumio Takahashi<sup>1</sup>, Gaia Tavosanis<sup>4</sup>, ○Takashi Suzuki<sup>1,2</sup> (Dept. Biosci. & Biotech., Titech<sup>1</sup>, Max Planck Institute of Neurobiology, Martinsreid, Germany<sup>2</sup>, CNR/UPS UMR5273 STROMA lab-Inserm U1031, Toulouse, France<sup>3</sup>, DZNE, Bonn, Germany<sup>4</sup>)
- OP01-04 (P-185)** 09:06-09:18 Formation process of individual compartments in the cerebellum of mouse embryo  
マウス小脳内における、個々の区画の形成過程  
○Mitsuhiro Hashimoto, Takaki Miyata (Dep. of Cell Biol. Nagoya Univ.)
- OP01-05 (P-186)** 09:18-09:30 MRE32 RNA is essential for mushroom body morphogenesis in *Drosophila* adult brain  
MRE32 RNA はショウジョウバエキノコ体の形態形成に必須である  
○Sachi Inagaki<sup>1</sup>, Masanao Sato<sup>3,4</sup>, Natsuki Nakamura<sup>2</sup>, Satoru Kobayashi<sup>3,4</sup>, Yuji Kageyama<sup>1,2</sup> (Res Ctr Environmental Genomics, Kobe Univ<sup>1</sup>, Dpt Biol, Grad Sch Sci, Kobe Univ<sup>2</sup>, OIIB, NINS<sup>3</sup>, NIBB, NINS<sup>4</sup>)
- OP01-06 (P-188)** 09:30-09:42 Evidence for involvement of apoptosis in establishing proper cerebrospinal fluid hydrodynamics  
脳脊髄液動態の確立におけるアポトーシスの関与  
Ayako Yoshida<sup>1</sup>, ○Yoshifumi Yamaguchi<sup>1,2</sup>, Daisuke Kawata<sup>1</sup>, Naomi Shinotsuka<sup>1</sup>, Mariko Yoshida<sup>1</sup>, Masayuki Miura<sup>1,3</sup> (Dept. Genet. Pharma. The Univ. of Tokyo<sup>1</sup>, PREST, JST<sup>2</sup>, CREST, JST<sup>3</sup>)
- OP01-07 (P-189)** 09:42-09:54 Molecular and cellular dissection of axonal pruning in *Drosophila* sensory neurons  
ショウジョウバエ感覚ニューロンにおける軸索刈り込みメカニズムの探索

○Rei Morikawa, Kazuo Emoto (Dept. Cell Biol., Osaka Biosci. Inst.)

- OP01-08 (P-190)** 09:54-10:06 Examination of developmental processes of the ferret cerebral cortex using in utero electroporation  
子宮内電気穿孔法を用いたフェレット大脳皮質の形成過程解析  
○Hiroshi Kawasaki, Tomohisa Toda, Lena Iwai (Grad Sch of Med, Kanazawa Univ)

## OP02: Cellular behavior and differentiation 1

May 29 (Wed) 08:30-10:10 Room 3

Chairpersons: Kenji Matsuno (Osaka Univ.)

Masahiko Hibi (Nagoya Univ.)

- OP02-01 (P-082)** 08:30-08:42 IRSp53 family of I-BAR domain proteins regulates microvillus morphogenesis by sculpting the apical plasma membrane.  
IRSp53 ファミリータンパク質は I-BAR ドメインの膜変形活性により微絨毛の形態形成を制御する  
○Shusaku Kurisu, Tadaomi Takenawa (ICMS, Kobe Univ. Grad. Schl. of Med.)
- OP02-02 (P-061)** 08:42-08:54 Null mutation of Nolz-1/Zfp503 in mesenchymal cells acts non-cell autonomously to influence differentiation of epithelial cells in developing mouse lung  
○Shih-Yun Chen, Fu-Chin Liu (INS, National Yang-Ming Univ.)
- OP02-03 (P-063)** 08:54-09:06 Sequential expression of Lgr5 and Col22a1 in developing synovial joints mark the progressive differentiation of progenitor cells to articular chondrocytes  
Amy Feng<sup>1</sup>, Wilson Chan<sup>1</sup>, Vivian Ng<sup>1</sup>, Jia Chi Yeo<sup>2</sup>, Sigma Stricker<sup>3</sup>, Kathryn Cheah<sup>1</sup>, Manuel Koch<sup>4</sup>, Stefan Mundlos<sup>3</sup>, Huck Hui Ng<sup>2</sup>, ○Danny Chan<sup>1</sup> (HKU<sup>1</sup>, GIS<sup>2</sup>, MPI<sup>3</sup>, IBC<sup>4</sup>)
- OP02-04 (P-065)** 09:06-09:18 Functional analysis of EDNRB2 in the melanocyte development and differentiation using *EDNRB2*-mutated chickens  
突然変異鶏を用いたメラノサイトの発生と分化におけるエンドセリン受容体 B2 の機能解析  
○Toyoko Akiyama<sup>1</sup>, Ai Shinomiya<sup>1</sup>, Keiji Kinoshita<sup>2</sup>, Makoto Mizutani<sup>2</sup>, Yasunari Kayashima<sup>3</sup>, Yoichi Matsuda<sup>2</sup> (Dept. Biol., Keio Univ.<sup>1</sup>, Agri.Biosci. Res. Centr., Nagoya Univ. Nagoya, Japan<sup>2</sup>, Food and Nutri. Sci., Univ. of Shizuoka, Japan<sup>3</sup>)
- OP02-05 (P-067)** 09:18-09:30 Sox5 is involved in fate specification of pigment cells in medaka  
メダカ色素細胞分化における Sox5 の役割  
○Yusuke Nagao<sup>1</sup>, Tomoko Adachi<sup>2,3</sup>, Atsushi Shimizu<sup>4</sup>, Ryoko Seki<sup>2</sup>, Chikako Inoue<sup>2</sup>, Yasuhiro Kamei<sup>5</sup>, Ikuyo Hara<sup>5</sup>, Tetsuaki Kimura<sup>6</sup>, Yoshihito Taniguchi<sup>7</sup>, Kiyoshi Naruse<sup>6</sup>, Robert Kelsh<sup>3</sup>, Yuko Wakamatsu<sup>2</sup>, Masahiko Hibi<sup>2</sup>, Hisashi Hashimoto<sup>2</sup> (Grad. Sch. Sci., Nagoya Univ.<sup>1</sup>, Biosci. Biotech. Ctr., Nagoya Univ.<sup>2</sup>, Dept. of Biol. Biochem., Univ. of Bath<sup>3</sup>, Dept. of Mol. Biol., Sch. of Med., Keio Univ.<sup>4</sup>, Spectrography and Bioimaging Facility, NIBB<sup>5</sup>, Lab. of Biores., NIBB<sup>6</sup>, Dept. of Preventive Medicine and Public Health, Sch. of Med., Keio Univ.<sup>7</sup>)
- OP02-06 (P-084)** 09:30-09:42 In vivo collective migration requires N-Cadherin endocytosis controlled by LPA/Edg4 signalling.  
生体内集団的細胞遊走には LPA/Edg4 シグナルによって制御される N-cadherin のエンドサイトーシスが必要である  
○Sei Kuriyama<sup>1,2</sup>, Eric Thevenneau<sup>2</sup>, Alexandre Benedetto<sup>3</sup>, Alexandre Kabla<sup>4</sup>, Guillaume

Charras<sup>3</sup>, Masamitsu Tanaka<sup>1</sup>, Maddy Parsons<sup>5</sup>, Roberto Mayor<sup>2</sup> (Akita University<sup>1</sup>, UCL, Cell and Developmental Biology Department, UK<sup>2</sup>, UCL, London Centre for Nanotechnology, UK<sup>3</sup>, Cambridge Univ., UK<sup>4</sup>, King's College London, Randall Division for Biophysics, UK<sup>5</sup>)

**OP02-07 (P-069)** 09:42-09:54 TGF- $\beta$  signals regulate the dorsoventral patterning of neurogenic ectoderm of the sea urchin embryo.

TGF- $\beta$  シグナルによるウニ胚神経外胚葉の背腹軸方向のパターニング  
Junko Yaguchi, Noriyo Takeda, Kazuo Inaba, <sup>○</sup>Shunsuke Yaguchi (SMRC, Univ. Tsukuba)

**OP02-08 (P-071)** 09:54-10:06 Identification of novel maternal neurogenic genes that are potential components of Notch signaling in *Drosophila*

ショウジョウバエを用いた Notch 情報伝達系における新規構成因子の探索  
<sup>○</sup>Takuma Gushiken<sup>1,2</sup>, Kenjiroo Matsumoto<sup>1</sup>, Ryo Hatori<sup>1,2</sup>, Tomoko Yamakawa<sup>1</sup>, Takeshi Sasamura<sup>1</sup>, Kenji Matsuno<sup>1</sup> (Osaka University<sup>1</sup>, Dept of Biol. / Tec., Tokyo Univ of Sci.<sup>2</sup>)

## OP03: Neural development and function 2

May 29 (Wed) 10:25-11:50 Room 2

Chairpersons: Carina Hanashima (RIKEN CDB)

Takaki Miyata (Nagoya Univ.)

**OP03-01 (P-192)** 10:25-10:37 Generation of the 3-Dimensional Multi-gene Expression Map for the Zebrafish Developing Habenular Nuclei

Guo-Tzau Wang<sup>2</sup>, Chang-Huain Hsieh<sup>2</sup>, Yuan-Ding Yu<sup>3</sup>, Wei-Han Lang<sup>1</sup>, <sup>○</sup>Yung-Shu Kuan<sup>1,3,4,5</sup> (IBS, NTU, TW<sup>1</sup>, NCHC, Taiwan<sup>2</sup>, IBC-AS, Taiwan<sup>3</sup>, NCSC, NTU, Taiwan<sup>4</sup>, NPAS-AS, Taiwan<sup>5</sup>)

**OP03-02 (P-193)** 10:37-10:49 SeeDB: an aqueous optical clearing agent for imaging intact fluorescence and morphology in the mouse brain.

新奇透明化試薬 SeeDB の開発とマウス脳の蛍光イメージング  
Meng-tsen Ke<sup>1,2</sup>, Satoshi Fujimoto<sup>1</sup>, <sup>○</sup>Takeshi Imai<sup>1,2,3</sup> (RIKEN CDB<sup>1</sup>, Grad Sch of Biostudies, Kyoto Univ<sup>2</sup>, PRESTO, JST<sup>3</sup>)

**OP03-03 (P-194)** 10:49-11:01 Role of early intracortical activity in the maturation of neocortical circuits

初期神経活動による大脳皮質神経回路形成の制御  
<sup>○</sup>Torsten Bullmann, Carina Hanashima (RIKEN CDB)

**OP03-04 (P-196)** 11:01-11:13 How have human brains been evolved? :comparative gene expression analysis among rodents, new world monkeys and old world monkeys

齧歯類、新世界ザル、旧世界ザル間の遺伝子発現比較からヒト脳へと至る大脳皮質進化の機構を探る試み  
<sup>○</sup>Eiji Matsunaga, Sanae Nambu, Mariko Oka, Michio Tanaka, Miki Taoka, Atushi Iriki (Lab for Symbolic Cognitive Development, RIKEN BSI)

**OP03-05 (P-197)** 11:13-11:25 Functional analysis of RP58 transcriptional repressor in neuronal migration during corticogenesis

大脳皮質形成時の神経細胞移動における RP58 転写抑制因子の機能解析  
<sup>○</sup>Chiaki Ohtaka-Maruyama, Haruo Okado (TMIMS)

- OP03-06 (P-198)** 11:25-11:37 Neural-specific elimination of *Mab21l2* results in respiratory failure in mouse neonates  
 ○Chung Man Chan, King Lau Chow (LIFS, HKUST)
- OP03-07 (P-200)** 11:37-11:49 Interkinetic nuclear migration through TAG-1-assisted progenitor elongation prevents neuroepithelial overcrowding and ensures neocortical histogenesis  
 ○Mayumi Okamoto<sup>1</sup>, Takashi Namba<sup>2</sup>, Tomoyasu Shinoda<sup>1</sup>, Ken Sago<sup>1</sup>, Kanako Saito<sup>1</sup>, Akira Sakakibara<sup>1</sup>, Ayano Kawaguchi<sup>1</sup>, Kazunori Nakajima<sup>3</sup>, Masahiro Ueda<sup>4,5</sup>, Shigeo Hayashi<sup>6</sup>, Toshihiko Fujimori<sup>7</sup>, Kozo Kaibuchi<sup>2</sup>, Takaki Miyata<sup>1</sup> (Dept Anat and Cell Biol, Nagoya Univ, Grad Sch of Med<sup>1</sup>, Dept Cell Pharmacol, Nagoya Univ, Grad Sch of Med<sup>2</sup>, Dept Anat, Keio Univ, Grad Sch of Med<sup>3</sup>, Dept Biol Sci, Osaka Univ, Grad Sch of Sci<sup>4</sup>, Lab for Cell Signaling Dynamics, QBiC,RIKEN<sup>5</sup>, Lab for Morphogenetic Signaling, CDB, RIKEN<sup>6</sup>, Div Embryology, NIBB<sup>7</sup>)

## OP04: Cellular behavior and differentiation 2

May 29 (Wed) 10:25-11:50 Room 3

Chairpersons: Masanori Taira (Univ. of Tokyo)

Kaoru Sato (Kyoto Univ.)

- OP04-01 (P-073)** 10:25-10:37 Roles of the zinc finger protein Zbtb11 and phosphorylation modification in the regulation of Otx2 activity in early *Xenopus* eye development  
*Xenopus* の眼の初期形成に関わる Otx2 のリン酸化修飾と活性調節における Zn フィンガー蛋白質 Zbtb11 の役割  
 ○Yumeko Satou<sup>1</sup>, Erina Hosono<sup>1</sup>, Kohei Minami<sup>1</sup>, Takashi Shibano<sup>1</sup>, Hiroshi Mamada<sup>1</sup>, Shuji Takahashi<sup>2</sup>, Makoto Asashima<sup>3</sup>, Masanori Taira<sup>1</sup> (Dept. of Biol.Sci, Grad. Sch. of Sci., Univ. of Tokyo<sup>1</sup>, KOMEX<sup>2</sup>, AIST<sup>3</sup>)
- OP04-02 (P-085)** 10:37-10:49 Genetic labeling and ablation of mouse *Shh*-expressing cells during cortical neurogenesis at late gestation  
 マウス胎生後期の大脳皮質内での神経発生におけるソニックヘッジホッグ発現細胞の遺伝的検出及び除去  
 ○Jun Motoyama (Brain Science, Doshisha Univ.)
- OP04-03 (P-075)** 10:49-11:01 Novel transgenic tool to live monitor the morphology and behavior of *Neurogenin2*-expressing cells in the developing mammalian brain  
 ○Takumi Kawaue, Ken Sago, Mayumi Okamoto, Tomoyasu Shinoda, Ayano Kawaguchi, Takaki Miyata (Cell Biology, Nagoya University, Graduate School of Medicine)
- OP04-04 (P-077)** 11:01-11:13 Investigating the roles of developmentally coordinated change of energy metabolism during mouse neural tube closure  
 マウス神経管閉鎖期に生じるエネルギー代謝状態変化の意義の解明  
 ○Hidenobu Miyazawa<sup>1</sup>, Yoshifumi Yamaguchi<sup>1,2</sup>, Masayuki Miura<sup>1,3</sup> (Dept. Genetics, Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, PREST, JST<sup>2</sup>, CREST, JST<sup>3</sup>)
- OP04-05 (P-079)** 11:13-11:25 Downregulation of *Etv2* promotes endothelial to hematopoietic fate transition  
 ○Makoto Kobayashi, Miki Takeuchi, Mana Watanabe, Miho Takeuchi (Univ. Tsukuba, Fac. Med.)
- OP04-06 (P-080)** 11:25-11:37 Regulation of red blood cell transition from larval to adult type during anuran metamorphosis  
 無尾類変態期における赤血球転換機構の解析  
 ○Masahiro Yamaguchi<sup>1,3</sup>, Yui Kawaguchi<sup>2</sup>, Iyo Matsuda<sup>1</sup>, Tsutomu Kinoshita<sup>3</sup> (Dept.

Chem. Biochem., Suzuka Natl. Coll. Tech.<sup>1</sup>, Adv. Appl. Chem. Mat. Eng., Suzuka Natl. Coll. Tech.<sup>2</sup>, Dept. Life Sci., Coll. Sci., Rikkyo Univ.<sup>3</sup>)

- OP04-07 (P-087)** 11:37-11:49 Role of Integrin  $\beta 1$  in endothelial cells  
血管内皮細胞における Integrin  $\beta 1$  の機能解析  
○Kenichi Kanai<sup>1,2</sup>, Hiroyuki Yamamoto<sup>2</sup>, Manuel Ehling<sup>2</sup>, Erina Kuranaga<sup>1</sup>, Ralf Adams<sup>2</sup> (RIKEN, CDB<sup>1</sup>, MPI, Münster<sup>2</sup>)

## OP05: Early embryogenesis 1 / Morphogenesis & Organogenesis 1

May 29 (Wed) 13:25-15:50 Room 2

Chairpersons: Noriko Funayama (Kyoto Univ.)

Shinji Ihara (NIG)

- OP05-01 (P-107)** 13:25-13:37 Expression timing of *Gdf11* reveals positional diversity of the hindlimb in tetrapods  
*Gdf11*発現開始タイミングの種間の違いが四肢動物における後肢の位置の多様性を生み出す  
○Yoshiyuki Matsubara<sup>1</sup>, Ayumi Hattori<sup>2</sup>, Yusuke Watanabe<sup>2</sup>, Toshihiko Ogura<sup>2</sup>, Se-Jin Lee<sup>3</sup>, Atsushi Kuroiwa<sup>1</sup>, Takayuki Suzuki<sup>1,4</sup> (Div of Biol Sci, Grad Sch of Sci, Nagoya Univ.<sup>1</sup>, IDAC, Tohoku Univ.<sup>2</sup>, Sch of Med, Johns Hopkins Univ, USA.<sup>3</sup>, JST PRESTO<sup>4</sup>)
- OP05-02 (P-109)** 13:37-13:49 Transcriptional regulation mechanisms of mesenchymal *Fibroblast growth factor 10* expression in response to the AER signaling  
AER 由来シグナルによる肢芽間充織 *Fgf10*の転写制御機構  
○Yo-Ichi Yamamoto-Shiraishi, Hiroaki Higuchi, Shigeki Yamamoto, Mie Hirano, Atsushi Kuroiwa (Div.of Biol.Sci., Grad.Sch.of Sci., Nagoya Univ.)
- OP05-03 (P-111)** 13:49-14:01 *Hox* and *Wnt* signaling cooperatively control *Fgf10* expression in the limb field  
*Hox*と *Wnt* シグナルは予定肢芽領域における *Fgf10*発現を協調的に制御する  
Taishi Ueta, Hiroyuki Inaba, Takehiro Hitokoto, Yo-ichi Shiraishi, Takayuki Suzuki,  
○Atsushi Kuroiwa (Div.of Biol.Sci., Grad.Sch.of Sci., Nagoya Univ.)
- OP05-04 (P-113)** 14:01-14:13 Coordination between tubular elongation and cell epithelialization is regulated by FGFs emanating from surrounding tissues  
管組織の伸長と細胞上皮化のコーディネーションは周囲組織からの FGF シグナルによって制御される  
○Yuji Atsuta<sup>1,2</sup>, Yoshiko Takahashi<sup>1</sup> (Grad. Sch. of Sci., Kyoto Univ.<sup>1</sup>, NAIST, Biol. Sci.<sup>2</sup>)
- OP05-05 (P-115)** 14:13-14:25 Oriented cell division for the formation of the body midline  
生体の正中線づくりにおける細胞分裂の方向付け  
○Tadayoshi Watanabe<sup>1,2</sup>, Gary Liu<sup>1</sup>, Takashi Mikawa<sup>1</sup> (CVRI, UCSF<sup>1</sup>, Zoology, Kyoto Univ.<sup>2</sup>)
- OP05-06 (P-117)** 14:25-14:37 Metabolic dynamics and function during somitogenesis  
体節形成過程における代謝経路の役割  
○Masayuki Oginuma, Philippe Moncuquet, Pourquoié Olivier (IGBMC)
- OP05-07 (P-119)** 14:37-14:49 *Lfng* regulates the synchronized oscillation of the mouse segmentation clock via trans-repression of Notch signalling  
*Lfng* は周囲の細胞の Notch シグナルをトランスに抑制することでマウス体節時計の同調機構を制御する

○Yusuke Okubo<sup>1</sup>, Takeshi Sugawara<sup>2</sup>, Natsumi Abe-Koduka<sup>3</sup>, Jun Kanno<sup>1</sup>, Akatsuki Kimura<sup>2</sup>, Yumiko Saga<sup>3</sup> (NIHS<sup>1</sup>, NIG<sup>2</sup>, NIG<sup>3</sup>)

- OP05-08 (P-121)** 14:49-15:01 Understanding the Role of Wnt5a in the Morphogenesis of the Vertebrate Body Plan  
マウス初期胚形態形成における Wnt5a の役割  
○Rieko Ajima<sup>1,2,3</sup>, Prabhakar Gudla<sup>2</sup>, Kristin Biris<sup>2</sup>, Lino Tessarollo<sup>2</sup>, Stephen Lockett<sup>2</sup>, Mark Lewandoski<sup>2</sup>, Hiroshi Hamada<sup>3</sup>, Yumiko Saga<sup>1</sup>, Terry Yamaguchi<sup>2</sup> (NIG<sup>1</sup>, NCI-Frederick, NIH<sup>2</sup>, Grad. School of Frontier Biosciences, Osaka Univ.<sup>3</sup>)
- OP05-09 (P-013)** 15:01-15:13 Pattern of early gene expression during early marmoset development  
コモンマーモセット初期胚における遺伝子発現パターンの変化  
○Ayako Sedohara<sup>1</sup>, Hideyuki Okano<sup>2</sup>, Erika Sasaki<sup>1</sup> (CIEA<sup>1</sup>, Keio University<sup>2</sup>)
- OP05-10 (P-016)** 15:13-15:25 The spider *Parasteatoda tepidariorum* is a good model to study cell-cell signaling and cell movement during development  
細胞間シグナルと細胞運動の実験系としてのオオヒメグモ  
○Yasuko Akiyama-Oda, Hiroki Oda (JT Biohistory Res. Hall)
- OP05-11 (P-019)** 15:25-15:37 Zebrafish embryonic cell migration promoted by pregnenolone that changes the conformation of CLIP-170 and promoting microtubule polymerization  
Jui-Hsia Weng, ○Bon-chu Chung (IMB, Academia Sinica)
- OP05-12 (P-022)** 15:37-15:49 Theoretical model of DV-pattern scaling in *Xenopus* embryo  
初期 *Xenopus* 胚の背腹軸スケールリングを保証する理論モデル  
○Tatsuo Shibata<sup>1</sup>, Hidehiko Inomata<sup>2,3</sup>, Yoshiki Sasai<sup>2</sup> (Lab for Physical Biology, CDB<sup>1</sup>, Organogenesis and Neurogenesis Group, CDB<sup>2</sup>, PRESTO/JST<sup>3</sup>)

## OP06: EvoDevo

May 29 (Wed) 13:25-15:50 Room 3

Chairpersons: Mikiko Tanaka (Tokyo Inst. of Technol.)

Gaku Kumano (Osaka Univ.)

- OP06-01 (P-254)** 13:25-13:37 Experimental Evodevo of larval skeleton in Echinodermata  
棘皮動物の幼生骨片の実験的進化発生学研究  
○Hiroyuki Koga, Yoshiaki Morino, Hiroshi Wada (Univ. Tsukuba)
- OP06-02 (P-256)** 13:37-13:49 Regulation of Left-Right Asymmetry in Sea Urchins  
Yi-Jyun Luo, Jeff Chieh-fu Peng, ○Yi-Hsien Su (ICOB, Academia Sinica)
- OP06-03 (P-257)** 13:49-14:01 Nodal signalling determines biradial symmetry in the cnidarian Hydra  
刺胞動物ヒドラの分岐形態は Nodal シグナルにより制御される  
○Hiroshi Watanabe<sup>1</sup>, Heiko Schmidt<sup>2</sup>, Bert Hobmayer<sup>3</sup>, Suat Özbek<sup>1</sup>, Thomas Holstein<sup>1</sup> (COS, Univ. Heidelberg<sup>1</sup>, CIBIV<sup>2</sup>, Inst. Zool. Univ. Innsbruck<sup>3</sup>)
- OP06-04 (P-259)** 14:01-14:13 Possible evolutionary origin of cardiac function  
心臓機能の進化的起源  
○Hiroshi Shimizu<sup>1</sup>, Kevin Pang<sup>2</sup>, Mark Q Martindale<sup>2</sup> (NIG<sup>1</sup>, Kewalo Marine Laboratory, Univ. Hawaii<sup>2</sup>)
- OP06-05 (P-261)** 14:13-14:25 Elastin gene subfunctionalization and formation of teleost-specific outflow tract, “bulbus arteriosus”, in fish evolution and development.  
エラスチン遺伝子の機能分化と真骨魚類においてみられる動脈球（流出路）の発生と進化

○Yuuta Moriyama<sup>1</sup>, Jun Takeuchi<sup>1,2</sup>, Kazuko Koshiba-Takeuchi<sup>1,2</sup> (Cardiovascular Regeneration, IMCB, Univ. of Tokyo, Japan<sup>1</sup>, Biological Science, Grad. Sch. of Sciences, Univ. of Tokyo, Japan<sup>2</sup>)

- OP06-06 (P-262)** 14:25-14:37 Expression of germline markers in three species of amphioxus supports a preformation mechanism of germ cell development in cephalochordates  
Qiu-Jin Zhang<sup>1,2</sup>, Yi-Jyun Luo<sup>1</sup>, Hui-Ru Wu<sup>1</sup>, Yen-Ta Chen<sup>1</sup>, ○Jr-Kai Yu<sup>1,3</sup> (ICOB, Academia Sinica<sup>1</sup>, Fujian Normal University<sup>2</sup>, Inst. Ocean., NTU<sup>3</sup>)
- OP06-07 (P-264)** 14:37-14:49 Evolutionary background of pluripotency among amniotes — FGF/ERK-independent proliferation in early embryos —  
鳥類・爬虫類から見る多能性機構の進化  
○Shota Nakanoh, Kiyokazu Agata (Kyoto University, Science)
- OP06-08 (P-266)** 14:49-15:01 Modification of anterior-posterior patterning systems during the fin-to-limb transformation: Insight into the origin of thumbs  
対鰭から四肢への形態変化における前後軸形成機構の変更～親指の起源への洞察～  
○Koh Onimaru, Mikiko Tanaka (Tokyo Tech.)
- OP06-09 (P-267)** 15:01-15:13 Pax1 and Segmental Development of Pharyngeal Arch  
Pax1 が解き明かす咽頭弓分節機構  
○Kazunori Okada, Hiroshi Wada (Univ. Tsukuba)
- OP06-10 (P-269)** 15:13-15:25 Evolutionary and functional analysis of cis-regulatory elements in mammalian Gsx1 and Gsx2 homeobox genes.  
哺乳類 Gsx1, Gsx2 ホメオボックス遺伝子シス発現調節因子の進化的および機能的解析  
○Kenta Sumiyama (NIG)
- OP06-11 (P-271)** 15:25-15:37 Role of *Six1* in evolution of vertebrate primary sensory system  
脊椎動物体幹部一次感覚神経系の進化における *Six1* の役割  
○Kiyoshi Kawakami<sup>1</sup>, Hiroshi Yajima<sup>1</sup>, Makoto Suzuki<sup>2</sup>, Haruki Ochi<sup>3</sup>, Keiko Ikeda<sup>4</sup>, Shigeru Sato<sup>1</sup>, Hajime Ogino<sup>3</sup>, Naoto Ueno<sup>2</sup> (Div. Biol., CMM, Jichi Med. Univ.<sup>1</sup>, Div. Morpho. NIBB<sup>2</sup>, Dev. Genet. NAIST<sup>3</sup>, Dep. Biol. Hyogo Med. Col.<sup>4</sup>)
- OP06-12 (P-273)** 15:37-15:49 Conserved genetic module for the development of dorsal flat sheet-like structures among Branchiopod crustaceans  
鰓脚綱甲殻類に保存された背部平板状構造形成に関与する遺伝子モジュール  
Yuki Ishida, Shin-Ichi Tokishita, ○Yasuhiro Shiga (Tokyo Univ. Pharm. & Life Sci., Sch. of Life Scis.)

## OP07: Morphogenesis & Organogenesis 2

May 30 (Thu) 08:30-10:10 Room 1

Chairpersons: Yasuko Akiyama-Oda (JT BRH)

Noriyuki Kinoshita (NIBB)

- OP07-01 (P-123)** 08:30-08:42 Hox gene overexpression in cranial neural crest cells is sufficient for first-to-second pharyngeal arch transformation and reveals a possible Hox/Dlx cross-talk  
Hox 遺伝子の過剰発現により、頭頸部神経堤細胞限定的な Hox 遺伝子の発現が鰓弓の領域化に十分条件であること、Hox 遺伝子と Dlx 遺伝

子の相互作用の可能性があることが明らかになった

○Taro Kitazawa<sup>1</sup>, Kou Fujisawa<sup>1</sup>, Yuichiro Arima<sup>1</sup>, Yumiko Kawamura<sup>1</sup>, Tsuyoshi Inoue<sup>2,3</sup>, Youichiro Wada<sup>2</sup>, Takahide Kohro<sup>2,4</sup>, Hiroyuki Aburatani<sup>5</sup>, Tatsuhiko Kodama<sup>2</sup>, Kisung Kim<sup>1</sup>, Takahiro Sato<sup>1</sup>, Yasunobu Uchijima<sup>1</sup>, Giovanni Levi<sup>6</sup>, Yukiko Kurihara<sup>1</sup>, Hiroki Kurihara<sup>1</sup> (Dept. Physiol. Chem. & Metab., Grad. Sc. of Med., Univ. of Tokyo<sup>1</sup>, RCAST<sup>2</sup>, Dept. Nephrology & Endocrinology., Grad. Sc. of Med., Univ. of Tokyo<sup>3</sup>, Dept Translational Research Healthcare & Clinical Science., Grad. Sc. of Med., Univ. of Tokyo<sup>4</sup>, RCAST<sup>5</sup>, Evolution des Regulations Endocriniennes, CNRS, UMR7221, Museum National d' Histoire Naturelle<sup>6</sup>)

- OP07-02 (P-125)** 08:42-08:54 Seven-pass transmembrane cadherin *Celsr1* regulates cell polarity and three-dimensional morphogenesis in the mouse oviduct epithelium.  
7回膜貫通型カドヘリン *Celsr1* はマウス卵管において上皮細胞の極性と3次元形態の形成を制御する。  
○Dongbo Shi<sup>1,2</sup>, Kouji Komatsu<sup>1</sup>, Hiroshi Koyama<sup>1</sup>, Mayumi Hirao<sup>1</sup>, Fadel Tissir<sup>3</sup>, Andre Goffinet<sup>3</sup>, Tadashi Uemura<sup>2</sup>, Toshihiko Fujimori<sup>1,4</sup> (NIBB<sup>1</sup>, Kyoto Univ.<sup>2</sup>, UCL<sup>3</sup>, CREST, JST<sup>4</sup>)
- OP07-03 (P-127)** 08:54-09:06 Dysregulation of *Aqp3* and endolymphatic hydrops in a mouse model of cam-pomelic dysplasia  
Irene.Y.Y. Szeto<sup>1</sup>, Tiffany Au<sup>1</sup>, Daniel Chu<sup>1</sup>, Sarah Wynn<sup>1</sup>, Angel Mak<sup>1</sup>, Y.S. Chan<sup>2</sup>, Robin Lovell-Badge<sup>3</sup>, Wood-Yee Chan<sup>4</sup>, Mai-har Sham<sup>1</sup>, ○Kathryn.S.E. Cheah<sup>1</sup> (Department of Biochemistry, The University of Hong Kong<sup>1</sup>, Department of Physiology, The University of Hong Kong<sup>2</sup>, Division of Developmental Genetics, MRC National Institute for Medical Research<sup>3</sup>, Department of Anatomy, The Chinese University of Hong Kong<sup>4</sup>)
- OP07-04 (P-129)** 09:06-09:18 How are the spicule hold-up points regulated? — Observed spicule hold-up process suggests the involvement of the shape of the body space in regulation of where spicules are held up  
骨片を立てる位置はどの様に決まるのか? 「骨片の一端を持ち上げ立ちあげる過程」から見てきた体内空間の関与  
Kotoe Kawai, Kouji Kishimoto, Chihiro Inui, Kiyokazu Agata, ○Noriko Funayama (Dept. Biophysics, Graduate School of Science, Kyoto-Univ.)
- OP07-05 (P-131)** 09:18-09:30 CXCR7 signaling modulates cell-cell adhesion in *Xenopus* mesendoderm cells  
ツメガエル CXCR7 情報伝達経路は細胞間接着を制御する  
○Akimasa Fukui, Kazuya Furusawa, Naoki Sasaki (Transd. Life Sci., Grad. Sch. Life Sci., Hokkaido Univ.)
- OP07-06 (P-133)** 09:30-09:42 Regulation of paraxial protocadherin (PAPC) by a phosphorylation-dependent ubiquitin system is required for *Xenopus* early development  
リン酸化依存的なユビキチン化による paraxial protocadherin (PAPC) の調節はアフリカツメガエルの初期発生に必須である  
○Masatake Kai<sup>1,2</sup>, Noriyuki Kinoshita<sup>2</sup> (Grad. Sch. of Med., Osaka City Univ.<sup>1</sup>, NIBB<sup>2</sup>)
- OP07-07 (P-135)** 09:42-09:54 Planar Cell Polarity directs Septin-mediated compartmentalization of cortical actomyosin  
○Asako Shindo, John Wallingford (HHMI and UT Austin)
- OP07-08 (P-137)** 09:54-10:06 *March2* inhibits the Wnt signaling pathways by promoting Dishevelled degradation during *Xenopus* development  
○Hyeyoon Lee<sup>1</sup>, Seong-Moon Cheong<sup>2</sup>, Gun-Sik Cho<sup>3</sup>, Jin-Kwan Han<sup>1</sup> (Department of Life Science, POSTECH, Republic of Korea<sup>1</sup>, The F. M. Kirby Neurobiology Center,

## OP08: Cell biology

May 30 (Thu) 08:30-10:10 Room 2

Chairpersons: Shinichi Nakagawa (RIKEN)

Motoyuki Itoh (Chiba Univ.)

- OP08-01 (P-096)** 08:30-08:42 Evidence for multiple opsin phototransduction pathways in larvae of a reef-building coral (Cnidaria: Anthozoa: Hexacorallia: Scleractinia)  
○Benjamin Mason<sup>1</sup>, David Miller<sup>2</sup> (ARC CofECRS, James Cook Univ.<sup>1</sup>, Sch. Pharm & Mol Sci, ARC CofECRS, James Cook Univ.<sup>2</sup>)
- OP08-02 (P-098)** 08:42-08:54 Molecular basis of stripe pattern formation in zebrafish  
ゼブラフィッシュの体表模様形成機構  
○Masakatsu Watanabe<sup>1</sup>, Daisuke Watanabe<sup>1</sup>, Tomoki Nishida<sup>2</sup>, Shigeru Kondo<sup>1</sup> (FBS, Osaka Univ.<sup>1</sup>, UHVEM, Osaka Univ.<sup>2</sup>)
- OP08-03 (P-099)** 08:54-09:06 Mib1 regulates cell migration via ubiquitination of p120ctn  
○Takamasa Mizoguchi<sup>1,3</sup>, Kazuya Hirose<sup>2</sup>, Shoko Ikeda<sup>3</sup>, Saori Watanabe<sup>3</sup>, Motoyuki Itoh<sup>1,3</sup> (Grad. Sch. of Pharm. Sci., Chiba Univ.<sup>1</sup>, Div. of Bio. Sci., Grad. Sch. of Sci., Nagoya Univ.<sup>2</sup>, Fac. of Pharm. Sci., Chiba Univ.<sup>3</sup>)
- OP08-04 (P-101)** 09:06-09:18 Identification of genetic modifiers that interact with *pecanex*, encoding a component of Notch signaling in *Drosophila*  
Notch 情報伝達系の構成遺伝子 *pecanex* と遺伝的相互作用を示す遺伝子の網羅的探索  
○Tomoko Yamakawa<sup>1</sup>, Yu Atsumi<sup>1,2</sup>, Shiori Kubo<sup>1</sup>, Kenji Matsuno<sup>1</sup> (Dept. of Biol. Sci., Grad. school of Sci., Osaka Univ.<sup>1</sup>, Dept. of Biol./Tec., Tokyo Univ. of Sci.<sup>2</sup>)
- OP08-05 (P-102)** 09:18-09:30 IKKε antagonizes PKC-dependent inhibitory phosphorylation of Singed/Fascin to promote paracrystalline actin bundle assembly  
IKKε はアクチン束化タンパク質 Singed/Fascin を PKC による抑制的リン酸化から保護することによって結晶状のアクチン束形成を促進する  
○Tetsuhisa Otani<sup>1</sup>, Takuya Maeda<sup>1</sup>, Kazuyo Misaki<sup>2</sup>, Shigenobu Yonemura<sup>2</sup>, Shigeo Hayaishi<sup>1</sup> (RIKEN CDB, Lab for Morphogenetic Signaling<sup>1</sup>, RIKEN CDB, Electron Microscope Lab<sup>2</sup>)
- OP08-06 (P-104)** 09:30-09:42 Expression profile of ORC and MCM complex in the anterior and posterior to Morphogenic furrow of *Drosophila* eye disc.  
ショウジョウバエ複眼原基の分化決定した細胞群と未分化細胞群における MCM, ORC の発現パターン  
○Hidetsugu Kohzaki<sup>1</sup>, Yota Murakami<sup>1,2</sup> (Dept. Cell Biol., IVR, Kyoto Univ.<sup>1</sup>, Dept. Chem., Facu., Science, Hokkaido Univ.<sup>2</sup>)
- OP08-07 (P-105)** 09:42-09:54 Nuclear Body Paraspeckles Are Essential for the Formation of Functional Corpus Luteum  
核内構造体パラスペックルは機能的な黄体形成に必須である  
○Shinichi Nakagawa<sup>1</sup>, Tetsuro Hirose<sup>2</sup> (RNA Biol Lab, RIKEN<sup>1</sup>, BIRC, NAIST<sup>2</sup>)
- OP08-08 (P-106)** 09:54-10:06 Cell polarity suppresses Hippo signaling through the regulation of Angiomin distribution in preimplantation mouse embryos  
細胞極性の Angiomin 分布制御によるマウス着床前胚 Hippo 経路の制御機構

○Yoshikazu Hirate<sup>1</sup>, Shino Hirahara<sup>6</sup>, Atsushi Suzuki<sup>2</sup>, Vernadeth Alarcon<sup>3</sup>, Yohei Yoshihama<sup>4</sup>, Kazunori Akimoto<sup>2</sup>, Takaaki Hirai<sup>4</sup>, Takeshi Hara<sup>4</sup>, Kazuhiro Chida<sup>4</sup>, Shigeo Ohno<sup>2</sup>, Yusuke Marikawa<sup>3</sup>, Akihiko Shimono<sup>5</sup>, Hiroshi Sasaki<sup>1</sup> (IMEG, Kumamoto Univ.<sup>1</sup>, Yokohama City Univ.<sup>2</sup>, Univ of Hawaii, USA<sup>3</sup>, Univ of Tokyo<sup>4</sup>, Trans Genic, Inc<sup>5</sup>, RIKEN CDB<sup>6</sup>)

## OP09: Regulation of gene expression

May 30 (Thu) 08:30-10:10 Room 3

Chairpersons: Takayuki Suzuki (Nagoya Univ.)

Haruki Ochi (Yamagata Univ.)

- OP09-01 (P-242)** 08:30-08:42 Screen for modifiers of transcriptional inheritance  
転写のエピジェネティック継承の解析  
○Tetsuya Muramoto, Masahiro Ueda (RIKEN QBiC)
- OP09-02 (P-243)** 08:42-08:54 Accelerating the Tempo of the Segmentation Clock by Reducing the Number of Introns in the Hes7 Gene  
Hes7 遺伝子のイントロン削減による分節時計の加速化  
○Yukiko Harima, Yoshiki Takashima, Yuriko Ueda, Toshiyuki Ohtsuka, Ryoichiro Kageyama (IVR, Kyoto Univ.)
- OP09-03 (P-245)** 08:54-09:06 *armadillo* and *orthodenticle* regulate the traveling of a wave of *hedgehog* expression in the early spider embryo  
アルマジロとオルソデンティクルは初期クモ胚においてヘッジホッグ発現波の伝播を制御する  
○Hiroki Oda, Yasuko Akiyama-Oda (JT BRH)
- OP09-04 (P-246)** 09:06-09:18 *Hipk2* plays essential roles in the Wnt-mediated early developmental events by inducing Dishevelled dephosphorylation and stabilization.  
タンパク質リン酸化酵素 *Hipk2* は、Dishevelled タンパク質の脱リン酸化と安定化を誘導することにより、Wnt 分子が制御する初期発生イベントにおいて必須の役割を果たす。  
○Nobuyuki Shimizu, Tohru Ishitani (Div. of Cell Reg. Sys., Dep. of Immuno. and Neurosci., M.I.B., Kyushu Univ.)
- OP09-05 (P-248)** 09:18-09:30 *Nipbl* and *Med12* regulate limb-specific expression of genes cooperatively during vertebrate limb development  
脊椎動物四肢発生期において *Nipbl* と *Med12* は肢芽特異的な遺伝子発現を協同的に調節する  
○Akihiko Muto<sup>1,2,4</sup>, Martha Lopez-Burks<sup>2,4</sup>, Yutaka Kikuchi<sup>1</sup>, Anne Calof<sup>3,4</sup>, Arthur Lander<sup>2,4</sup>, Thomas Schilling<sup>2,4</sup> (Dept. Biol. Sci., Hiroshima, Univ.<sup>1</sup>, Dept. Dev. Cell Biol., UC Irvine, USA<sup>2</sup>, Dept. Anat. Neurobiol, UC Irvine, USA<sup>3</sup>, CCBS, UC Irvine, USA<sup>4</sup>)
- OP09-06 (P-249)** 09:30-09:42 Hypoxia reduces the toxicity of a metabolic inhibitor via activation of the HIF signalling pathway and reduction of chemical uptake  
○I Chen Hung<sup>1,2</sup>, Helen Walton<sup>1</sup>, Shyh-Jye Lee<sup>2</sup>, Ronny van Aerle<sup>1</sup>, Megan Resse<sup>1</sup>, James Cresswell<sup>1</sup>, Rod W. Wilson<sup>1</sup>, Eduarda M. Santos<sup>1</sup> (Biosciences, College of Life and Environmental Sciences, University of Exeter<sup>1</sup>, Institute of Zoology, National Taiwan University<sup>2</sup>)
- OP09-07 (P-251)** 09:42-09:54 Cis-acting transcriptional repression establishes a sharp boundary in chordate embryos  
*Admp* 遺伝子は *Pinhead* 遺伝子によりタンパク質レベルおよび転写レ

ベルで二重の抑制をうけ動物胚の腹側の領域を決定する

○Kaoru Imai<sup>1</sup>, Yutaka Daidou<sup>2</sup>, Takehiro Kusakabe<sup>2</sup>, Yutaka Satou<sup>1</sup> (Kyoto Univ.<sup>1</sup>, Konan University<sup>2</sup>)

**OP09-08 (P-253)** 09:54-10:06 Four signaling pathways cooperatively specify neural fate in ascidian embryos.

ホヤ胚において4つのシグナル経路が協調して神経運命決定をする

○Naoyuki Ohta, Yutaka Satou (Kyoto University)

## OP10: Morphogenesis & Organogenesis 3

May 30 (Thu) 10:25-11:50 Room 1

Chairpersons: Hiroshi Sasaki (Kumamoto Univ.)

Yoshio Wakamatsu (Tohoku Univ.)

**OP10-01 (P-139)** 10:25-10:37 Involvement of microtubule-dependent transport of Wnt signaling components in zebrafish dorsal determination

ゼブラフィッシュ背側決定における Wnt シグナルコンポーネントの微小管依存性輸送の関係

○Hiromu Hino<sup>1,2</sup>, Ryoko Seki<sup>1,2</sup>, Long Tran<sup>3</sup>, Takashi Shimizu<sup>1,2</sup>, Karuna Sampath<sup>3</sup>, Masahiko Hibi<sup>1,2</sup> (DBS, Nagoya univ.<sup>1</sup>, BBC, Nagoya univ.<sup>2</sup>, TLSL<sup>3</sup>)

**OP10-02 (P-141)** 10:37-10:49 Locomotive activity of *Xenopus* primordial germ cell is regulated by extracellular signals involving SDF-1.

ゼノパス始原生殖細胞の移動能は SDF-1 を含む細胞外シグナルにより制御される。

Kohei Terayama, Hidefumi Orii, Kenji Watanabe, ○Makoto Mochii (Grad. Sch. Life Sci., Univ. Hyogo)

**OP10-03 (P-142)** 10:49-11:01 Multiple origins of myeloid cells in *Xenopus* embryo

ゼノパス胚には3つの骨髄球の起源がある

○Mitsugu Maeno, Yasutaka Imai, Hiroyuki Sakata (Grad. Sch. Sci. Tech., Niigata Univ.)

**OP10-04 (P-144)** 11:01-11:13 Spatio-temporal activation of ERK1/2 through VEGFRs regulates establishment and formation of segmental artery in zebrafish

VEGFR を介した時間的空間的 ERK の活性化はゼブラフィッシュにおける体節間動脈の確立と形成維持に重要な働きを示す

○Masahiro Shin, Nathan Lawson (UMASSMED)

**OP10-05 (P-146)** 11:13-11:25 Klf8 is required for cardiac Left-Right patterning through regulation of *spaw* expression in zebrafish embryos

○Sheng-Ping Hwang<sup>1,2</sup>, Che-Yi Lin<sup>2</sup>, Ming-Yuan Tsai<sup>3</sup>, Yi-Chung Chen<sup>1</sup>, Yu-Fen Lu<sup>1</sup>, Hsin-Chi Liao<sup>1</sup>, Chang-Jen Huang<sup>4</sup> (ICOB, Academia Sinica, Taipei, Taiwan<sup>1</sup>, Institute of Bioscience and Biotechnology, National Taiwan Ocean University, Keelung, Taiwan<sup>2</sup>, Graduate Institute of Life Sciences, National Defense Medical Center, National Defense University, Neihu, Taipei, Taiwan<sup>3</sup>, Institute of Biological Chemistry, Academia Sinica, Taipei, Taiwan<sup>4</sup>)

**OP10-06 (P-148)** 11:25-11:37 Analysis of mutant *stöpsel*<sup>dt128d</sup> (*stp*) indicating the vertebral form abnormality  
椎骨の形態異常を示す変異体 *stöpsel*<sup>dt128d</sup> (*stp*) の解析

○Akihiro Misu, Hiroaki Yamanaka, Shigeru Kondo (Kondo S lab. FBS Osaka uni)

**OP10-07 (P-150)** 11:37-11:49 Cadherin-mediated physical barrier regulates cell geometry in zebrafish lens epithelium

ゼブラフィッシュ水晶体上皮細胞においてカドヘリンの細胞接着による細胞領域間の堅さの違いが細胞形態、方向性を制御する  
 °Toshiaki Mochizuki<sup>1</sup>, Shohei Suzuki<sup>1</sup>, Asako Sakaue-Sawano<sup>2</sup>, Atsushi Miyawaki<sup>2</sup>, Ichiro Masai<sup>1</sup> (OIST<sup>1</sup>, RIKEN BSI<sup>2</sup>)

## OP11: Neural development and function 3 / Aging / Technology, Theoretical approach

May 30 (Thu) 10:25-11:50 Room 2

Chairpersons: Takashi Shimizu (Nagoya Univ.)

Yoshihiro Morishita (RIKEN CDB)

- OP11-01 (P-201)** 10:25-10:37 Basement membrane integrity is required for axogenesis of cerebellar granule cells.  
 小脳顆粒細胞の軸索伸長には正常な基底膜形成が必要である  
 °Miki Takeuchi<sup>1</sup>, Shigenobu Yonemura<sup>2</sup>, Kazuhide Asakawa<sup>3</sup>, Koichi Kawakami<sup>3</sup>, Shinji Takada<sup>4</sup>, Takashi Shimizu<sup>1</sup>, Masahiko Hibi<sup>1</sup> (Bioscience and Biotechnology Center, Nagoya Univ.<sup>1</sup>, RIKEN Center for Developmental Biology<sup>2</sup>, National Institute of Genetics<sup>3</sup>, Okazaki Institute for Integrative Bioscience<sup>4</sup>)
- OP11-02 (P-203)** 10:37-10:49 Highly efficient transplantation into the embryonic mouse cortex reveals the acquisition of apico-basal polarity by neural progenitors derived from pluripotent stem cells  
 胚性幹細胞から誘導された神経前駆細胞は胎生期脳の上皮極性に従い細胞突起を形成する  
 Fumiaki Nagashima, °Yoichi Kosodo (Dept. Anatomy, Kawasaki Med.)
- OP11-03 (P-204)** 10:49-11:01 Sufu controls the number and cell fate of hindbrain progenitors  
 °Hong Huan Hor<sup>1</sup>, XingAn Wang<sup>1</sup>, Mai Har Sham<sup>1</sup>, Chi Chung Hui<sup>2,3</sup> (Dept of Biochemistry, LKS Faculty of Medicine, HKU<sup>1</sup>, Program in Developmental and Stem Cell Biology, The Hospital for Sick Children<sup>2</sup>, Department of Molecular Genetics, University of Toronto<sup>3</sup>)
- OP11-04 (P-206)** 11:01-11:13 Nemo-like kinase blocks Hedgehog signaling by phosphorylating Gli1 transcription factor in neural progenitor cells and brain tumor.  
 神経前駆細胞及び脳腫瘍において Nemo-like kinase は転写因子 Gli1 をリン酸化してヘッジホッグシグナルを抑制する  
 °Tohru Ishitani, Nobuyuki Shimizu, Shizuka Ishitani (Div. of Cell Reg. Sys., Med. Ins. of Bioreg., Kyushu Univ.)
- OP11-05 (P-275)** 11:13-11:25 Age-dependent apoptosis of select olfactory neurons impairs innate attraction behavior in *Drosophila*  
 特定の嗅覚受容体神経における加齢依存的なアポトーシスが、老化に伴う個体行動変化を引き起こす  
 °Takahiro Chihara<sup>1,2</sup>, Aki Kitabayashi<sup>1</sup>, Michie Morimoto<sup>1</sup>, Ken-ichi Takeuchi<sup>1</sup>, Kaoru Masuyama<sup>3</sup>, Ayako Tonoki<sup>4</sup>, Ronald Davis<sup>4</sup>, Jing Wang<sup>3</sup>, Masayuki Miura<sup>1,2</sup> (Dept. Genetics, Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, CREST, JST, Japan<sup>2</sup>, Neurobiol. Biol Sci, UCSD, USA<sup>3</sup>, Neurosci. The Scripps Florida, USA<sup>4</sup>)
- OP11-06 (P-279)** 11:25-11:37 A theoretical study of the developmental properties that determine floral organ number  
 花器官の数はどのような発生過程から決まるのか  
 °Miho Kitazawa, Koichi Fujimoto (Dept. of Biol. Sci., Grad. Sch. of Sci., Osaka Univ.)

- OP11-07 (P-282)** 11:37-11:49 Targeted genome modifications using ZFNs and TALENs in the cricket *Gryllus bimaculatus*  
 フタホシコオロギにおける ZFN, TALEN を用いた標的遺伝子改変  
 °Takahito Watanabe<sup>1</sup>, Hiroshi Ochiai<sup>2</sup>, Tetsushi Sakuma<sup>2</sup>, Taro Nakamura<sup>1</sup>, Taro Mito<sup>1</sup>, Takashi Yamamoto<sup>2</sup>, Sumihare Noji<sup>1</sup> (Dept. of Life Systems, Inst. of Tec. and Sci., Univ. of Tokushima<sup>1</sup>, Dept. of Math. and Life Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>2</sup>)

## OP12: Early embryogenesis 2

May 30 (Thu) 10:25-11:50 Room 3

Chairpersons: Michihiko Sugimoto (RIKEN BRC)

Hiroki Oda (JT BRH)

- OP12-01 (P-025)** 10:25-10:37 Zebrafish TSC22D3 Plays Critical Roles in Bmp dependent Dorsoventral Patterning during Early Embryogenesis  
 °William Ka Fai Tse (Dept. of Biol, HKBU)
- OP12-02 (P-028)** 10:37-10:49 Mechanism of the “KUBIRE” formation in the neurula embryo of the ascidian, *Halocynthia roretzi*  
 マボヤ神経胚における「くびれ」形成機構の解析  
 °Gaku Kumano, Sari Zenpuku, Hiroki Nishida (Osaka University)
- OP12-03 (P-031)** 10:49-11:01 The cilia-dependency of hedgehog signaling in fish  
 魚類におけるヘッジホッグシグナル伝達経路の繊毛依存性  
 °Takayoshi Yamamoto, Tatsuya Tsukahara, Hiroyuki Takeda (Lab. of Embryology, Dept. of Biol. Scis., Grad. Sch. of Sci., Univ. of Tokyo)
- OP12-04 (P-034)** 11:01-11:13 Molecular identification of  $t^{ms}$ : *Vps52* promotes pluripotential cell differentiation through cell interactions  
 マウス *t*-complex 致死変異より同定された *Vps52* の発生制御遺伝子としての役割  
 °Michihiko Sugimoto<sup>1</sup>, Masayo Kondo<sup>1</sup>, Michiko Hirose<sup>2</sup>, Misao Suzuki<sup>3</sup>, Kazuyuki Mekada<sup>4</sup>, Atsuo Ogura<sup>2</sup>, Karen Artzt<sup>5</sup>, Kuniya Abe<sup>1</sup> (MCD, BRC, RIKEN<sup>1</sup>, BED, BRC, RIKEN<sup>2</sup>, CARD, Kumamoto Univ.<sup>3</sup>, EAD, BRC, RIKEN<sup>4</sup>, Univ. Texas Austin<sup>5</sup>)
- OP12-05 (P-037)** 11:13-11:25 Epigenetic regulation of Hox gene expression by PcG genes in a primitive mode of insect embryogenesis in the cricket *Gryllus bimaculatus*  
 原始的発生様式をとる昆虫の胚発生過程におけるポリコーム遺伝子群によるホメオティック遺伝子発現のエピジェネティックな制御  
 °Yuji Matsuoka<sup>1</sup>, Tetsuya Bando<sup>2</sup>, Taro Nakamura<sup>1</sup>, Takahito Watanabe<sup>1</sup>, Sumihare Noji<sup>1</sup>, Taro Mito<sup>1</sup> (Dept. of Bio. Sci. and Tech., Fact. of Eng., Tokushima Univ.<sup>1</sup>, Dent. and Pharm. Sci. and Grad. of Med., Okayama Univ.<sup>2</sup>)
- OP12-06 (P-040)** 11:25-11:37 The Role of *Foxc1* in Telencephalic Vascular Development  
 °Thanit Prasitsak, Masato Ota, Sachiko Iseki (Mol. Cra. Emb., TMDU)

## OP13: Morphogenesis & Organogenesis 4

May 31 (Fri) 08:30-10:10 Room 1

Chairpersons: Shin Takagi (Nagoya Univ.)

Yumi Izutsu (Niigata Univ.)

- OP13-01 (P-152)** 08:30-08:42 The H3K27 demethylase, *Jmjd3*, regulates *pax6* expression for eye development  
 ヒストン脱メチル化因子 *Jmjd3* は、眼の発生において *Pax6* の発現を

- 制御する  
 ○Akane Kawaguchi<sup>1</sup>, Haruki Ochi<sup>2</sup>, Norihiro Sudou<sup>1</sup>, Hajime Ogino<sup>1</sup> (NAIST<sup>1</sup>, Yamagata University, Faculty of medicine<sup>2</sup>)
- OP13-02 (P-154)** 08:42-08:54 GON-1/ADAMTS and fibulin-1 act through collagen IV to control *C.elegans* organogenesis  
 GON-1/ADAMTS と fibulin-1 は IV 型コラーゲンを通じて線虫の器官形成を制御する  
 ○Tomomi Takano<sup>1</sup>, Yukihiko Kubota<sup>2</sup>, Kiyoji Nishiwaki<sup>1</sup> (Dep. of Bisci. Sch. of Sci. and Tech., Kwansai Gakuin Univ.<sup>1</sup>, Grad.Sch. of Life Sci. Tohoku Univ.<sup>2</sup>)
- OP13-03 (P-156)** 08:54-09:06 Nuclear membrane proteins act in transport of the Netrin receptor, UNC-5 in cell migration in *C. elegans*.  
 細胞移動における核膜タンパク質の新たな役割  
 ○Hon-Song Kim, Kiyoji Nishiwaki (Dep. of Biosci. Kwansai-Gakuin Univ.)
- OP13-04 (P-158)** 09:06-09:18 The origin of stem and progenitor cells in the zebrafish lateral line primordium.  
 ゼブラフィッシュ側線における幹細胞と前駆細胞の発生上の起源  
 ○Masataka Nikaido, Richard Alexander, Tatjana Piotrowski (Stowers Inst.)
- OP13-05 (P-160)** 09:18-09:30 Collective unidirectional motion of epithelial cells supported by planar cell dynamics during *Drosophila* organogenesis (part I): Experimental approach  
 ショウジョウバエ雄性生殖器の形態形成に見られる上皮細胞の集団的一方向性運動 (part I): 実験からのアプローチ  
 Ayako Isomura<sup>1</sup>, Katsuhiko Sato<sup>2</sup>, Tetsuya Hiraiwa<sup>2</sup>, Emi Maekawa<sup>1</sup>, Aimi Tsukioka<sup>1</sup>,  
 ○Erina Kuranaga<sup>1</sup> (Lab. Histogenetic Dynamics, RIKEN CDB<sup>1</sup>, Lab. Physical Biology, RIKEN CDB<sup>2</sup>)
- OP13-06 (P-162)** 09:30-09:42 Collective unidirectional motion of epithelial cells induced by planar cell dynamics during *Drosophila* organogenesis (part II): Theoretical approach  
 ショウジョウバエ雄性生殖器の形態形成に見られる上皮細胞の集団的一方向性運動 (part II): 理論からのアプローチ  
 ○Katsuhiko Sato<sup>1</sup>, Tetsuya Hiraiwa<sup>1</sup>, Emi Maekawa<sup>2</sup>, Tatsuo Shibata<sup>1</sup>, Ayako Isomura<sup>2</sup>, Aimi Tsukioka<sup>2</sup>, Erina Kuranaga<sup>2</sup> (Lab. Physical biology, RIKEN CDB<sup>1</sup>, Lab. Histogenetic Dynamics, RIKEN CDB<sup>2</sup>)
- OP13-07 (P-164)** 09:42-09:54 Mathematical analysis of vascular and spot patterns by auxin and PIN dynamics in plant development  
 オーキシシン -PIN ダイナミクスによる葉脈とスポットパターン形成の数理モデル  
 ○Yoshinori Hayakawa<sup>1,2</sup>, Masashi Tachikawa<sup>2</sup>, Atsushi Mochizuki<sup>1,2</sup> (Dept Comput. Intelligence & Sys. Science, Tokyo Institute of Technology<sup>1</sup>, Theoretical Biology Laboratory, RIKEN<sup>2</sup>)
- OP13-08 (P-166)** 09:54-10:06 Analysis of pattern formation in multicellular cyanobacteria by Cellular Automaton model  
 セルオートマトンモデルによる多細胞性シアノバクテリアの形態形成現象の解析  
 ○Jun-ichi Ishihara<sup>1,2</sup>, Masashi Tachikawa<sup>2</sup>, Hideo Iwasaki<sup>1</sup>, Atsushi Mochizuki<sup>2</sup> (Dept. of Electr. Engin. and Biosci., Waseda Univ.<sup>1</sup>, Theoretical Biology Lab., RIKEN<sup>2</sup>)

## OP14: Regeneration

May 31 (Fri) 08:30-10:10 Room 2

Chairpersons: Akira Sato (Okayama Univ.)

Takeshi Inoue (Kyoto Univ.)

- OP14-01 (P-211)** 08:30-08:42 Wnt activation in nail epithelium couples nail growth to digit regeneration  
マウスにおいて爪表皮での Wnt の活性化が爪の成長と指の再生に必要な  
である  
○Makoto Takeo<sup>1</sup>, Wei Chin Chou<sup>1</sup>, Qi Sun<sup>1</sup>, Piul Rabbani<sup>1</sup>, Cynthia Loomis<sup>1</sup>, Makoto  
Taketo<sup>2</sup>, Mayumi Ito<sup>1</sup> (Dermatology and Cell Biology, NYU<sup>1</sup>, Pharmacology, Kyoto  
Univ.<sup>2</sup>)
- OP14-02 (P-214)** 08:42-08:54 Epidermal Wnt/beta-catenin signalling promotes dermal adipocyte differentia-  
tion during hair follicle morphogenesis and regeneration  
表皮性の Wnt/beta-catenin シグナルが毛包発生と再生時の皮下脂肪の  
分化を促進する  
Giacomo Donati<sup>2,3</sup>, ○Hironobu Fujiwara<sup>1,2</sup>, Valentina Proserpio<sup>4</sup>, Fiona Watt<sup>2,3</sup> (RIKEN  
CDB<sup>1</sup>, Cancer Research UK Cambridge Resesarch Institute<sup>2</sup>, King's College London<sup>3</sup>,  
MRC Laboratory of Molecular Biology<sup>4</sup>)
- OP14-03 (P-217)** 08:54-09:06 Vascular regeneration in zebrafish caudal fin.  
ゼブラフィッシュにおける血管再生機構  
○Yoshiko Kametani<sup>1,2</sup>, Didier Stainier<sup>2,3</sup>, Shinji Takada<sup>1</sup> (OIIB<sup>1</sup>, UCSF<sup>2</sup>, MPI-HLR<sup>3</sup>)
- OP14-04 (P-220)** 09:06-09:18 Cyclooxygenase-2 signaling regulates osteoclast differentiation during frac-  
ture healing in medaka.  
Cyclooxygenase-2 シグナルがメダカの骨折修復における破骨細胞分化  
を制御する  
○Kazuhiro Takeyama<sup>1,2</sup>, Masahiro Chatani<sup>1</sup>, Yoshiro Takano<sup>3</sup>, Akira Kudo<sup>1</sup> (Dept. of Bio-  
logical Information, TokyoTech<sup>1</sup>, JSPS Reseach Fellow<sup>2</sup>, Sect. of Biostructural Science,  
Grad. Sch. of TMDU<sup>3</sup>)
- OP14-05 (P-223)** 09:18-09:30 Different cellular contribution of somite-derived tissues to limb regeneration  
in larval and adult *Xenopus*  
ツメガエルの四肢再生において体節由来組織は幼生期と成体期では異  
なる細胞寄与を示す  
Chikashi Nagayama<sup>1</sup>, Takashi Ariizumi<sup>2</sup>, Koji Tamura<sup>1</sup>, ○Hitoshi Yokoyama<sup>1</sup> (Dept. of  
Dev. Biol., Grad. School of Life Sci., Tohoku Univ.<sup>1</sup>, Dept. of Bioresource Sci., College  
of Agri., Tamagawa Univ.<sup>2</sup>)
- OP14-06 (P-226)** 09:30-09:42 The molecular logic for head regenerative and head non-regenerative ability  
among different planarian species  
頭部再生能の異なるプラナリア種の分子基盤  
○Yoshihiko Umeson<sup>1,2</sup>, Junichi Tasaki<sup>2</sup>, Yui Nishimura<sup>2</sup>, Martina Hroudová<sup>2</sup>, Eri Kawagu-  
chi<sup>2</sup>, Shigenobu Yazawa<sup>2</sup>, Osamu Nishimura<sup>2</sup>, Kazutaka Hosoda<sup>2</sup>, Takeshi Inoue<sup>2</sup>, Kiy-  
kazu Agata<sup>2</sup> (RIKEN CDB<sup>1</sup>, Kyoto Univ. Department of Biophysics<sup>2</sup>)
- OP14-07 (P-229)** 09:42-09:54 Transcriptome analysis to search for genes involved in anteriorization during  
regeneration of the planarian *Dugesia japonica*  
トランスクリプトーム解析によるプラナリアの再生過程における前方  
化に関わる遺伝子の探索  
○Kazutaka Hosoda<sup>1</sup>, Osamu Nishimura<sup>2</sup>, Shigenobu Yazawa<sup>1</sup>, Tetsutaro Hayashi<sup>3</sup>, Kiy-  
kazu Agata<sup>1</sup>, Yoshihiko Umeson<sup>3</sup> (Dept. of Biophys., Kyoto Univ.<sup>1</sup>, GCOE, Kyoto

Univ.<sup>2</sup>, RIKEN CDB<sup>3</sup>)

**OP14-08** 09:54-10:06 Brain regeneration in *Aeolosoma viride*  
(P-232) °Jun-Hong Chen, Fei-Man Hsu, Yi-Tze Wu (DLF/IZ, NTU)

## OP15: Stem cell

May 31 (Fri) 08:30-10:10 Room 3

Chairpersons: Norito Shibata (Kyoto Univ.)

Shosei Yoshida (NIBB)

**OP15-01** 08:30-08:42 LIF Responsiveness in Embryonic Stem Cells from different mouse strains.  
(P-044) ES 細胞での LIF 応答性 (マウス系統間での比較)  
°Satoshi Ohtsuka, Hitoshi Niwa (Laboratory for Pluripotent Stem cell studies, CDB RIKEN)

**OP15-02** 08:42-08:54 Lactic Acid Bacteria Convert Human Fibroblasts to Multipotent Cells  
(P-046) ヒト皮膚細胞は乳酸菌を取り込むと多能性を持つようになる  
°Kunimasa Ohta, Rie Kawano, Naofumi Ito (Dept. of Dev. Neurobiol., Kumamoto Univ. Grad. Sch. of Life Scis.)

**OP15-03** 08:54-09:06 A molecular mechanism controlling proliferation of planarian pluripotent stem cells  
(P-048) プラナリア全能性幹細胞の増殖制御機構  
°Hayoung Lee, Kiyokazu Agata, Norito Shibata (Dept of Biophys, Kyoto univ.)

**OP15-04** 09:06-09:18 The microRNA mir-235 suspends growth and development during starvation  
(P-051) microRNA mir-235 は飢餓時に発育を抑制する  
°Masamitsu Fukuyama, Hidefumi Kasuga, Aya Kitazawa, Masahiko Kume, Takuya Ogawa, Kenji Kontani, Toshiaki Katada (Dept. of Physiological Chem, Grad. Sch. of Pharmaceutical Sci., Univ. of Tokyo)

**OP15-05** 09:18-09:30 Knockdown planarians of the nuclear-type Piwi gene give new insights into planarian stem cell system  
(P-053) 核局在型 Piwi の遺伝子機能阻害から得られたプラナリア幹細胞システムの新たな知見  
°Makoto Kashima<sup>1</sup>, Kuniaki Saito<sup>2</sup>, Eri Kawaguchi<sup>3</sup>, Osamu Nishimura<sup>3</sup>, Shigenobu Yazawa<sup>3</sup>, Mikiko Siomi<sup>2</sup>, Haruhiko Siomi<sup>2</sup>, Kiyokazu Agata<sup>3</sup>, Norito Shibata<sup>4</sup> (DB, Kyoto Uni.<sup>1</sup>, DMB, Keio uni.<sup>2</sup>, gCOE, Kyoto Uni.<sup>3</sup>, RB, Kyoto uni.<sup>4</sup>)

**OP15-06** 09:30-09:42 Differential response to Retinoic acid achieves balanced self-renewal and differentiation of the stem cell compartment in mouse spermatogenesis  
(P-055) マウス精子幹細胞において、レチノイン酸応答性の異なる細胞集団が幹細胞の自己複製能と分化能を両立させている  
°Kanakano Ikami<sup>1</sup>, Ryo Sugimoto<sup>1,2</sup>, Shosei Yoshida<sup>1</sup> (DGCB, NIBB<sup>1</sup>, EICM, Kagoshima Univ.<sup>2</sup>)

**OP15-07** 09:42-09:54 Neural Crest-Derived Cells sustain the multipotency even after intrusion into the tissues.  
(P-057) 組織内に存在する神経堤由来細胞の多分化能の解析  
°Tutomu Motohashi<sup>1</sup>, Natsuki Watanabe<sup>1</sup>, Masahiro Nishioka<sup>1</sup>, Takanori Wakaoka<sup>2</sup>, Takahiro Kunisada<sup>1</sup> (RAMS, Gifu Univ<sup>1</sup>, OGSM, Gifu Univ.<sup>2</sup>)

**OP15-08** 09:54-10:06 Possible roles of regulatory T cells on the hair cycle regulation of pelage hair follicles in mice  
(P-059)

マウス体毛毛包の毛周期調節における制御性 T 細胞の機能について  
○Takashi Matsuzaki<sup>1</sup>, Mariko Oishi<sup>2</sup>, Narumi Notsu<sup>1</sup>, Ichitaro Niibe<sup>1</sup> (Fac. Life & Environ. Sci., Shimane Univ.<sup>1</sup>, Grad. Sch. Life & Environ. Sci., Shimane Univ.<sup>2</sup>)

## OP16: Morphogenesis & Organogenesis 5 / Myogenesis

May 31 (Fri) 10:25-11:50 Room 1

Chairpersons: Hajime Ogino (NAIST)

Atsuko Sehara (Kyoto Univ.)

- OP16-01 (P-168)** 10:25-10:37 Regulation of Wnt and BMP signaling pathways in the regional specification of early blastoderm in the cricket *Gryllus bimaculatus*  
○Taro Nakamura, Sumihare Noji, Taro Mito (Dept of Life Systems, Institute of Tech. and Sci., The University of Tokushima)
- OP16-02 (P-170)** 10:37-10:49 Mechanical coupling of apical membrane and luminal matrix shapes tracheal tube geometry in *Drosophila*  
○Bo Dong<sup>1</sup>, Edouard Hannezo<sup>2</sup>, Jacques Prost<sup>2,3</sup>, Jean-Francois Joanny<sup>2</sup>, Shigeo Hayashi<sup>1,4</sup> (CDB<sup>1</sup>, Physicochimie Curie (Institut Curie/CNRS-UMR168/UPMC), Institut Curie, Centre de Recherche, 26 rue d'Ulm F-75248 Paris Cedex 05, France<sup>2</sup>, ESPCI, 10 rue Vauquelin, F-75231 Paris Cedex 05, France<sup>3</sup>, Department of Biology, Kobe University Graduate School of Science, 1-1 Rokkodai-cho, Nada-ku, Kobe, Hyogo, 657-8051, Japan<sup>4</sup>)
- OP16-03 (P-172)** 10:49-11:01 Cell intercalation and cell junctional length fluctuation during airway tube elongation in *Drosophila*  
ショウジョウバエ気管伸長における細胞境界の組みかえと細胞境界長のゆらぎの役割について  
Hosei Wada, Katsuhiko Sato, Tatsuo Shibata, ○Shigeo Hayashi (RIKEN CDB)
- OP16-04 (P-174)** 11:01-11:13 The HOX gene *Antp* in the visceral mesoderm *Drosophila* regulates size balance between 1st and 2nd midgut chambers  
ショウジョウバエの内臓中胚葉で発現する HOX 遺伝子 *Antp* は中腸第 1/ 第 2 チェンバー間の大きさのバランスを制御する  
Keita Fujimoto, Masahiko Arishige, Yumiko Harada, ○Ryutaro Murakami (Grad. Sch. Med., Yamaguchi Univ.)
- OP16-05 (P-176)** 11:13-11:25 A secreted decoy of insulin-like receptor antagonizes insulin/IGF signaling to restrict body growth in *Drosophila*  
ショウジョウバエ分泌型 'おとり' インスリン様受容体は、体の成長を抑制する  
○Naoki Okamoto, Takashi Nishimura (RIKEN, CDB)
- OP16-06 (P-177)** 11:25-11:37 Developmental evolution of the hypaxial muscles of vertebrates  
脊椎動物の軸下筋発生機構の進化  
○Rie Kusakabe<sup>1</sup>, Saori Tani<sup>1</sup>, Richard Harland<sup>2</sup>, Shigeru Kuratani<sup>3</sup>, Kunio Inoue<sup>1</sup> (Dept. Biol., Grad. Sch. Sci., Kobe Univ.<sup>1</sup>, Mol. Cell Biol., UC Berkeley, USA<sup>2</sup>, CDB, RIKEN, Japan<sup>3</sup>)
- OP16-07 (P-179)** 11:37-11:49 The investigation of post-transcriptional process to form adult skeletal muscle stem cells  
骨格筋幹細胞の形成に関与する転写後調節機構探求  
○Takahiko Sato<sup>1</sup>, Takuya Yamamoto<sup>2</sup>, Atsuko Sehara<sup>1</sup> (IFMS, Kyoto Univ.<sup>1</sup>, CiRA, Kyoto Univ.<sup>2</sup>)

## OP17: Gametogenesis, fertilization and reproduction / Sex determination / Chronobiology

May 31 (Fri) 10:25-11:50 Room 2

Chairpersons: Hiroko Sano (Kurume Univ.)

Kazuya Kobayashi (Hirosaki Univ.)

- OP17-01 (P-002)** 10:25-10:37 Characterization of mammalian spermatogenic stem cell niche  
精子幹細胞ニッチの探索  
○Yu Kitadate, Ayumi Maruyama, Rie Ichikawa, Shosei Yoshida (Germ Cell Biology, NIBB)
- OP17-02 (P-004)** 10:37-10:49 Reconstruction of seminiferous tubule-like structure in 3-D culture system of re-aggregated mouse testicular cells  
○Jidong Zhang, Ko Eto, Shin-ichi Abe (GSST, Kumamoto University)
- OP17-03 (P-006)** 10:49-11:01 Role of Glycolysis in Primordial-Germ-Cell Development in Drosophila embryos  
ショウジョウバエ始原生殖細胞の発生過程における解糖系の新規役割  
○Yoshiki Hayashi, Chiyo Noda, Satoru Kobayashi (Okazaki Institute for Integrative Bioscience, NIBB)
- OP17-04 (P-008)** 11:01-11:13 Identification of a Nanos target in the mouse  
マウスにおける Nanos 標的 RNA の同定  
○Yuzuru Kato<sup>1</sup>, Yumiko Saga<sup>1</sup> (NIG<sup>1</sup>, NIG<sup>2</sup>)
- OP17-05 (P-010)** 11:13-11:25 Identification of the interactive regions of *Xenopus* dicalcin for its target glycoprotein, gp41  
受精調節タンパク質ダイカルシンにおける gp41 結合部位の同定  
○Naofumi Miwa, Mayu Hanaue, Ken Takamatsu (Toho Univ., Dept. Physiol.)
- OP17-06 (P-208)** 11:25-11:37 BMP Signaling Determines XX Germ Cell Fate independently of Retinoic Acid-induced Meiotic Initiation  
○Quan Wu<sup>1</sup>, Chu-Xia Deng<sup>2</sup>, Yumiko Saga<sup>1,3</sup> (SOKENDAI<sup>1</sup>, NIDDK<sup>2</sup>, NIG<sup>3</sup>)
- OP17-07 (P-276)** 11:37-11:49 The role of circadian clock gene *per1b* in attention deficit/hyperactivity behaviors  
○Han Wang, Jian Huang, Zhaomin Zhong, Mingyong Wang, Yicheng Tan, Xifeng Chen, He Xiong (SUCCC, Soochow Univ.)

## OP18: Regenerative medicine / Epigenetics and Genomics / Cell death

May 31 (Fri) 10:25-11:50 Room 3

Chairpersons: Jun Takeuchi (Univ. of Tokyo)

Kentaro Yomogida (Mukogawa Women's Univ.)

- OP18-01 (P-235)** 10:25-10:37 Finding of molecular triggers of axolotl limb regeneration.  
ウーパールーパー四肢再生における再生惹起因子  
Aki Makanae<sup>1</sup>, Kazumasa Mitogawa<sup>1</sup>, Miyuki Moriyasu<sup>1</sup>, Ayako Hirata<sup>1</sup>, ○Akira Satoh<sup>1,2</sup> (RCIS<sup>1</sup>, JST PRESTO<sup>2</sup>)
- OP18-02 (P-237)** 10:37-10:49 Wnt and Notch signals guide embryonic stem cell differentiation into the intestinal lineages  
Wnt シグナルと Notch シグナルが腸上皮細胞への分化を導く  
○Soichiro Ogaki, Nobuaki Shiraki, Kazuhiko Kume, Shoen Kume (Kumamoto Univ)

- OP18-03 (P-239)** 10:49-11:01 Antagonistic relationship between H3K27me3 and DNA methylation in the regulation of developmental genes  
発生関連遺伝子の発現制御における DNA メチル化と H3K27me3 のアンタゴニズム  
○Ryohei Nakamura<sup>1</sup>, Taro Saito<sup>2</sup>, Wei Qu<sup>2</sup>, Jun Yoshimura<sup>2</sup>, Shinichi Morishita<sup>2</sup>, Yutaka Suzuki<sup>2</sup>, Shinichi Hashimoto<sup>2</sup>, Tatsuya Tsukahara<sup>1</sup>, Hiroyuki Takeda<sup>1</sup> (Dept. Bio. Sci., Grad. Sch. Sci., Univ. Tokyo<sup>1</sup>, Dept. Comp. Biol., Grad. Sch. Fro. Sci., Univ. Tokyo<sup>2</sup>)
- OP18-04 (P-089)** 11:01-11:13 Stress response to DNA damage and control of apoptosis in germinal stem cell  
生殖幹細胞における DNA 損傷応答とアポトーシスについて  
○Natsuko Iyoda<sup>1</sup>, Mai Akihisa<sup>1</sup>, Nami Ueda<sup>1</sup>, Keisuke Fukuo<sup>2</sup>, Kentaro Yomogida<sup>3</sup> (Mukogawa Women's Univ Human Env Sci<sup>1</sup>, Dept. of Food Scis. & Nutrition, Sch. of Humam Env. Sci., Mukogawa Woman's Univ<sup>2</sup>, IBS<sup>3</sup>)
- OP18-05 (P-091)** 11:13-11:25 Syntaxin18 cis-SNARE complex is a novel alarm factor that detects vesicular transport defects  
Syntaxin18 複合体は小胞輸送の異常を監視する役割を果たす  
○Yuko Nishiwaki, Asuka Yoshizawa, Yutaka Kojima, Eri Oguri, Shohei Nakamura, Shohei Suzuki, Junichi Yuasa-Kawada, Mariko Kinoshita-Kawada, Toshiaki Mochizuki, Ichiro Masai (OIST)
- OP18-06 (P-093)** 11:25-11:37 Characterization of Integrins function in specific cells for cell-corpses engulfment in *Caenorhabditis elegans*  
○Tsong-Yuan Hsu, Hsiao-Han Hsieh, Hang-Shiang Jiang, Yi-Chun Wu (IMCB, Taiwan Univ)
- OP18-07 (P-095)** 11:37-11:49 Protogenin Prevents Premature Apoptosis of Rostral Cephalic Neural Crest Cells by Activating the  $\alpha 5\beta 1$  Integrin  
○Yu-Chiuan Wang, Hsien-Chia Juan, Yu-Hui Wong, Wei-Chih Kuo, Yi-Ling Lu, Shu-Fen Lin, Chia-Jing Lu, Ming-Ji Fann (Institute of Neuroscience, NYMU)

## Flash Talks

### FT1: Systems biology / Technology, Theoretical approach / Regulation of gene expression / EvoDevo

May 29 (Wed) 16:25-17:35 Room 2

Chairpersons: Hitoshi Yokoyama (Tohoku Univ.)

Daisuke Kurokawa (Univ. of Tokyo)

- FT1-01 (P-277)** 16:25-16:29 Cellular sensory mechanisms for detecting specific fold-changes in extracellular cues  
細胞外シグナルの特定倍変化を検出する細胞センサーのメカニズム  
○Ken-ichi Hironaka<sup>1,2</sup>, Yoshihiro Morishita<sup>2</sup> (Kyushu Univ.<sup>1</sup>, RIKEN CDB<sup>2</sup>)
- FT1-02 (P-278)** 16:29-16:33 Fucci vectors for chick embryos  
ニワトリ胚のための Fucci ベクター  
○Nozomi Onodera<sup>1</sup>, Yui Furesawa<sup>2</sup>, Isato Araki<sup>2</sup> (UGSA, Iwate Univ.<sup>1</sup>, Dept Chem & Bio-eng, Fac Eng, Iwate Univ<sup>2</sup>)
- FT1-03 (P-280) (SW2-10)** 16:33-16:37 Numerical analyses for behaviors of auxin transport pattern on growing fields  
オーキシン極性輸送に基づくパターンの成長場における数値解析  
○Akiko Nakamasu<sup>1,2</sup>, Kimura Seisuke<sup>1</sup>, Nobhiko Suematsu<sup>3,4</sup> (Dep. Biores. Env. Sci. KSU.<sup>1</sup>, JSPS Reserch Fellow<sup>2</sup>, Grad. School. Adv. Math. Sci. Meiji Univ.<sup>3</sup>, MIMS, Meiji Univ.<sup>4</sup>)
- FT1-04 (P-281)** 16:37-16:41 A theoretical study of mechanical force and cell shape dynamics during cell competition  
細胞競合における機械的な力の役割  
○Arisu Tsuboi, Koichi Fujimoto (Osaka Univ.)
- FT1-05 (P-283) (SW2-11)** 16:41-16:45 A theory on the timing of cell fate decision in developing organs  
成長組織における細胞運命の決定タイミングに関する理論  
○Yoshihiro Morishita<sup>1</sup>, Takayuki Suzuki<sup>2</sup> (RIKEN CDB<sup>1</sup>, Nagoya Univ.<sup>2</sup>)
- FT1-06 (P-244)** 16:45-16:49 Identification of a novel regulatory element for *Shh* expression in the mouse lung and gut  
*Shh*遺伝子の肺と消化管の発現に関与する新規エンハンサーエレメントの同定  
○Takanori Amano<sup>1</sup>, Nagaharu Tsukiji<sup>2</sup>, Toshihiko Shiroishi<sup>1</sup> (NIG<sup>1</sup>, Department of Clinical and Laboratory Medicine, Faculty of Medicine, University of Yamanashi<sup>2</sup>)
- FT1-07 (P-247)** 16:49-16:53 Estrogen-related receptor beta is necessary to induce Cdx2 gene activation after repression of Oct3/4.  
Esrrb は Oct3/4 発現減少に伴って生じる Cdx2 の発現上昇の制御に必要である。  
○Mariko Yamane, Toshimi Sugimoto, Hitoshi Niwa (RIKEN CDB)
- FT1-08 (P-250)** 16:53-16:57 Identification of novel zinc finger genes suppressing precocious specification of the brain fate in brain/palp precursor cells in the *Ciona intestinalis* embryo  
カタユウレイボヤ胚の脳—付着突起前駆細胞において、適切な時間まで脳への分化プログラムの開始を抑制するジンクフィンガー遺伝子の同定と解析  
○Tatsuro Ikeda, Terumi Matsuoka, Yutaka Satou (Dept. of Zool., Grad. Sch. of Sci., Kyoto Univ.)

- FT1-09 (P-252)** 16:57-17:01 Defining the sequence for nuclear localization of *C. elegans* muscleblind proteins  
 ○Po-Hsuan Chen<sup>1</sup>, Bo-Lun Su<sup>1</sup>, Li-Chun Wang<sup>1</sup>, Hung-Chi Su<sup>2</sup>, Kuang-Ming Hsiao<sup>1</sup> (DLS, NCC Univ.<sup>1</sup>, DBS, CSM Univ.<sup>2</sup>)
- FT1-10 (P-255)** 17:01-17:05 Hox gene cluster structure in the genome of *Halocynthia roretzi*.  
 マボヤの Hox 遺伝子のクラスター構造  
 ○Yuka Sekigami<sup>1</sup>, Takuya Kobayashi<sup>1</sup>, Ai Omi<sup>1</sup>, Tetsuro Ikuta<sup>1</sup>, Asao Fujiyama<sup>2</sup>, Noriyuki Satoh<sup>3</sup>, Hidetoshi Saiga<sup>1</sup> (TMU<sup>1</sup>, NIG<sup>2</sup>, OIST<sup>3</sup>)
- FT1-11 (P-258)** 17:05-17:09 Anterior-Posterior Axis formation in Non-rodent Mammals  
 非齧歯類哺乳動物における前後軸形成機構の解析  
 ○Michio Yoshida<sup>1</sup>, Eriko Kajikawa<sup>1</sup>, Yoko Suda<sup>1</sup>, Daisuke Kurokawa<sup>2</sup>, Akira Onishi<sup>3</sup>, Tomoyuki Tokunaga<sup>4</sup>, Shinichi Aizawa<sup>1</sup> (Body plan, CDB, RIKEN<sup>1</sup>, Misaki Marine Biological Station, Graduate School of Science, The University of Tokyo, Japan<sup>2</sup>, Transgenic Animal Research Center, National Institute of Agrobiological Sciences, Japan<sup>3</sup>, Division of Animal Sciences, National Institute of Agrobiological Sciences, Japan<sup>4</sup>)
- FT1-12 (P-260)** 17:09-17:13 Molecular mechanisms regulating heterochronic development of marsupial cranial neural crest  
 有袋類における頭部神経堤発生の異時性の分子制御機構  
 ○Yoshio Wakamatsu<sup>1</sup>, Tadashi Nomura<sup>2</sup>, Noriko Osumi<sup>1</sup>, Kunihiro Suzuki<sup>3</sup> (Div. of Dev. Neurosci., Tohoku Univ. Grad. Sch. of Med.<sup>1</sup>, Dept. Biol. Dev. Neurobiol., Kyoto Prefectural Univ. Med., Grad. Sch. Med. Sci.<sup>2</sup>, Dept. Biol., Nihon Univ., Sch. Dentist. Matsudo<sup>3</sup>)
- FT1-13 (P-263)** 17:13-17:17 Evolutionary divergence of an epithelial linings-specific *Shh* enhancer  
 上皮特異的な *Shh* エンハンサーの進化的分岐  
 ○Tomoko Sagai<sup>1</sup>, Takanori Amano<sup>1</sup>, Akiteru Maeno<sup>1</sup>, Tetsuaki Kimura<sup>2</sup>, Kiyoshi Naruse<sup>2</sup>, Toshihiko Shiroishi<sup>1</sup> (Mammal. Genet., NIG<sup>1</sup>, Bioresources, NIBB<sup>2</sup>)
- FT1-14 (P-265)** 17:17-17:21 A conserved molecular and cellular mechanism of lung-bud formation between tetrapods and *Polypterus senegalus*  
 四肢動物と古代魚ポリプテルス間で保存されている肺芽形成の分子細胞生物学的メカニズム  
 ○Ritsuko Kobayashi, Koji Fujimura, Masatsugu Noda, Norifumi Tatsumi, Masataka Okabe (Dept. of Anat., Jikei Univ. School of Med.)
- FT1-15 (P-268)** 17:21-17:25 Developmental roles of siamois-related Gene in a basal Actinopterygian: functional and evolutionary implications  
 原始的条鰭類ポリプテルスの初期発生における新規 siamois 関連遺伝子の役割  
 ○Masaki Takeuchi<sup>1,2</sup>, Shinichi Aizawa<sup>2</sup> (Dep. Med. Eng. Kawasaki Univ. Med. Welf.<sup>1</sup>, CDB, RIKEN<sup>2</sup>)
- FT1-16 (P-270)** 17:25-17:29 Medaka miR-124 is involved in post-transcriptional regulation of polypyrimidine tract binding protein 1 (PTBP1) in neural development  
 メダカ miR-124 は神経系発生で PTBP1 の転写調節に関与する  
 ○Yumiko Kato<sup>1</sup>, Rie Kusakabe<sup>2</sup>, Kunio Inoue<sup>2</sup>, Shin Tochinali<sup>3</sup> (Dept. Nat. His. Sci., Grad. Sch. Sci., Hokkaido Univ.<sup>1</sup>, Dept. Biol., Grad. Sch. Sci., Kobe Univ.<sup>2</sup>, Dept. Nat. His. Sci., Fac. Sci., Hokkaido Univ.<sup>3</sup>)
- FT1-17 (P-272)** 17:29-17:33 Characterization of Zebrafish internexin neuronal intermediate filament protein, alpha a (inaa), in the developing nervous system  
 ○Meng-Lin Liao, Chung-Liang Chien (DACB, NTU)

## FT2: Cell proliferation / Cell biology / Cell death / Cell-Cell/-Matrix interaction / Cell differentiation / Regenerative medicine

May 29 (Wed) 16:25-17:35 Room 3

Chairpersons: Kota Y. Miyasaka (Tohoku Univ.)

Satoshi Yoshitome (Iwaki Meisei Univ.)

- FT2-01 (P-088) (SW1-08)** 16:25-16:29 The subcellular localization of cyclin B2 is required for bipolar spindle formation in meiosis I during *Xenopus* oocyte maturation  
サイクリン B2 の細胞内局在はアフリカツメガエル卵成熟過程の二極性紡錘体形成に必要である  
○Satoshi Yoshitome<sup>1</sup>, Nobuaki Furuno<sup>2</sup>, Claude Prigent<sup>3</sup>, Eikichi Hashimoto<sup>4</sup> (Fac. Pharm., Iwaki Meisei Univ.<sup>1</sup>, Lab. Amphibian Biol., Grad. Sch. Sci., Hiroshima Univ.<sup>2</sup>, Inst. Genet., Dev. Rennes, Univ. Rennes 1<sup>3</sup>, Dept. Biomed. Sci., Sch. Life Sci., Tottori Univ.<sup>4</sup>)
- FT2-02 (P-097)** 16:29-16:33 The acto-myosin system and TGF- $\beta$  signaling were involved in the cell sorting process in *Xenopus laevis* embryonic cells  
アクトミオシン系と TGF- $\beta$  シグナリングは、アフリカツメガエル胚の胚細胞における細胞選別過程に関与する  
○Ayano Harata (Dep. Bio. Sci. Fac. Life and Environ. Sci., Shimane Uni.)
- FT2-03 (P-100)** 16:33-16:37 The involvement of ubiquitin carboxy-terminal hydrolase 37 (UCH37) in Wnt/b-catenin signaling pathway during xenopus development  
○Wonhee Han, Seungjoon Lee, Jin-Kwan Han (Department of Life Science, POSTECH, Republic of Korea)
- FT2-04 (P-103)** 16:37-16:41 SH2B1 $\beta$  promotes neurite formation and neuronal branching through interacting with IRSp53 and Eps8  
○Chien-Jen Chen, Linyi Chen (Institute of Molecular Medicine, NTHU, Taiwan)
- FT2-05 (P-081) (SW1-06)** 16:41-16:45 Extracellular syntaxin4 triggers the differentiation program in teratocarcinoma F9 cells with impacts on cell adhesion properties.  
テラトカルシノーマ F9 細胞における細胞外シンタキシン 4 の細胞接着と分化への影響  
○Natsumi Hagiwara, Yohei Hirai (Dep. Bioscience, Grad. Sch. Sci. Technol., Kwansai Gakuin Univ.)
- FT2-06 (P-083)** 16:45-16:49 Spatial distribution of Wnt protein in the mouse neural tube  
マウス神経管発生における Wnt タンパク質の空間分布の解析  
○Takuma Shinozuka<sup>1,2</sup>, Ritsuko Takada<sup>2</sup>, Shinji Takada<sup>1,2</sup> (Dept. Basic Biology, SOKENDAI<sup>1</sup>, Okazaki Institute for Integrative Biosciences, National Institutes of Natural Sciences<sup>2</sup>)
- FT2-07 (P-086) (SW1-07)** 16:49-16:53 Optimal cellular mobility for synchronization arising from the gradual recovery of intercellular interactions  
遺伝子発現の同期を達成するための最適な細胞移動率  
○Koichiro Uriu<sup>1</sup>, Saul Ares<sup>2</sup>, Andrew Oates<sup>3</sup>, Luis Morelli<sup>4</sup> (Theoretical Biology Laboratory, RIKEN ASI, Japan<sup>1</sup>, Logic of Genomic Systems Laboratory, CNB, CSIC, Spain<sup>2</sup>, MRC NIMR, UK<sup>3</sup>, Departamento de Fisica, FCEyN UBA and IFIBA, CONICET, Argentina<sup>4</sup>)
- FT2-08 (P-062)** 16:53-16:57 Oct60 is involved in the PGC formation as a germline component.  
Oct60 は生殖細胞質の構成因子であり、始原生殖細胞形成に関与する。  
○Keisuke Morichika<sup>1</sup>, Keigo Shimada<sup>1</sup>, Hideo Kubo<sup>2</sup>, Tsutomu Kinoshita<sup>1</sup> (Dept. Life. Sci.,

Sch. Sci. Rikkyo Univ.<sup>1</sup>, Tokyo Metropolitan Inst. Med. Sci.<sup>2</sup>)

- FT2-09 (P-064)** 16:57-17:01 Combinatorial expression of defined transcription factors induces ectopic neurons in *C. elegans* larvae  
*C. elegans* 幼虫における複数転写因子の異所発現による異所的な神経細胞の形成  
○Masaki Shimojou, Shin Takagi (Div. of biol. sci., Grad. Sch. of Sci., Nagoya Univ.)
- FT2-10 (P-066)** 17:01-17:05 The phosphoinositide kinase is necessary for polarity determination of epithelial stem cells in *C. elegans*  
イノシトールリン脂質合成酵素は *C. elegans* の表皮系幹細胞の極性決定に必要である  
○Naoki Yoshida<sup>1,2</sup>, Hitoshi Sawa<sup>1,2</sup> (SOKENDAI<sup>1</sup>, Multicellular Organization Lab., NIG<sup>2</sup>)
- FT2-11 (P-068)** 17:05-17:09 PCP component VANG-1 functions in asymmetric divisions of *C. elegans* seam cell.  
線虫表皮幹細胞の非対称分裂における VANG-1 の役割  
○Masako Yokoo, Hitoshi Sawa (Multicellular Organization Lab. NIG)
- FT2-12 (P-070)** 17:09-17:13 Investigation of role of a novel pancreatic beta cell gene  
β 細胞特異的に発現する新規遺伝子の解析  
○Hisayoshi Omori<sup>1</sup>, Soichiro Ogaki<sup>2</sup>, Yoshinari Nakahara<sup>3</sup>, Nobuaki Shiraki<sup>4</sup>, Kazuhiko Kume<sup>5</sup>, Yutaka Kikuchi<sup>6</sup>, Shoen Kume<sup>7</sup> (IMEG, Kumamoto Univ<sup>1</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>2</sup>, Department of Biological Science, Graduate School of Science, Hiroshima University<sup>3</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>4</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>5</sup>, Department of Biological Science, Graduate School of Science, Hiroshima University<sup>6</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>7</sup>)
- FT2-13 (P-072)** 17:13-17:17 Identification of novel genes involved with mesoderm formation by the analysis of nanog-responsive genes in *Xenopus*  
アフリカツメガエルにおける Nanog 応答性遺伝子の解析による、中胚葉形成に関与する新規遺伝子の同定  
○Kentaro Ishii<sup>1</sup>, Aya Miyazaki<sup>1</sup>, Shinya Matsukawa<sup>1</sup>, Yuzuru Ito<sup>2</sup>, Yasuko Onuma<sup>2</sup>, Tatsuo Michiue<sup>1</sup> (Graduate School of Arts and Sciences, the University of Tokyo<sup>1</sup>, Research Center for Stem Cell Engineering, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba City, Ibaraki, Japan<sup>2</sup>)
- FT2-14 (P-074) (SW1-05)** 17:17-17:21 LGR4 is required for development and maintenance of mammary gland  
LGR4 は乳腺組織の発達と維持に必要である  
○Kazunori Oyama, Yasuaki Mohri, Mizuki Sone, Katsuhiko Nishimori (Lab. Mol. Biol., Grad. Sch. of Agr. Sci., Univ. of Tohoku)
- FT2-15 (P-076)** 17:21-17:25 MECHANICAL STRESS INDUCES MUSCLE CELL DIFFERENTIATION AND ADAPTS LIPID METABOLISM TO ENERGY DEMAND  
メカニカルストレスは細胞内の代謝変化を誘導し細胞分化を制御する  
○Kota Miyasaka, Eriko Sato, Toshihiko Ogura (IDAC)
- FT2-16 (P-078)** 17:25-17:29 Transcription factor Blimp-1 controls the fat body remodeling in *Drosophila*  
○Abdelrahman Sultan<sup>1</sup> (Okayama Univ.<sup>1</sup>, HITOSHI UEDA<sup>2</sup>)

- FT2-17 (P-236)** 17:29-17:33 Specific isolation of HCN4 positive cardiac pace-making cells derived from embryonic stem cells  
ES 細胞由来 HCN4 陽性心臓ペースメーカー細胞の分取と解析  
○Kumi Morikawa, Yasuaki Shirayoshi, Ichiro Hisatome (Dept. of Regenerat. Med. & Therapeut., Grad. Sch. of Med. Sci., Tottori Univ.)

### FT3: Neural development and function / Organogenesis

May 29 (Wed) 17:45-19:00 Room 2

Chairpersons: Jun Motoyama (Doshisha Univ.)

Kunimasa Ohta (Kumamoto Univ.)

- FT3-01 (P-181)** 17:45-17:49 Tag1-mediated early interaction between neural crest cells and motor axons in zebrafish.  
神経冠細胞と運動神経軸索との相互作用における Tag1 の機能  
○Mika Sato-Maeda<sup>1,2</sup>, Wataru Shoji<sup>1</sup> (CIR, Tohoku Univ.<sup>1</sup>, Grad Sci, Tohoku Univ.<sup>2</sup>)
- FT3-02 (P-184)** 17:49-17:53 Stochastic Ca<sup>2+</sup> waves that propagate through the neuroepithelium in various distance of the brain and retina imaged with GCaMP3 in zebrafish embryos  
ゼブラフィッシュ初期胚の神経上皮でみられる特徴的な Ca<sup>2+</sup> 濃度変化のイメージング  
○Shin-ichi Okamoto, Yuuya Takimura, Tadaaki Nishioka, Masashi Nakagawa, Kohei Hatta (Univ. of Hyogo)
- FT3-03 (P-187) (SW2-04)** 17:53-17:57 Unveiling the role of Ephrin for dendrite targeting of *Drosophila* olfactory projection neurons  
ショウジョウバエ嗅覚投射神経の樹状突起領域形成におけるエフリンの機能解析  
○Shirin Makihara<sup>1</sup>, Sayaka Sekine<sup>1</sup>, Masayuki Miura<sup>1,2</sup>, Takahiro Chihara<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- FT3-04 (P-191)** 17:57-18:01 Development of cerebellar granule cell axons in zebrafish  
ゼブラフィッシュにおける小脳顆粒細胞の軸索形成機構  
○Shingo Yamaguchi<sup>1,2</sup>, Miki Takeuchi<sup>1</sup>, Kazuhide Asakawa<sup>3</sup>, Koichi Kawakami<sup>3</sup>, Takashi Shimizu<sup>1,2</sup>, Masahiko Hibi<sup>1,2</sup> (Bioscience and Biotechnology Center, Nagoya Univ.<sup>1</sup>, Graduate School of Science, Nagoya Univ.<sup>2</sup>, National Institute of Genetics<sup>3</sup>)
- FT3-05 (P-195)** 18:01-18:05 Dmbx1 can compensate the down-regulation of Otx2 activity  
Dmbx1 は Otx2 活性の下方調節を補償できる  
Yousuke Ishikawa, ○Isato Araki (Iwate Univ, Fac Eng, Dept Chem Bioeng)
- FT3-06 (P-199)** 18:05-18:09 Cell death inducing mechanisms by maternal separation stress in the postnatal mouse hippocampus  
隔離ストレスが仔マウスの海馬に細胞死を誘導するメカニズムの解析  
○Tatsuya Katahira<sup>1</sup>, Yutaro Miyaji<sup>2</sup>, Rikou Fukunaga<sup>2</sup>, Jun Motoyama<sup>1</sup> (Laboratory of Developmental Neurobiology, Graduate School of Brain Science, Doshisha University<sup>1</sup>, Department of Medical Life Systems, Faculty of Life and Medical Science, Doshisha University<sup>2</sup>)
- FT3-07 (P-202)** 18:09-18:13 Aromatic L-amino acid decarboxylase deficiency affects neuronal development in zebrafish  
○De-fen Shih<sup>1</sup>, Shyh-Jye Lee<sup>1</sup>, Wang-Tso Lee<sup>2</sup> (Institute of Zoology, Department of Life Science, NTU<sup>1</sup>, Development of Pediatrics, NTUH<sup>2</sup>)

- FT3-08 (P-205)** 18:13-18:17 HDAC6 mutations rescue human tau-induced microtubule defects in *Drosophila*  
Ying Xiong<sup>1</sup>, <sup>○</sup>Kai Zhao<sup>1</sup>, Jiayi Wu<sup>1</sup>, Zhiheng Xu<sup>1</sup>, Shan Jin<sup>2</sup>, Yongqing Zhang<sup>1</sup> (IGDB, CAS<sup>1</sup>, College of Life Sciences, Hubei University<sup>2</sup>)
- FT3-09 (P-155)** 18:17-18:21 BMP/ Smad Signaling in Mouse Sternum Development  
BMP / Smad でマウス胸骨開発におけるシグナリング  
<sup>○</sup>Ka Kui Tong<sup>1</sup>, Yat Long Tsoi<sup>1</sup>, Yuk Lau Wong<sup>1</sup>, Kin Ming Kwan<sup>1,2,3</sup> (SLS, CUHK<sup>1</sup>, CCDB, CUHK<sup>2</sup>, SKL of Agrobiotech, CUHK<sup>3</sup>)
- FT3-10 (P-157)** 18:21-18:25 The dorsal aorta initiates a molecular cascade that instructs sympatho-adrenal specification  
背側大動脈は交感神経および副腎髄質の前駆細胞の移動と分化を制御する司令塔としてはたらく  
<sup>○</sup>Daisuke Saito<sup>1</sup>, Yuta Takase<sup>1,2</sup>, Hidetaka Murai<sup>1,2</sup>, Yoshiko Takahashi<sup>2</sup> (NAIST<sup>1</sup>, Kyoto University<sup>2</sup>)
- FT3-11 (P-159)** 18:25-18:29 Fibronectin mediates correct positioning of the interrenal organ in zebrafish  
<sup>○</sup>Chih-Wei Chou, Chih-Hao Chiu, Yi-Wen Liu (Department of Life Science, Tunghai Univ., Taiwan)
- FT3-12 (P-175)** 18:29-18:33 Cloning of FoxN1 and its expression in *Xenopus laevis*.  
アフリカツメガエル転写因子 FoxN1 のクローニングと発現解析  
<sup>○</sup>Naoya Imura, Hideho Uchiyama (Grad. Sch. of Nanobiosciences, Yokohama City Univ.)
- FT3-13 (P-163)** 18:33-18:37 Expression of *Eph/ephrin* family genes in smooth muscle of the embryonic chick digestive organs  
ニワトリ胚期消化器官平滑筋組織における Eph/ephrin 遺伝子の発現  
<sup>○</sup>Yasuo Ishii, Kiyoe Fujimoto, Sadao Yasugi (Fac. Life Sci., Kyoto Sangyo Univ.)
- FT3-14 (P-165) (SW1-09)** 18:37-18:41 Cadherin-7 enhances sonic hedgehog signaling by inhibiting the movement of full-length Gli3 to the primary cilium  
カドヘリン-7 は転写因子 Gli3 の移動制限によりソニックヘッジホッグシグナルを調節する。  
<sup>○</sup>Rie Kawano<sup>1</sup>, Kunimasa Ohta<sup>2</sup>, Daisuke Niimori<sup>3</sup> (Dev. Neurobio. Kumamoto University<sup>1</sup>, Division of Developmental Neurobiology, Graduate School of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Kumamoto 860-8556, Japan<sup>2</sup>, Department of Dermatology and Plastic Surgery, Graduate School of Life Sciences, Kumamoto University, 1-1-1 Honjo Kumamoto 860-8556 Japan<sup>3</sup>)
- FT3-15 (P-167) (SW1-10)** 18:41-18:45 Study of secondary neurulation: stem cell-like behavior of neural tube precursors implicated by transplantation of EGFP-labeled tail bud  
Secondary Neurulation 研究 : EGFP 標識 tail bud の移植から浮かび上がった神経管前駆細胞の幹細胞様の挙動  
<sup>○</sup>Teruaki Kawachi<sup>1</sup>, Eisuke Shimokita<sup>2</sup>, Yoshiko Takahashi<sup>1</sup> (Department of Zoology, Kyoto University.<sup>1</sup>, Graduate School of Biological Science, Nara Institute of Science and Technology.<sup>2</sup>)
- FT3-16 (P-169) (SW1-11)** 18:45-18:49 Long-distance cell migrations during larval development in an appendicularian, *Oikopleura dioica*.  
ワカレオタマボヤ *Oikopleura dioica* 後期発生のライブイメージングによって見出された長距離移動を示す細胞群  
<sup>○</sup>Kanae Kishi, Takeshi Onuma, Hiroki Nishida (Dept. Biol. Sci., Osaka Univ.)

**FT3-17 (P-171) (SW1-12)** 18:49-18:53 Role of motile cilia in development and function of renal tubes in fish  
魚類の腎臓発生における運動性繊毛の役割  
Sayaka Tayama, Yuri Ikeda, Hitomi Igarashi, Hajime Matsui, <sup>○</sup>Atsuko Shimada, Hiroyuki Takeda (Dep. Biol. Sci., Grad. Sch. Sci., Univ. Tokyo)

**FT3-18 (P-173)** 18:53-18:57 A novel defined factor specifies cardiac-vascular cell fate and promotes heart regeneration  
新規転写因子による心臓一血管運命決定と心臓再生  
<sup>○</sup>Yuika Morita<sup>1,2</sup>, Yuko Tsukahara<sup>1</sup>, Peter Anderson<sup>3</sup>, Junko Kurokawa<sup>4</sup>, Hiroe Sugizaki<sup>1</sup>, Ryuichi Nishinakamura<sup>5</sup>, Tetsushi Furukawa<sup>4</sup>, Chulan Kwon<sup>3</sup>, Kazuko Koshiba-Takeuchi<sup>1</sup>, Jun K. Takeuchi<sup>1,2,6</sup> (Cardiovas. Reg, IMCB, the Univ. of Tokyo<sup>1</sup>, Graduate School of Sciences, the Univ. of Tokyo<sup>2</sup>, Cardio, Johns Hopkins Univ. School of Med<sup>3</sup>, Tokyo Medical and Dental Univ.<sup>4</sup>, CARD, Kumamoto Univ.<sup>5</sup>, JST PRESTO<sup>6</sup>)

#### **FT4: Stem cell / Epigenetics and Genomics / Others / Cell death / Aging**

May 29 (Wed) 17:45-19:00 Room 3

Chairpersons: Kohei Hatta (Univ. of Hyogo)

Shin-ichiro Nishimatsu (Kawasaki Medical School)

**FT4-01 (P-045)** 17:45-17:49 Function of *EflMsiA* in the active stem cells (archeocytes) in freshwater sponge, *Ephydatia fluviatilis*  
カワカイメン全能性体性幹細胞における *EflMsiA* の機能  
<sup>○</sup>Kazuko Okamoto, Kiyokazu Agata, Noriko Funayama (Dept. Biophys. Grad. Sch. Sci., Kyoto Univ.)

**FT4-02 (P-047)** 17:49-17:53 Akhirin is involved in the neural stem cell regulation in the central canal of a mouse spinal cord  
<sup>○</sup>Athary Felemban<sup>1,2,3</sup>, Rie Kawano<sup>1</sup>, Song Xiaohong<sup>1,2</sup>, Hideaki Tanaka<sup>1,2</sup>, Kunimasa Ohta<sup>1</sup> (Dep. Dev. Neurobiol., Grad. Sch. Life Sci., Kumamoto Univ.<sup>1</sup>, Global COE, Kumamoto Univ.<sup>2</sup>, Ministry of H. Edu., Saudi Arabia<sup>3</sup>)

**FT4-03 (P-049)** 17:53-17:57 The roles of chromatin remodelers in the maintenance of multipotency of mouse trunk neural crest cells in the relationship with the formation mechanisms of neural crest-derived stem cells  
マウス体幹神経冠細胞の多分化能維持におけるクロマチンリモデラーの役割と神経冠細胞由来幹細胞の形成メカニズムとの関連  
<sup>○</sup>Kyohei Fujita, Ryuhei Ogawa, Syunsaku Kawawaki, Kazuo Ito (Dept. Biol. Sci., Osaka Univ.)

**FT4-04 (P-050)** 17:57-18:01 LHX2 regulates the neural differentiation of human embryonic stem cells via transcriptional modulation of PAX6 and CER1  
<sup>○</sup>Hung-Chih Kuo<sup>1</sup>, Pei-Shan Hou<sup>2</sup>, Ching-Yu Chuang<sup>1</sup>, Cheng-Fu Kao<sup>1</sup>, Shen-Ju Chou<sup>1</sup>, Lee Stone<sup>1</sup>, Hong-Nerng Ho<sup>2</sup>, Chung-Liang Chien<sup>2</sup> (ICOB, Academia Sinica<sup>1</sup>, NTU<sup>2</sup>)

**FT4-05 (P-052)** 18:01-18:05 Notch signal play a role in the multipotency of melanoblast.  
色素芽細胞のもつ多分化能に Notch シグナルが重要である  
<sup>○</sup>Natsuki Watanabe<sup>1</sup>, Masahiro Nishioka<sup>1</sup>, Takanori Wakaoka<sup>1</sup>, Tomohisa Hirobe<sup>2</sup>, Tsutomu Motohashi<sup>1</sup>, Takahiro Kunisada<sup>1</sup> (Regeneration & Adv. Med. Sci., Gifu Univ. Grad. Sch. of Med.<sup>1</sup>, Active Radiation Protection Research Team, Radiation Risk Reduction Research Program, National Institute of Radiological Sciences<sup>2</sup>)

**FT4-06 (P-054)** 18:05-18:09 Ddx46 is required for multi-lineage differentiation of hematopoietic stem cells in zebrafish

- ゼブラフィッシュにおいて Ddx46 は造血幹細胞の多系列分化に必要である  
 ○Ryo Hirabayashi<sup>1</sup>, Shunya Hozumi<sup>1</sup>, Shin-ichi Higashijima<sup>2,3</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Bio. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, National Institutes of Natural Sciences, Okazaki Institute for Integrative Bioscience, National Institute for Physiological Sciences<sup>2</sup>, Graduate University for Advanced Studies<sup>3</sup>)
- FT4-07 (P-056)** 18:09-18:13 The regulation analyses of Jagged1 expression in Sertoli cells of mouse testis  
 マウス精巣のセルトリ細胞における Jagged1 発現制御解析  
 ○Ryu Okada, Taro Hara, Yukio Nishina (Grad of Nanobiosci, Yokohama City Univ.)
- FT4-08 (P-058)** 18:13-18:17 Modelling Spinocerebellar Ataxia type 2 and 3 using human induced pluripotent stem cells  
 ○Ching-Yu Chuang<sup>1</sup>, Chih-Chao Yang<sup>3</sup>, Hsiang-Po Huang<sup>4</sup>, Hung-Chih Kuo<sup>1,2</sup> (GRC, Academia Sinica<sup>1</sup>, ICOB, Academia Sinica<sup>2</sup>, Department of Neurology, UTUH<sup>3</sup>, Departments of Medical Research, NTUH<sup>4</sup>)
- FT4-09 (P-060)** 18:17-18:21 Clinical study on stem cells transplantation for treating diabetic foots through improving blood supply  
 ○Kun Lu<sup>1</sup> (Tongji University School of Medicine<sup>1</sup>, Shanghai Tenth People's Hospital<sup>2</sup>)
- FT4-10 (P-238)** 18:21-18:25 Functional Analysis of Drosophila Histone Methyltransferase G9a  
 ショウジョウバエヒストンメチル基転移酵素 G9a の機能解析  
 ○Kohei Shimaji<sup>1</sup>, Shintaro Tanaka<sup>1</sup>, Hiroshi Kimura<sup>3</sup>, Yasuyuki Ohkawa<sup>4</sup>, Tetsuya Sato<sup>5</sup>, Mikita Suyama<sup>5</sup>, Hideki Yoshida<sup>1,2</sup>, Masamitsu Yamaguchi<sup>1,2</sup> (Kyoto Inst. of Tech. Univ.<sup>1</sup>, Insect Biomedical Research Center<sup>2</sup>, Graduate School of Frontier Biosciences, Osaka Univ.<sup>3</sup>, Dept. of Adv. Med. Initiatives, Fac. of Med., Kyushu Univ.<sup>4</sup>, Div. of Bioinformatics, Med. Inst. of Bioregulation, Kyushu Univ.<sup>5</sup>)
- FT4-11 (P-240)** 18:25-18:29 The histone demethylase jmjd3 stimulates ectopic eye formation by increasing the access of pax6 protein to its target gene  
 ヒストン脱メチル化因子 jmjd3 は pax6 が標的遺伝子にアクセスするのを助けて異所的な眼形成を促進する  
 ○Norihiro Sudou, Akane Kawaguchi, Haruki Ochi, Hajime Ogino (NAIST)
- FT4-12 (P-241)** 18:29-18:33 The cis-regulatory evolution for developmental robustness and stress response  
 ○Haruki Ochi<sup>1</sup>, Akane Kawaguchi<sup>2</sup>, Norihiro Sudou<sup>2</sup>, Kazuyuki Hoshijima<sup>4</sup>, Hajime Ogino<sup>3</sup> (Fac. of Med., Yamagata Univ.<sup>1</sup>, Grad. Sch. of Bio. Sci., NAIST<sup>2</sup>, Dept. of Animal Bioscience, Nagahama Inst. of Bio-Sci. and Tech.<sup>3</sup>, Dep. of Human Genetics, Univ. of Utah<sup>4</sup>)
- FT4-13 (P-284)** 18:33-18:37 Functional characterization of miR-375 and miR-200a of downstream regulation in development of hepatocellular carcinoma  
 ○Cheng-Maw Ho<sup>1,3</sup>, Hui-Ling Chen<sup>2</sup>, Po-Huang Lee<sup>1,3</sup> (GICM, NTU<sup>1</sup>, HRC, NTUH<sup>2</sup>, DS, NTUH<sup>3</sup>)
- FT4-14 (P-090)** 18:37-18:41 Differentiation and cell death in the Xenopus ectodermal cell mass treated with bFGF protein  
 bFGF タンパクで処理した Xenopus 外胚葉細胞における分化と細胞死  
 ○Hiroataka Kato<sup>1</sup>, Takayuki Nosaki<sup>1</sup>, Tomohiro Narita<sup>2</sup>, Shinichiro Nishimatsu<sup>2</sup>, Tsutomu Nouno<sup>2</sup>, Masao Sakai<sup>1</sup> (Chemistry and BioScience, Graduate School of Science and Engineering, Kagoshima University<sup>1</sup>, Department of Molecular and Developmental Biology, Kawasaki Medical School<sup>2</sup>)
- FT4-15 (P-092)** 18:41-18:45 Klf8 Is Essential for the Survival of Purkinje and Eurydendroid Cells in the Cerebellum of Zebrafish

○Ming-Yuan Tsai<sup>1</sup>, Yu-Fen Lu<sup>2</sup>, Chang-Jen Huang<sup>1,3</sup>, Sheng-Ping Hwang<sup>1,2</sup> (GILS, NDMC, Taiwan<sup>1</sup>, ICOB, Academia Sinica, Taiwan<sup>2</sup>, IBC, Academia Sinica, Taiwan<sup>3</sup>)

**FT4-16 (P-094)** 18:45-18:49 Wallenda regulates JNK-mediated cell death and migration in *Drosophila*  
○Xianjue Ma, Yujun Chen, Lei Xue (SLST, Tongji Univ.)

**FT4-17 (P-274)** 18:49-18:53 Gr33a modulates mate choice based on age in *Drosophila*  
○Yujia Hu, Yi Han, Lei Xue (SLST, Tongji Univ.)

## **FT5: Myogenesis / Early embryogenesis**

May 30 (Thu) 15:10-16:50 Room 1

Chairpersons: Katsuyoshi Takaoka (Osaka Univ.)

Go Shioi (RIKEN CDB)

**FT5-01 (P-178)** 15:10-15:14 Roles of microRNAs in medaka myogenesis  
メダカ胚筋形成における microRNA の役割  
○Saori Tani, Rie Kusakabe, Kunio Inoue (Dept. Biol., Grad. Sch. Sci., Kobe Univ.)

**FT5-02 (P-011)** 15:14-15:18 Promoter Assay of Granzyme g Specific Expression in mouse embryo 2-cell stage  
○Huan Ou-Yang<sup>1,2</sup>, Shinn-Chih Wu<sup>1</sup>, Tung-Chou Tsai<sup>2</sup>, Winston Cheng<sup>1</sup>, Chuan-Mu Chen<sup>1,2</sup> (DAST, NTU.<sup>1</sup>, DLS, NCHU.<sup>2</sup>)

**FT5-03 (P-012)** 15:18-15:22 Do Wnts function as global cues for asymmetric cell divisions in *C. elegans* embryos?  
Wnts は *C. elegans* 胚における非対称細胞分裂のためのグローバルな手がかりとして機能するか?  
○Sohei Nakayama, Hitoshi Sawa (Multicellular Organization Lab., NIG)

**FT5-04 (P-014)** 15:22-15:26 Participation of Human X-linked intellectual disability (XLID) gene in the cell cycle regulation of early embryo development  
○Chun-Yu Chen, I-Shing Yu, Yu-Chen Hsu, Chia-Lun Hung, Chung-Yang Kao, Chien-Yu Lin, Ming-Shian Tsai, Shu-Waha Lin (CLSMB, NTUCM)

**FT5-05 (P-015)** 15:26-15:30 Lhx1 is widely implicated in the differentiation of epiblasts to germ layer.  
Lhx1 はエピブラストから胚葉への分化に広く関係する。  
○Akira Hasegawa<sup>1</sup>, Nobuhito Ikeda<sup>1</sup>, Takafumi Nakamura<sup>2</sup>, Ichiro Hisatome<sup>1</sup>, Yasuaki Shirayoshi<sup>1</sup> (DRMT, Tottori Univ.<sup>1</sup>, DIB, Tottori Univ.<sup>2</sup>)

**FT5-06 (P-017)** 15:30-15:34 Origin of Anterior-Posterior axis formation in the mouse embryos.  
マウス胚における前後軸の起源  
○Katsuyoshi Takaoka, Hiroshi Hamada (Osaka university FBS)

**FT5-07 (P-018)** 15:34-15:38 Live Imaging Analysis of Mouse Postimplantation Development  
前後軸形成期におけるマウス胚発生のライブイメージング解析  
○Go Shioi<sup>1</sup>, Hideharu Hoshino<sup>2</sup>, Kana Bando<sup>1</sup>, Kazuki Nakao<sup>1,3</sup>, Toshihiko Fujimori<sup>1,4</sup>, Shinichi Aizawa<sup>1,2</sup> (LARGE, CDB, RIKEN<sup>1</sup>, Lab. for Vertebrate Body Plan, RIKEN CDB, Japan<sup>2</sup>, Lab. of Animal Resources, CDBIM, Univ. of Tokyo, Japan<sup>3</sup>, Division of Embryology, NIBB, Japan<sup>4</sup>)

**FT5-08 (P-020)** 15:38-15:42 OTX2 and DKK1 Exhibit the Earliest Asymmetric Expression in Distal Visceral Endoderm.  
OTX2 と DKK1 は Distal Visceral Endoderm で最初に非対称な発現を示す遺伝子である

○Hideharu Hoshino<sup>1</sup>, Go Shioi<sup>2</sup>, Hiroshi Kiyonari<sup>2</sup>, Takaya Abe<sup>2</sup>, Kazuki Nakao<sup>2</sup>, Shinichi Aizawa<sup>1,2</sup> (VBP, RIKEN CDB<sup>1</sup>, LARGE, RIKEN CDB<sup>2</sup>)

- FT5-09 (P-021)** 15:42-15:46 The Comparative Analysis of Early Development in Reptiles  
爬虫類初期発生の比較解析  
○Eriko Kajikawa<sup>1</sup>, Michio Yoshida<sup>1</sup>, Daisuke Kurokawa<sup>1,2</sup>, Miyuki Noro<sup>1</sup>, Shinichi Aizawa<sup>1</sup> (RIKEN CDB<sup>1</sup>, MMBS, Univ. Tokyo<sup>2</sup>)
- FT5-10 (P-023)** 15:46-15:50 Molecular mechanisms of deep cell reaggregation during early development of an annual killifish *Nothobranchius korthausae*.  
一年魚 *Nothobranchius korthausae* の初期発生における深層細胞再集合の分子メカニズムの解析  
○Daisuke Kurokawa<sup>1,2</sup>, Hotaka Nishikawa<sup>1</sup>, Masaaki Yoshida<sup>3</sup>, Atsushi Ogura<sup>3</sup>, Shinichi Aizawa<sup>2</sup>, Koji Akasaka<sup>1</sup> (MMBS, Tokyo Univ.<sup>1</sup>, CDB, RIKEN Kobe.<sup>2</sup>, OAP, Ochanomizu Univ.<sup>3</sup>)
- FT5-11 (P-024)** 15:50-15:54 Establishment of vertebrate body plan via coordinated regulation of dorsal-ventral and anterior-posterior patterning and developmental canalization  
○Atsushi Suzuki, Kimiko Takebayashi-Suzuki (Inst. for Amphibian Biol., Hiroshima Univ. Grad. Sch. of Sci.)
- FT5-12 (P-026) (SW1-04)** 15:54-15:58 Scaling of Dorsal-Ventral Patterning by Embryo Size-Dependent Degradation of Spemann's Organizer Signals  
オーガナイザー因子の分解を介した背腹軸スケージングの保証機構  
○Hidehiko Inomata<sup>1,2</sup>, Tatsuo Shibata<sup>3</sup>, Tomoko Haraguchi<sup>1</sup>, Yoshiki Sasai<sup>1</sup> (Organogenesis and Neurogenesis Group, CDB<sup>1</sup>, PRESTO<sup>2</sup>, Laboratory for Physical Biology, CDB<sup>3</sup>)
- FT5-13 (P-027)** 15:58-16:02 Mechanical force that drives expansion of the amniotic cavity supports antero-posterior extension of the notochord in mouse embryos.  
マウス胚では羊膜腔の膨張による機械的な力の作用が脊索の伸長を支持してる。  
○Yu Imuta<sup>1,2,3</sup>, Hiroshi Koyama<sup>4</sup>, Mototsugu Eiraku<sup>2</sup>, Yoshiki Sasai<sup>2</sup>, Toshihiko Fujimori<sup>4</sup>, Hiroshi Sasaki<sup>1</sup> (IMEG, Kumamoto Univ<sup>1</sup>, RIKEN CDB<sup>2</sup>, Osaka University, Graduate School of Medicine<sup>3</sup>, NIBB<sup>4</sup>)
- FT5-14 (P-029)** 16:02-16:06 P2Y nucleotide receptors are necessary for head structure formation during *Xenopus laevis* development  
アフリカツメガエルの頭部形成においてヌクレオチド受容体 P2Y は重要な機能をもつ  
○Haruka Nishida<sup>1</sup>, Akiha Nishihara<sup>2</sup>, Chikara Hashimoto<sup>1,2</sup> (Osaka Univ., Gra. Sch. of Sci., Dept. Biol<sup>1</sup>, BRH<sup>2</sup>)
- FT5-15 (P-030)** 16:06-16:10 Efficient induction of cranial neural crest stem cells from mouse ES cells  
マウス ES 細胞からの頭部神経冠幹細胞の効率的誘導  
○Masami Nozaki<sup>1</sup>, Yuki Minamino<sup>1,2</sup>, Kenji Kakudo<sup>2</sup>, Yuichi Ohnishi<sup>1,2</sup> (Res. Inst. for Microbial Dis., Osaka Univ.<sup>1</sup>, Sec. Dept. of Oral and Maxillofacial Surg, Osaka Dent. Univ.<sup>2</sup>)
- FT5-16 (P-032)** 16:10-16:14 The specification of the developing telencephalon along dorsal-ventral axis  
ニワトリ終脳の背腹領域の特異性獲得機構  
○Akari Karaiwa<sup>1</sup>, Shigeru Taketani<sup>2</sup>, Masasuke Araki<sup>1</sup> (Dev. Neurobiol. Lab., Dept. of Biol. Sci., NWU<sup>1</sup>, Biotechnological Laboratory Faculty of Textile Science Kyoto Institute of Technology<sup>2</sup>)

- FT5-17 (P-033)** 16:14-16:18 PRDM12 is required for the regionalization of the *Xenopus* trigeminal placode  
ツメガエルの三叉神経プラコードの領域化には PRDM12 が必要である  
○Shinya Matsukawa, Tatsuo Michiue (Grad. School of Arts and Sciences, The University of Tokyo)
- FT5-18 (P-035) (SW1-03)** 16:18-16:22 MPDZ is involved in maintenance and formation of the developing optic cup  
眼杯形成における MPDZ の役割  
○Lanying Zhao<sup>1</sup>, Akira Ito<sup>2</sup>, Hiroto Saito<sup>3</sup>, Makoto Ishibashi<sup>2</sup>, Shigehito Yamada<sup>1,2</sup> (Grad Sch Med, Kyoto Univ<sup>1</sup>, Department of Human Health Science, Kyoto University Graduate School of Medicine<sup>2</sup>, Department of Human Genetics, Graduate School of Medicine, Yokohama City University<sup>3</sup>)
- FT5-19 (P-036)** 16:22-16:26 Expression patterns of *Dnmt4*, *Dnmt6*, and *Dnmt8* in zebrafish development  
発生過程におけるゼブラフィッシュ *Dnmt4*, *Dnmt6*, *Dnmt8* の発現解析  
○Kazuya Takayama<sup>1</sup>, Shunsuke Takanaga<sup>1</sup>, Nobuyoshi Shimoda<sup>2</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Bio. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, Dept. Regenerative Med., Natl. Inst. Longevity Sci.<sup>2</sup>)
- FT5-20 (P-038)** 16:26-16:30 Molecular mechanisms underlying segmentation border formation in zebrafish somitogenesis  
○Chimwar Wanglar, Taijiro Yabe, Shinji Takada (NIBB, SOKENDAI UNIVERSITY)
- FT5-21 (P-039)** 16:30-16:34 The role of thyroid hormone in developing heart  
甲状腺ホルモンの心臓形成における役割  
○Kazuhiro Maeda, Sachiko Miyagawa-Tomita, Toshio Nakanishi (TWMU)
- FT5-22 (P-041)** 16:34-16:38 Lineage tracing analysis of genes contributing to the formation of cardiac conduction system in early heart development.  
初期心臓発生における刺激伝導系の細胞系譜の解析  
○Akane Sakaguchi<sup>1</sup>, Hiroki Kokubo<sup>2</sup>, Yumiko Saga<sup>1</sup> (NIG<sup>1</sup>, Hiroshima Univ.<sup>2</sup>)
- FT5-23 (P-042)** 16:38-16:42 Protogenin participates in mouse vertebral patterning by regulating Hox gene expression  
○Wei-Chih Kuo, Yu-Chiuan Wang, Ming-Ji Fann (Department of Life Sciences and Institute of Genome Sciences, NYMU)
- FT5-24 (P-043)** 16:42-16:46 Development of an RNA interference method using microinjection in the water flea *Daphnia pulex*  
ミジンコ (*Daphnia pulex*) 初期胚へのマイクロインジェクションによる RNAi 法の確立  
○Chizue Hiruta<sup>1</sup>, Kenji Toyota<sup>1,2</sup>, Hitoshi Miyakawa<sup>1</sup>, Taisen Iguchi<sup>1,2</sup> (NIBB<sup>1</sup>, Grad. Univ. Advanced Studies<sup>2</sup>)

## FT6: Morphogenesis

May 30 (Thu) 15:10-16:50 Room 2

Chairpersons: Yasuhiro Shiga (Tokyo Univ. of Pharmacy and Life Sciences)  
Yohei Hirai (Kwansei Gakuin Univ.)

- FT6-01 (P-108)** 15:10-15:14 Innovative photomicroscopy and inhibitor approaches to understanding the mechanisms of building up the spiculous skeleton of the freshwater sponge *Ephydatia fluviatilis*  
カイメンの体を成長させる骨片骨格はどのように組み上げられるのか—骨片を立ち上げる機構の解析—

○Kotoe Kawai, Kiyokazu Agata, Noriko Funayama (Dept. of Biophysics, Graduate school of Science, Kyoto Univ.)

- FT6-02 (P-110)** 15:14-15:18 Positive feedback mechanism in the simultaneous cell differentiation in *Dictyostelium discoideum*  
Positive feedback を介した細胞性粘菌における同調的な細胞分化機構  
○Toru Uchikawa<sup>1</sup>, Masahiro Ueda<sup>1,2</sup> (Grad. Sch. of Sci., Osaka Univ.<sup>1</sup>, RIKEN QBiC<sup>2</sup>)
- FT6-03 (P-112)** 15:18-15:22 Efficient EGL-17/FGF secretion by epidermal cells in *C. elegans* requires components of the synaptic vesicle recycling machinery  
*C. elegans* 表皮細胞における効率的な EGL-17/FGF に分泌にはシナプス小胞リサイクリング機構で機能する因子を必要とする  
○Hiroki Tanaka, Masaki Shimojou, Shin Takagi (Div. of Bio. Sci., Grad. Sch. of Sci., Nagoya Univ.)
- FT6-04 (P-114)** 15:22-15:26 Analysis of Heparan Sulfate function during *C. elegans* anchor cell invasion  
*C. elegans* のアンカー細胞浸潤時におけるヘパラン硫酸の機能解析  
○Shinji Ihara<sup>1</sup>, Sherwood David<sup>2</sup>, Hitoshi Sawa<sup>1</sup> (Multicellular Lab, NIG.<sup>1</sup>, Duke University, Department of Biology<sup>2</sup>)
- FT6-05 (P-116)** 15:26-15:30 Single-minded regulates specification of ventral cell fates in *Daphnia magna*  
オオミジンコ single-minded ホモログは腹部特異化を制御している  
○Shinichi Morita<sup>1</sup>, Chisato Hiraga<sup>1</sup>, Taisen Iguchi<sup>2</sup>, Yasuhiro Shiga<sup>1</sup>, Shinichi Tokishita<sup>1</sup>, Toshihiro Ohota<sup>1</sup> (LEMB at TUPS<sup>1</sup>, Div. of Mol. Env. End., NIBB<sup>2</sup>)
- FT6-06 (P-118)** 15:30-15:34 Gene expression of twinning formation in *Xenopus laevis* embryo-#2  
アフリカツメガエル 2 次胚形成における遺伝子発現—その 2  
○Eiji Sato<sup>1</sup>, Yasuko Onuma<sup>3</sup>, Michio Fujie<sup>2</sup>, Naoki Adati<sup>2</sup>, Tadayosi Uezato<sup>1</sup>, Naoyuki Miura<sup>1</sup>, Yuzuru Ito<sup>3</sup> (Dept. of Biochem., Hamamatsu Univ. Sch. of Med.<sup>1</sup>, REC, Hamamatsu Univ. Sch. of Med.<sup>2</sup>, AIST<sup>3</sup>)
- FT6-07 (P-120)** 15:34-15:38 Differential expression patterns of two types of medaka periostin during development and adulthood  
発生期と成体における 2 種類のメダカペリオスチンの発現解析  
○Kohei Ito, Masanobu Nishidate, Taku Akiyama, Mai Morioka, Shun Kimura, Akira Kudo (Dept. Biol. Info., Tokyo Inst. Tech.)
- FT6-08 (P-122)** 15:38-15:42 A transmembrane metalloprotease ADAM10a regulates behaviors of primitive erythroblasts and vascular formation in zebrafish development.  
ゼブラフィッシュの発生において膜型メタロプロテアーゼ ADAM10a は赤芽球の移動および脈管形成に関与する  
Anna Tomosawa, ○Atsuo Iida, Atsuko Sebara-Fujisawa (Ins. for Front. Med. Sci., Kyoto University)
- FT6-09 (P-124)** 15:42-15:46 *Irx11* is regulated by *Mef2ca* in pharyngeal arch morphogenesis of zebrafish  
○Han-Ni Chuang<sup>1,2</sup>, Meng-Wei Li<sup>2</sup>, Kuang-Ming Hsiao<sup>1</sup>, Huichin Pan<sup>2</sup> (Department of life Science, Institute of Molecular Biology, NCCU<sup>1</sup>, Department of Biomedical Sciences, CSMU<sup>2</sup>)
- FT6-10 (P-126)** 15:46-15:50 Low temperature mitigates cardia bifida in zebrafish embryos  
○Che-Yi Lin<sup>1</sup>, Cheng-Chen Huang<sup>2</sup>, Wen-Der Wang<sup>3</sup>, Chung-Der Hsiao<sup>4</sup>, Ching-Feng Cheng<sup>5</sup>, Yi-Ting Wu<sup>6</sup>, Yu-Fen Lu<sup>6</sup>, Sheng-Ping Hwang<sup>1,6</sup> (IBB, NTOU, Taiwan<sup>1</sup>, DB, UWRF, USA<sup>2</sup>, GIAB, NCYU, Taiwan<sup>3</sup>, DBT, CYCU, Taiwan<sup>4</sup>, DP, TCGH, Taiwan<sup>5</sup>, ICOB, Academia Sinica, Taiwan<sup>6</sup>)

- FT6-11 (P-128)** 15:50-15:54 Hemodynamically controlled nuclear shuttling of Mrtf-b and its functional role in cardiac development and circulatory homeostasis  
メカニカルストレス依存的な Mrtf-b の核移行による心臓発生と心機能の恒常性維持機構  
○Hideto Osada, Masato Kimura, Kota Miyasaka, Yusuke Watanabe, Toshihiko Ogura (IDAC)
- FT6-12 (P-130)** 15:54-15:58 Quantification of mechanical force driving the left-handed twisting of the gut epithelial tube in *Drosophila*  
ショウジョウバエにおける消化管上皮の反時計回りの捻転を引き起こす機械的な力の定量化  
○Mai Adachi<sup>1</sup>, Naotaka Nakazawa<sup>1,3</sup>, Reo Maeda<sup>3</sup>, Shukei Sugita<sup>2</sup>, Takeo Matsumoto<sup>2</sup>, Kenji Matsuno<sup>1</sup> (Dept. of Biol. Sci., Osaka Univ<sup>1</sup>, Dept. of Mech. Eng., Nagoya Inst. of Tech.<sup>2</sup>, Dept. of Biol. Sci / Tec., Tokyo Univ.<sup>3</sup>)
- FT6-13 (P-132)** 15:58-16:02 Formation of fin-specific structures (fin-ray) in zebrafish development  
ゼブラフィッシュの発生における鰭条構造の形成機構  
○Tohru Yano, Hitoshi Yokoyama, Koji Tamura (Dept. Dev. Biol. and Neurosci., Grad. Sch. Sci., Tohoku Univ.)
- FT6-14 (P-134)** 16:02-16:06 Cux2 refines the position of limbs along the rostral-caudal axis during chick development  
○Shogo Ueda<sup>1</sup>, Yasuko Kanazawa<sup>1</sup>, Natsuno Suda<sup>1</sup>, Ryo Yamada<sup>1</sup>, Hisanobu Shimamura<sup>1</sup>, Ryuichiro Nakato<sup>2</sup>, Katsuhiko Shirahige<sup>2</sup>, Mikiko Tanaka<sup>1</sup> (Tokyo Tech.<sup>1</sup>, IMCB, Tokyo Univ.<sup>2</sup>)
- FT6-15 (P-136) (SW2-03)** 16:06-16:10 Analysis of the function of *Fgf10* chromosomal enhancers that control limb specific expression  
*Fgf10*の発現を肢芽特異的に制御するエンハンサーの機能解析  
○Chisa Ando<sup>1</sup>, Yu-go Yokota<sup>1</sup>, Yu-hei Kohara<sup>1</sup>, Yo-ichi Yamamoto-Shiraishi<sup>1</sup>, Yo-ichi Mizushina<sup>2</sup>, Tomoko Sagai<sup>2</sup>, Toshihiko Shiroishi<sup>2</sup>, Atsushi Kuroiwa<sup>1</sup> (Div. of Biol. Sci., Grad. Sch. of Sci., Nagoya Univ.<sup>1</sup>, Mammalian Genetics Laboratory, National Institute of Genetics.<sup>2</sup>)
- FT6-16 (P-138)** 16:10-16:14 Transcriptome analyses of flounder metamorphosis left-right asymmetric differentiation  
ヒラメ変態の左右非対称化プロセスのトランスクリプトーム解析  
○Hayato Yokoi, Xiaoming Wu, Yoshifumi Sakai, Tohru Suzuki (Grad Schl Agricul Sci, Tohoku Univ)
- FT6-17 (P-140)** 16:14-16:18 Reduced cell number in the hindgut epithelium disrupts hindgut left-right asymmetry in a mutant of *pebble*, encoding a RhoGEF, in *Drosophila* embryos  
RhoGEF をコードする *pebble* の突然変異体におけるショウジョウバエ胚後腸上皮の細胞数の減少が後腸の左右非対称性を乱す  
○Mitsutoshi Nakamura<sup>1</sup>, Kenjiroo Matsumoto<sup>1</sup>, Yuta Iwamoto<sup>1,2</sup>, Ryo Hatori<sup>1,2</sup>, Kenji Matsuno<sup>1</sup> (Dept of Biol. Sci, Osaka Univ<sup>1</sup>, Dept of Biol Sci and Tech, TUS<sup>2</sup>)
- FT6-18 (P-161)** 16:18-16:22 The role of cell-ECM interactions in collective cellular movement during the looping morphogenesis of *Drosophila* male terminalia  
細胞-ECM 相互作用がショウジョウバエ雄性生殖器の形態形成に与える影響  
○Emi Maekawa<sup>1</sup>, Aimi Tsukioka<sup>1</sup>, Ayako Isomura<sup>1</sup>, Kazuyo Misaki<sup>2</sup>, Shigenobu Yonemura<sup>2</sup>, Erina Kuranaga<sup>1</sup> (Lab. Histogenetic Dynamics, RIKEN CDB<sup>1</sup>, Electron Microscope

Lab., RIKEN CDB<sup>2</sup>)

- FT6-19 (P-143)** 16:22-16:26 Wnt signaling regulates the left-right axis formation in the node of mouse embryos  
マウス左右軸形成における Wnt シグナルの役割  
○Keiko Kitajima, Shinya Oki, Tomoyuki Sumi, Chikara Meno (Kyushu Univ.)
- FT6-20 (P-145) (SW2-01)** 16:26-16:30 Temporal observation of the influence of the Fgf signal about somite formation  
体節形成における Fgf シグナルの影響の経時的な観察  
○Kenji Maekubo, Yohei Hirai (Grad. Sch. of Sci. and Tech., Kwansai Gakuin Univ.)
- FT6-21 (P-147)** 16:30-16:34 Ripply2-dependent negative regulation of Tbx6 is required for somitogenesis  
○Wei Zhao<sup>1,2</sup>, Yumiko Saga<sup>1,2,3</sup> (NIG<sup>1</sup>, Graduated School of Science, university of Tokyo<sup>2</sup>, Department of Genetics, SOKENDAI<sup>3</sup>)
- FT6-22 (P-149) (SW2-02)** 16:34-16:38 Formation of the digestive tract in *Ciona intestinalis* includes two distinct morphogenic processes between its anterior and posterior parts  
カタユウレイボヤにおける消化管形成：前方と後方で異なる管のでき方と細胞の由来  
○Keiichi Nakazawa<sup>1</sup>, Takumi Yamazawa<sup>1</sup>, Yuuta Moriyama<sup>1</sup>, Yousuke Ogura<sup>2</sup>, Narudo Kawai<sup>2</sup>, Yasunori Sakakura<sup>2</sup>, Hidetoshi Saiga<sup>1</sup> (Dept. Biol. Sci., Tokyo Metro Univ.<sup>1</sup>, Shimoda, Tsukuba Univ.<sup>2</sup>)
- FT6-23 (P-151)** 16:38-16:42 Exploring the role of atypical cadherins in collective cell migration  
集団的細胞移動における非典型的カドヘリンの機能解析  
○Masaki Arata<sup>1</sup>, Yutaro Nishino<sup>1</sup>, Kousuke Mouri<sup>1</sup>, Yuzo Watanabe<sup>1</sup>, Motoki Saito<sup>1</sup>, Tadashi Uemura<sup>1,2</sup> (Grad. Sch. of Bio., Kyoto Univ.<sup>1</sup>, CREST, JST<sup>2</sup>)
- FT6-24 (P-153) (SW2-08)** 16:42-16:46 Knockdown of *ouro* genes represses tadpole tail regression during *Xenopus* metamorphosis  
オウロ遺伝子のノックダウンは変態期のツメガエル幼生の尾部退縮を抑制する  
○Erisa Maruyama, Mitsugu Maeno, Yumi Izutsu (Dept. Biol., Faculty of Sci., Niigata Univ., Japan)

## **FT7: Gametogenesis, fertilization and reproduction / Sex determination / Regeneration**

May 30 (Thu) 15:10-16:50 Room 3

Chairpersons: Taro Mito (Univ. of Tokushima)

Yoshihiko Umesono (Univ. of Tokushima)

- FT7-01 (P-001)** 15:10-15:14 The mechanism of the establishment of murine spermatogonial stem cells  
○Han Pin Pui<sup>1</sup>, Yumiko Saga<sup>2</sup> (NIG, SOKENDAI<sup>1</sup>, Division of Mammalian Development, NIG, SOKENDAI<sup>2</sup>)
- FT7-02 (P-003)** 15:14-15:18 In vitro Reconstruction of Mouse Seminiferous Tubules Supporting Germ Cell Differentiation  
マウス未熟精巣を用いた in vitro における精細管再構成と精子形成  
○Tetsuhiro Yokonishi, Takuya Sato, Kumiko Katagiri, Mitsuru Komeya, Yoshinobu Kubota, Takehiko Ogawa (Dep. of Urol. Yokohama City Univ. School of Med.)
- FT7-03 (P-005)** 15:18-15:22 Possible involvement of a novel RNA-binding protein, MGC83235, in the promotion of *Xenopus* oocyte maturation  
アフリカツメガエル卵成熟誘起への新奇 RNA 結合タンパク質

MGC83235 の関与

○Kazuki Takahashi<sup>1</sup>, Ryoma Ota<sup>2</sup>, Masakane Yamashita<sup>3</sup> (Grad. Sch. of Life Sci., Hokkaido Univ.<sup>1</sup>, Div. of Dev. Genet., Dept. of Dev. Biol., NIBB<sup>2</sup>, Dept. of Biol. Sci., Fac. of Sci., Hokkaido Univ.<sup>3</sup>)

- FT7-04** 15:22-15:26 **(P-007)**  
**(SW1-01)** Pronuclear chromatin binding of Orc6 in mouse fertilized eggs  
マウス受精卵における Orc6 の前核クロマチンへの結合  
○Shin Murai<sup>1</sup>, Yuusuke Fukuda<sup>2,3</sup>, Yukiko Katagiri<sup>2</sup>, Mineto Morita<sup>2</sup>, Shigeru Yamashita<sup>1</sup> (Dept of Biochem, Toho Univ, Sch of Med<sup>1</sup>, Dept. of Obst. and Gyn., Toho Univ., Sch. of Med.<sup>2</sup>, Dept. of Biol. Univ. of Pennsylvania<sup>3</sup>)
- FT7-05** 15:26-15:30 **(P-009)**  
**(SW1-02)** Meiotic chromosome behavior in the triploid planarian  
3 倍体プラナリアの減数分裂における染色体挙動  
○Ayako Chinone, Midori Matsumoto (Dept. of Bioscis. & Informatics, Fac. of Sci. & Tech., Keio Univ.)
- FT7-06** 15:30-15:34 **(P-207)**  
Lgr4 knockout mice show female hermaphroditism  
雌 Lgr4 ノックアウトマウスは仮性半陰陽を示す  
○Masae Koizumi<sup>1</sup>, Kazunori Oyama<sup>1</sup>, Akihiro Nawa<sup>2</sup>, Katsuhiko Nishimori<sup>1</sup> (Lab. Mol. Biol., Grad. Sh. of univ. of Tohoku<sup>1</sup>, Dep. Obstetrics and Gynecology, Grad. Sch. of Med., Univ. of Ehime<sup>2</sup>)
- FT7-07** 15:34-15:38 **(P-209)**  
Identification of a genetic cause of non-regenerative head tissues in the planarian Phagocata kawakatsui  
コガタウズムシにおける頭部構造再生条件の探索  
○Yui Nishimura<sup>1</sup>, Martina Hrouda<sup>1</sup>, Eri Kawaguchi<sup>1</sup>, Yazawa Shigenobu<sup>2</sup>, Osamu Nishimura<sup>2</sup>, Takeshi Inoue<sup>1</sup>, Kiyokazu Agata<sup>1</sup>, Yoshihiko Umesono<sup>1</sup> (Dept. of Biophysics Grad. School of Science, Kyoto Univ.<sup>1</sup>, Global COE Program: Evolution and Biodiversity, Division of Biological Sciences, Graduate School of Science, Kyoto University<sup>2</sup>)
- FT7-08** 15:38-15:42 **(P-210)**  
**(SW2-06)** *In vivo* model system to study the genetic program of tissue regeneration  
組織再生の遺伝プログラム研究に向けた *in vivo* モデルシステムの確立  
○Soshiro Kashio<sup>1</sup>, Fumiaki Obata<sup>1,2</sup>, Liu Zhang<sup>1</sup>, Takahiro Chihara<sup>1,2</sup>, Masayuki Miura<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- FT7-09** 15:42-15:46 **(P-212)**  
JAK/STAT signaling promotes blastemal cell proliferation during leg regeneration in the cricket *Gryllus bimaculatus*  
脚再生過程において JAK/STAT シグナルは再生芽細胞の増殖を制御する  
○Tetsuya Bando<sup>1</sup>, Taro Mito<sup>2</sup>, Hideyo Ohuchi<sup>1</sup>, Sumihare Noji<sup>2</sup> (Okayama Univ.<sup>1</sup>, Tokushima Univ.<sup>2</sup>)
- FT7-10** 15:46-15:50 **(P-213)**  
Analysis of the source of ‘blastema survival factor’ and its downstream signaling during the zebrafish fin fold regeneration  
ゼブラフィッシュの膜ヒレ再生時における再生芽生存因子の起源とその下流シグナルの解析  
○Tomoya Hasegawa, Teruhiro Nakajima, Takashi Ishida, Akira Kudo, Atsushi Kawakami (Tokyo tech)
- FT7-11** 15:50-15:54 **(P-215)**  
**(SW2-07)** Imaging and characterization of mmp9-expressing cells during zebrafish fin regeneration using the Tol2 BAC transgenic  
Tol2 BAC トランスジェニックを用いた、ゼブラフィッシュのひれ再生における mmp9 発現細胞の解析  
○Kazunori Ando, Akira Kudo, Atsushi Kawakami (Tokyo Tech)

- FT7-12 (P-216) (SW2-09)** 15:54-15:58 Critical role of *fibronectin 1b* during zebrafish fin regeneration  
ゼブラフィッシュひれ再生における *fibronectin 1b* の機能解析  
○Eri Shibata, Emiko Murase, Akira Kudo, Atsushi Kawakami (Tokyo tech)
- FT7-13 (P-218) (SW2-05)** 15:58-16:02 Transient reduction of 5-methylcytosine and 5-hydroxymethylcytosine is caused by active DNA demethylation during regeneration of zebrafish fin  
ゼブラフィッシュの尾びれ再生過程では能動的 DNA 脱メチル化による 5-メチルシトシンと 5-ヒドロキシメチルシトシンの一時的な減少が生じる  
○Kentaro Hirose<sup>1</sup>, Nobuyoshi Shimoda<sup>2</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Biol. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, Dep. of Rege. Med., NCGG<sup>2</sup>)
- FT7-14 (P-219)** 16:02-16:06 The analysis on pattern formation of the joint during newt limb regeneration  
イモリの四肢再生における関節のパターン形成の解析  
○Rio Tsutsumi, Shota Takemura, Miki Hiramaya, Yuko Urata, Wataru Yamashita, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys., Grad. Sch. of Sci., Kyoto Univ.)
- FT7-15 (P-221)** 16:06-16:10 Comprehensive Analysis of Time-course of Gene Expression Pattern during Forelimb Regeneration in Newt *Cynops pyrrhogaster*  
アカハライモリの前肢再生過程における遺伝子発現変化の網羅的解析  
○Shota Takemura, Rio Tsutsumi, Miki Hirayama, Yuko Urata, Chiaki Michibayashi, Wataru Yamashita, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys., Grad. of Sci., Kyoto Univ.)
- FT7-16 (P-222)** 16:10-16:14 Hippo signaling is important for *Xenopus* limb regeneration  
アフリカツメガエルの四肢再生における Hippo 系路の重要性  
○Shinichi Hayashi<sup>1</sup>, Haruki Ochi<sup>2</sup>, Hajime Ogino<sup>2</sup>, Koji Tamura<sup>1</sup>, Hitoshi Yokoyama<sup>1</sup> (Laboratory of Organ Morphogenesis, Tohoku University<sup>1</sup>, Developmental Genomics Research Group, NAIST<sup>2</sup>)
- FT7-17 (P-224)** 16:14-16:18 A new regeneration study system in *Xenopus laevis*; Ectopic blastema induction by nerve deviation and skin wounding  
アフリカツメガエル (*Xenopus laevis*) における新規再生研究系 ; 神経遊走と皮膚損傷による異所再生芽の誘導  
○Kazumasa Mitogawa, Miyuki Moriyasu, Ayako Hirata, Aki Makanae, Akira Satoh (RCIS, Okayama Univ)
- FT7-18 (P-225)** 16:18-16:22 Comparative study of limb regeneration between amphibians and mammals  
両生類との比較から探るマウスの四肢再生能  
○Shinichirou Miura, Tetsuya Endo (Lab. of Biol., Aichi Gakuin Univ.)
- FT7-19 (P-227)** 16:22-16:26 Amphibian retinal regeneration is triggered by matrix metalloproteinases  
両生類網膜再生初期過程を制御する matrix metalloproteinases の解析  
○Hanako Naito<sup>1</sup>, Yoko Ueda<sup>1</sup>, Takahiko Sato<sup>2</sup>, Atsuko Sehara-Fujisawa<sup>2</sup>, Masasuke Araki<sup>1</sup> (Dev. Neurobiol. Lab., Dept. of Biol. Sci., Nara Women's Univ.<sup>1</sup>, Department of Growth Regulation, Institute for Frontier Medical Sciences, Kyoto Univ.<sup>2</sup>)
- FT7-20 (P-228)** 16:26-16:30 *Rax* and *Pax6* expressions are related to the localization of cell adhesion molecules during retinal regeneration in *Xenopus*  
成体ツメガエル網膜再生における *Rax*・*Pax6* 遺伝子の発現パターンと細胞接着分子の動態の解析  
○Yoko Ueda<sup>1</sup>, Rika Teshigawara<sup>2</sup>, Masasuke Araki<sup>1,2</sup> (Graduate school of humanities and science, NWU<sup>1</sup>, Dev. Neurobiol. Lab., Dept. of Biol. Sci., NWU<sup>2</sup>)

- FT7-21 (P-230)** 16:30-16:34 Studies on regeneration of the dopaminergic neuron in newts, *Cynops pyrrhogaster*  
アカハライモリを用いたドーパミン神経細胞再生の解析  
○Yuko Urata, Wataru Yamashita, Rio Tsutsumi, Shota Takemura, Miki Hirayama, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys. Grad. Sch. of Sci., Kyoto Univ.)
- FT7-22 (P-231)** 16:34-16:38 In vitro analysis of the neural stem cells in newt *Cynops pyrrhogaster*  
アカハライモリ神経幹細胞の In vitro 解析  
○Wataru Yamashita, Yuko Urata, Chiaki Michibayashi, Rio Tsutsumi, Shota Takemura, Miki Hirayama, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys. Grad. Sci., Kyoto Univ.)
- FT7-23 (P-233)** 16:38-16:42 Lineage tracing analysis of cardiomyocytes in the newt cardiac regeneration by tamoxifen-inducible Cre loxP system.  
タモキシフェン誘導型 Cre loxP システムを用いたイモリの心臓再生過程における細胞系譜の追跡。  
○Ayumi Myouga, Naoki Yokotani, Takashi Takeuchi, Toshinori Hayashi (Sch of Life Science, Tottori Univ.)
- FT7-24 (P-234)** 16:42-16:46 What Molecule Triggers Proliferation of Cardiomyocytes during Newt Heart Regeneration?  
イモリ心臓再生過程において、心筋細胞の増殖を開始させるトリガーは何か？  
Naoki Yokotani<sup>1</sup>, Takeshi Inoue<sup>2</sup>, Eri Kawaguchi<sup>2</sup>, Kiyokazu Agata<sup>2</sup>, Takashi Takeuchi<sup>1</sup>,  
○Toshinori Hayashi<sup>1</sup> (Sch. of Life Science, Tottori Univ.<sup>1</sup>, Grad. Sch. Science., Kyoto Univ.<sup>2</sup>)

## Satellite Workshops (in Japanese)

### SW01: Gametogenesis, fertilization and reproduction/Early embryogenesis/ Cell differentiation/Cell-Cell/-Matrix interaction/Cell proliferation/ Organogenesis

May 28 (Tue) 15:00-17:00 Room 2

Chairpersons: Atsushi Kawakami (Tokyo Inst. of Technol.)

Takahiro Chihara (Univ. of Tokyo)

- SW1-01 (FT7-04) (P-007)** 15:00-15:10 Pronuclear chromatin binding of Orc6 in mouse fertilized eggs  
マウス受精卵における Orc6 の前核クロマチンへの結合  
○Shin Murai<sup>1</sup>, Yuusuke Fukuda<sup>2,3</sup>, Katagiri Yukiko<sup>2</sup>, Mineto Morita<sup>2</sup>, Shigeru Yamashita<sup>1</sup>  
(Dept of Biochem, Toho Univ, Sch of Med<sup>1</sup>, Dept. of Obst. and Gyn., Toho Univ., Sch. of Med.<sup>2</sup>, Dept. of Biol. Univ. of Pennsylvania<sup>3</sup>)
- SW1-02 (FT7-05) (P-009)** 15:10-15:20 Meiotic chromosome behavior in the triploid planarian  
3 倍体プラナリアの減数分裂における染色体挙動  
○Ayako Chinone, Midori Matsumoto (Dept. of Bioscis. & Informatics, Fac. of Sci. & Tech., Keio Univ.)
- SW1-03 (FT5-18) (P-035)** 15:20-15:30 MPDZ is involved in maintenance and formation of the developing optic cup  
眼杯形成における MPDZ の役割  
○Lanying Zhao<sup>1</sup>, Akira Ito<sup>2</sup>, Hiroto Saito<sup>3</sup>, Makoto Ishibashi<sup>2</sup>, Shigehito Yamada<sup>1,2</sup>  
(Grad Sch Med, Kyoto Univ<sup>1</sup>, Department of Human Health Science, Kyoto University Graduate School of Medicine<sup>2</sup>, Department of Human Genetics, Graduate School of Medicine, Yokohama City University<sup>3</sup>)
- SW1-04 (FT5-12) (P-026)** 15:30-15:40 Scaling of Dorsal-Ventral Patterning by Embryo Size-Dependent Degradation of Spemann's Organizer Signals  
オーガナイザー因子の分解を介した背腹軸スケーリングの保証機構  
○Hidehiko Inomata<sup>1,2</sup>, Tatsuo Shibata<sup>3</sup>, Tomoko Haraguchi<sup>1</sup>, Yoshiki Sasai<sup>1</sup> (Organogenesis and Neurogenesis Group, CDB<sup>1</sup>, PRESTO<sup>2</sup>, Laboratory for Physical Biology, CDB<sup>3</sup>)
- SW1-05 (FT2-14) (P-074)** 15:40-15:50 LGR4 is required for development and maintenance of mammary gland  
LGR4 は乳腺組織の発達と維持に必要である  
○Kazunori Oyama, Yasuaki Mohri, Mizuki Sone, Katsuhiko Nishimori (Lab. Mol. Biol., Grad. Sch. of Agr. Sci., Univ. of Tohoku)
- SW1-06 (FT2-05) (P-081)** 15:50-16:00 Extracellular syntaxin4 triggers the differentiation program in teratocarcinoma F9 cells with impacts on cell adhesion properties.  
テラトカルシノーマ F9 細胞における細胞外シンタキシン 4 の細胞接着と分化への影響  
○Natsumi Hagiwara, Yohei Hirai (Dep. Bioscience, Grad. Sch. Sci. Technol., Kwansai Gakuin Univ.)
- SW1-07 (FT2-07) (P-086)** 16:00-16:10 Optimal cellular mobility for synchronization arising from the gradual recovery of intercellular interactions  
遺伝子発現の同期を達成するための最適な細胞移動率  
○Koichiro Uriu<sup>1</sup>, Saul Ares<sup>2</sup>, Andrew Oates<sup>3</sup>, Luis Morelli<sup>4</sup> (Theoretical Biology Laboratory, RIKEN ASI, Japan<sup>1</sup>, Logic of Genomic Systems Laboratory, CNB, CSIC, Spain<sup>2</sup>, MRC NIMR, UK<sup>3</sup>, Departamento de Fisica, FCEyN UBA and IFIBA, CONICET, Argentina<sup>4</sup>)

- SW1-08 (FT2-01) (P-088)** 16:10-16:20 The subcellular localization of cyclin B2 is required for bipolar spindle formation in meiosis I during *Xenopus* oocyte maturation  
サイクリン B2 の細胞内局在はアフリカツメガエル卵成熟過程の二極性紡錘体形成に必要である  
○Satoshi Yoshitome<sup>1</sup>, Nobuaki Furuno<sup>2</sup>, Claude Prigent<sup>3</sup>, Eikichi Hashimoto<sup>4</sup> (Fac. Pharm., Iwaki Meisei Univ.<sup>1</sup>, Lab. Amphibian Biol., Grad. Sch. Sci., Hiroshima Univ.<sup>2</sup>, Inst. Genet., Dev. Rennes, Univ. Rennes 1<sup>3</sup>, Dept. Biomed. Sci., Sch. Life Sci., Tottori Univ.<sup>4</sup>)
- SW1-09 (FT3-14) (P-165)** 16:20-16:30 Cadherin-7 enhances sonic hedgehog signaling by inhibiting the movement of full-length Gli3 to the primary cilium  
カドヘリン-7 は転写因子 Gli3 の移動制限によりソニックヘッジホッグシグナルを調節する。  
○Rie Kawano<sup>1</sup>, Kunimasa Ohta<sup>2</sup>, Daisuke Niimori<sup>3</sup> (Dev. Neurobio. Kumamoto University<sup>1</sup>, Division of Developmental Neurobiology, Graduate School of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Kumamoto 860-8556, Japan<sup>2</sup>, Department of Dermatology and Plastic Surgery, Graduate School of Life Sciences, Kumamoto University, 1-1-1 Honjo Kumamoto 860-8556 Japan<sup>3</sup>)
- SW1-10 (FT3-15) (P-167)** 16:30-16:40 Study of secondary neurulation: stem cell-like behavior of neural tube precursors implicated by transplantation of EGFP-labeled tail bud  
Secondary Neurulation 研究 : EGFP 標識 tail bud の移植から浮かび上がった神経管前駆細胞の幹細胞様の挙動  
○Teruaki Kawachi<sup>1</sup>, Eisuke Shimokita<sup>2</sup>, Yoshiko Takahashi<sup>1</sup> (Department of Zoology, Kyoto University.<sup>1</sup>, Graduate School of Biological Science, Nara Institute of Science and Technology.<sup>2</sup>)
- SW1-11 (FT3-16) (P-169)** 16:40-16:50 Long-distance cell migrations during larval development in an appendicularian, *Oikopleura dioica*.  
ワカレオタマボヤ *Oikopleura dioica* 後期発生のライブイメージングによって見出された長距離移動を示す細胞群  
○Kanae Kishi, Takeshi Onuma, Hiroki Nishida (Dept. Biol. Sci., Osaka Univ.)
- SW1-12 (FT3-17) (P-171)** 16:50-17:00 Role of motile cilia in development and function of renal tubes in fish  
魚類の腎臓発生における運動性繊毛の役割  
Sayaka Tayama, Yuri Ikeda, Hitomi Igarashi, Hajime Matsui, ○Atsuko Shimada, Hiroyuki Takeda (Dep. Biol. Sci., Grad. Sch. Sci., Univ. Tokyo)

## **SW02: Morphogenesis/Neural development and function/Regeneration/Technology, Theoretical approach**

May 28 (Tue) 17:10-19:00 Room 2

Chairpersons: Hidehiko Inomata (RIKEN CDB)

Midori Matsumoto (Keiko Univ.)

- SW2-01 (FT6-20) (P-145)** 17:10-17:20 Temporal observation of the influence of the Fgf signal about somite formation  
体節形成における Fgf シグナルの影響の経時的な観察  
○Kenji Maekubo, Yohei Hirai (Grad. Sch. of Sci. and Tech., Kwanseigakuin Univ.)
- SW2-02 (FT6-22) (P-149)** 17:20-17:30 Formation of the digestive tract in *Ciona intestinalis* includes two distinct morphogenic processes between its anterior and posterior parts  
カタユウレイボヤにおける消化管形成 : 前方と後方で異なる管のでき方と細胞の由来

○Keiichi Nakazawa<sup>1</sup>, Takumi Yamazawa<sup>1</sup>, Yuuta Moriyama<sup>1</sup>, Yousuke Ogura<sup>2</sup>, Narudo Kawai<sup>2</sup>, Yasunori Sakakura<sup>2</sup>, Hidetoshi Saiga<sup>1</sup> (Dept. Biol. Sci., Tokyo Metro Univ.<sup>1</sup>, Shimoda, Tsukuba Univ.<sup>2</sup>)

- SW2-03 (FT6-15) (P-136)** 17:30-17:40 Analysis of the function of *Fgf10* chromosomal enhancers that control limb specific expression  
*Fgf10*の発現を肢芽特異的に制御するエンハンサーの機能解析  
○Chisa Ando<sup>1</sup>, Yu-go Yokota<sup>1</sup>, Yu-hei Kohara<sup>1</sup>, Yo-ichi Yamamoto-Shiraishi<sup>1</sup>, Yo-ichi Mizushina<sup>2</sup>, Tomoko Sagai<sup>2</sup>, Toshihiko Shiroishi<sup>2</sup>, Atsushi Kuroiwa<sup>1</sup> (Div. of Biol. Sci., Grad. Sch. of Sci., Nagoya Univ.<sup>1</sup>, Mammalian Genetics Laboratory, National Institute of Genetics.<sup>2</sup>)
- SW2-04 (FT3-03) (P-187)** 17:40-17:50 Unveiling the role of Ephrin for dendrite targeting of *Drosophila* olfactory projection neurons  
ショウジョウバエ嗅覚投射神経の樹状突起領域形成におけるエフリンの機能解析  
○Shirin Makihara<sup>1</sup>, Sayaka Sekine<sup>1</sup>, Masayuki Miura<sup>1,2</sup>, Takahiro Chihara<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- SW2-05 (FT7-13) (P-218)** 17:50-18:00 Transient reduction of 5-methylcytosine and 5-hydroxymethylcytosine is caused by active DNA demethylation during regeneration of zebrafish fin  
ゼブラフィッシュの尾びれ再生過程では能動的DNA脱メチル化による5-メチルシトシンと5-ヒドロキシメチルシトシンの一時的な減少が生じる  
○Kentarō Hirose<sup>1</sup>, Nobuyoshi Shimoda<sup>2</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Biol. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, Dep. of Rege. Med., NCGG<sup>2</sup>)
- SW2-06 (FT7-08) (P-210)** 18:00-18:10 *In vivo* model system to study the genetic program of tissue regeneration  
組織再生の遺伝プログラム研究に向けた*in vivo*モデルシステムの確立  
○Soshiro Kashio<sup>1</sup>, Fumiaki Obata<sup>1,2</sup>, Liu Zhang<sup>1</sup>, Takahiro Chihara<sup>1,2</sup>, Masayuki Miura<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- SW2-07 (FT7-11) (P-215)** 18:10-18:20 Imaging and characterization of mmp9-expressing cells during zebrafish fin regeneration using the Tol2 BAC transgenic  
Tol2 BAC トランスジェニックを用いた、ゼブラフィッシュのひれ再生におけるmmp9発現細胞の解析  
○Kazunori Ando, Akira Kudo, Atsushi Kawakami (Tokyo Tech)
- SW2-08 (FT6-24) (P-153)** 18:20-18:30 Knockdown of *ouro* genes represses tadpole tail regression during *Xenopus* metamorphosis  
オウロ遺伝子のノックダウンは変態期のツメガエル幼生の尾部退縮を抑制する  
○Erisa Maruyama, Mitsugu Maeno, Yumi Izutsu (Dept. Biol., Faculty of Sci., Niigata Univ., Japan)
- SW2-09 (FT7-12) (P-216)** 18:30-18:40 Critical role of *fibronectin 1b* during zebrafish fin regeneration  
ゼブラフィッシュひれ再生における*fibronectin 1b*の機能解析  
○Eri Shibata, Emiko Murase, Akira Kudo, Atsushi Kawakami (Tokyo tech)
- SW2-10 (FT1-03) (P-280)** 18:40-18:50 Numerical analyses for behaviors of auxin transport pattern on growing fields  
オーキシン極性輸送に基づくパターンの成長場における数値解析  
○Akiko Nakamasu<sup>1,2</sup>, Kimura Seisuke<sup>1</sup>, Nobhiko Suematsu<sup>3,4</sup> (Dep. Biores. Env. Sci. KSU.<sup>1</sup>, JSPS Reserch Fellow<sup>2</sup>, Grad. School. Adv. Math. Sci. Meiji Univ.<sup>3</sup>, MIMS, Meiji Univ.<sup>4</sup>)

**SW2-11** 18:50-19:00 A theory on the timing of cell fate decision in developing organs  
**(FT1-05)**  
**(P-283)** 成長組織における細胞運命の決定タイミングに関する理論  
○Yoshihiro Morishita<sup>1</sup>, Takayuki Suzuki<sup>2</sup> (RIKEN CDB<sup>1</sup>, Nagoya Univ.<sup>2</sup>)

## Technical Workshop: Technical tips

May 28 (Tue) 15:30-18:30 Room 3

Chairpersons: Ken-ichi Suzuki (Hiroshima Univ.)

Toshinori Hayashi (Tottori Univ.)

The NGS sequencing, quantitative/3D imaging, and genome editing by TALEN, these techniques are becoming an integral part of development biology. In order to aim at sharing the new and advanced technologies, we planned this workshop. The speakers talk about principles, applications and technical tips regarding these techniques. We hope that our technical tips would be “exciting” and “helpful” for participants from senior scientists to students.

- TW-1** 15:30-15:55 Next-generation sequencing for developmental biology  
発生生物学のための次世代シーケンス  
○Shigehiro Kuraku (RIKEN CDB GRAS)
- TW-2** 15:55-16:20 What is the best microscope for developmental biologists?  
○Shigenori Nonaka (NIBB)
- TW-3** 16:30-16:55 Quantitative approach to understand whole organ morphogenesis  
器官全体の形態形成を理解するための定量的アプローチの方法  
○Takayuki Suzuki<sup>1</sup>, Atsushi Kuroiwa<sup>1</sup>, Yoshihiro Morishita<sup>2</sup> (Div. of Biol. Sci., Nagoya Univ.<sup>1</sup>, RIKEN, CDB<sup>2</sup>)
- TW-4** 16:55-17:20 Platinum Gate TALEN: Establishment of highly-active TALEN construction system  
プラチナゲート TALEN: 高活性型 TALEN の作製システムの確立  
○Tetsushi Sakuma, Takashi Yamamoto (Dept. of Math. and Life Sci., Grad. Sch. of Sci., Hiroshima Univ.)
- TW-5** 17:25-17:50 Molecular Genetic System for Regenerative Studies Using Newts  
イモリを使った分子遺伝学実験系の構築  
○Toshinori Hayashi<sup>1</sup>, Naoki Yokotani<sup>1</sup>, Akira Matsumoto<sup>1</sup>, Ayumi Myouga<sup>1</sup>, Mitsumasa Okamoto<sup>2</sup>, Takashi Takeuchi<sup>1</sup> (Scl. of Life Science, Tottori Univ.<sup>1</sup>, Nagoya Univ.<sup>2</sup>)

## Satellite symposium (in Japanese)

植物の逆襲 — 植物の形づくりの理論モデルと実験 :

May 28 (Tue) 18:30-20:35 Room 3

Chairpersons: Koichi Fujimoto (Osaka Univ.)

Takashi Miura (Kyusyu Univ.)

本シンポジウムでは、植物パターン形成の理論モデルとその応用を紹介する。発生生物学会では、もともと植物と動物の境は無く、お互いの研究対象について忌憚なく議論をしていた。近年の分子生物学の発達によって、細胞間相互作用を司る分子は植物と動物で大きく異なることが明らかになって来て、バベルの塔が崩れ、植物の研究者は学会から姿を消してしまった。しかし、実はパターン形成の背後にある数理や物理には共通性があり、意外なところで接点が見つかることが多い。当シンポジウムではそのような例をいくつか紹介することで、動植物の研究領域の間に新たな関連を生むことを目的とする。

Co-organized by 「植物細胞壁の情報処理システム」 (<http://www.plantcellwall.jp>)

- SS-1** 18:35-19:05 Cell wall and skull bone - understanding pattern formation dynamics using mathematical model  
細胞壁と頭蓋骨—パターン形成ダイナミクスの数理モデルによる統合的理解  
○Takumi Higaki<sup>1</sup>, Takashi Miura<sup>2</sup> (Dept Integrated Biosci, Univ Tokyo<sup>1</sup>, Dept Anat Cell Biol, Kyushu Univ Grad Sch Med<sup>2</sup>)
- SS-2** 19:05-19:35 Image clustering of plant cells and pattern recognition  
植物細胞の画像クラスタリングとパターン認識  
○Natsumaro Kutsuna (Dept Integrated Biosci, Univ Tokyo)
- SS-3** 19:35-20:05 葉原基におけるタンパク質拡散係数の非一様性と細胞増殖活性の時空間分布  
○Kensuke Kawade<sup>1</sup>, Hirokazu Tanimoto<sup>2</sup> (RIKEN Plant Science Center<sup>1</sup>, Institut Curie<sup>2</sup>)
- SS-4** 20:05-20:35 Initiation of Cell Wall Pattern by a Rho GTPase- and Microtubule-Driven Symmetry Breaking  
Rho GTPase と表層微小管による自発的な細胞壁パターンの構築  
○Yoshihisa Oda<sup>1,2</sup>, Hiroo Fukuda<sup>1</sup> (Dep. Biol, Tokyo Univ.<sup>1</sup>, PRESTO, JST<sup>2</sup>)

## Poster Sessions: May 29 (Wed)-May 31 (Fri)

- P-001  
(FT7-01)** The mechanism of the establishment of murine spermatogonial stem cells  
○Han Pin Pui<sup>1</sup>, Yumiko Saga<sup>2</sup> (NIG, SOKENDAI<sup>1</sup>, Division of Mammalian Development, NIG, SOKENDAI<sup>2</sup>)
- P-002  
(OP17-01)** Characterization of mammalian spermatogenic stem cell niche  
精子幹細胞ニッチの探索  
○Yu Kitadate, Ayumi Maruyama, Rie Ichikawa, Shosei Yoshida (Germ Cell Biology, NIBB)
- P-003  
(FT7-02)** In vitro Reconstruction of Mouse Seminiferous Tubules Supporting Germ Cell Differentiation  
マウス未熟精巢を用いた in vitro における精細管再構成と精子形成  
○Tetsuhiro Yokonishi, Takuya Sato, Kumiko Katagiri, Mitsuru Komeya, Yoshinobu Kubota, Takehiko Ogawa (Dep. of Urol. Yokohama City Univ. School of Med.)
- P-004  
(OP17-02)** Reconstruction of seminiferous tubule-like structure in 3-D culture system of re-aggregated mouse testicular cells  
○Jidong Zhang, Ko Eto, Shin-ichi Abe (GSST, Kumamoto University)
- P-005  
(FT7-03)** Possible involvement of a novel RNA-binding protein, MGC83235, in the promotion of *Xenopus* oocyte maturation  
アフリカツメガエル卵成熟誘起への新奇 RNA 結合タンパク質 MGC83235 の関与  
○Kazuki Takahashi<sup>1</sup>, Ryoma Ota<sup>2</sup>, Masakane Yamashita<sup>3</sup> (Grad. Sch. of Life Sci., Hokkaido Univ.<sup>1</sup>, Div. of Dev. Genet., Dept. of Dev. Biol., NIBB<sup>2</sup>, Dept. of Biol. Sci., Fac. of Sci., Hokkaido Univ.<sup>3</sup>)
- P-006  
(OP17-03)** Role of Glycolysis in Primordial-Germ-Cell Development in *Drosophila* embryos  
ショウジョウバエ始原生殖細胞の発生過程における解糖系の新規役割  
○Yoshiki Hayashi, Chiyo Noda, Satoru Kobayashi (Okazaki Institute for Integrative Bioscience, NIBB)
- P-007  
(FT7-04)  
(SW1-01)** Pronuclear chromatin binding of Orc6 in mouse fertilized eggs  
マウス受精卵における Orc6 の前核クロマチンへの結合  
○Shin Murai<sup>1</sup>, Yuusuke Fukuda<sup>2,3</sup>, Katagiri Yukiko<sup>2</sup>, Mineto Morita<sup>2</sup>, Shigeru Yamashita<sup>1</sup> (Dept of Biochem, Toho Univ, Sch of Med<sup>1</sup>, Dept. of Obst. and Gyn., Toho Univ., Sch. of Med.<sup>2</sup>, Dept. of Biol. Univ. of Pennsylvania<sup>3</sup>)
- P-008  
(OP17-04)** Identification of a Nanos target in the mouse  
マウスにおける Nanos 標的 RNA の同定  
○Yuzuru Kato<sup>1</sup>, Yumiko Saga<sup>1</sup> (NIG<sup>1</sup>, NIG<sup>2</sup>)
- P-009  
(FT7-05)  
(SW1-02)** Meiotic chromosome behavior in the triploid planarian  
3 倍体プラナリアの減数分裂における染色体挙動  
○Ayako Chinone, Midori Matsumoto (Dept. of Bioscis. & Informatics, Fac. of Sci. & Tech., Keio Univ.)
- P-010  
(OP17-05)** Identification of the interactive regions of *Xenopus* dicalcin for its target glycoprotein, gp41  
受精調節タンパク質ダイカルシンにおける gp41 結合部位の同定  
○Naofumi Miwa, Mayu Hanaue, Ken Takamatsu (Toho Univ., Dept. Physiol.)
- P-011  
(FT5-02)** Promoter Assay of Granzyme g Specific Expression in mouse embryo 2-cell stage  
○Huan Ou-Yang<sup>1,2</sup>, Shinn-Chih Wu<sup>1</sup>, Tung-Chou Tsai<sup>2</sup>, Winston Cheng<sup>1</sup>, Chuan-Mu Chen<sup>1,2</sup> (DAST, NTU.<sup>1</sup>, DLS, NCHU.<sup>2</sup>)

- P-012 (FT5-03)** Do Wnts function as global cues for asymmetric cell divisions in *C. elegans* embryos?  
Wnts は *C. elegans* 胚における非対称細胞分裂のためのグローバルな手がかりとして機能するか?  
○Sohei Nakayama, Hitoshi Sawa (Multicellular Organization Lab., NIG)
- P-013 (OP05-09)** Pattern of early gene expression during early marmoset development  
コモンマーモセット初期胚における遺伝子発現パターンの変化  
○Ayako Sedohara<sup>1</sup>, Hideyuki Okano<sup>2</sup>, Erika Sasaki<sup>1</sup> (CIEA<sup>1</sup>, Keio University<sup>2</sup>)
- P-014 (FT5-04)** Participation of Human X-linked intellectual disability (XLID) gene in the cell cycle regulation of early embryo development  
○Chun-Yu Chen, I-Shing Yu, Yu-Chen Hsu, Chia-Lun Hung, Chung-Yang Kao, Chien-Yu Lin, Ming-Shian Tsai, Shu-Wha Lin (CLSMB, NTUCM)
- P-015 (FT5-05)** Lhx1 is widely implicated in the differentiation of epiblasts to germ layer.  
Lhx1 はエピブラストから胚葉への分化に広く関係する。  
○Akira Hasegawa<sup>1</sup>, Nobuhito Ikeda<sup>1</sup>, Takafumi Nakamura<sup>2</sup>, Ichiro Hisatome<sup>1</sup>, Yasuaki Shirayoshi<sup>1</sup> (DRMT, Tottori Univ.<sup>1</sup>, DIB, Tottori Univ.<sup>2</sup>)
- P-016 (OP05-10)** The spider *Parasteatoda tepidariorum* is a good model to study cell-cell signaling and cell movement during development  
細胞間シグナルと細胞運動の実験系としてのオオヒメグモ  
○Yasuko Akiyama-Oda, Hiroki Oda (JT Biohistory Res. Hall)
- P-017 (FT5-06)** Origin of Anterior-Posterior axis formation in the mouse embryos.  
マウス胚における前後軸の起源  
○Katsuyoshi Takaoka, Hiroshi Hamada (Osaka university FBS)
- P-018 (FT5-07)** Live Imaging Analysis of Mouse Postimplantation Development  
前後軸形成期におけるマウス胚発生のライブイメージング解析  
○Go Shioi<sup>1</sup>, Hideharu Hoshino<sup>2</sup>, Kana Bando<sup>1</sup>, Kazuki Nakao<sup>1,3</sup>, Toshihiko Fujimori<sup>1,4</sup>, Shinichi Aizawa<sup>1,2</sup> (LARGE, CDB, RIKEN<sup>1</sup>, Lab. for Vertebrate Body Plan, RIKEN CDB, Japan<sup>2</sup>, Lab. of Animal Resources, CDBIM, Univ. of Tokyo, Japan<sup>3</sup>, Division of Embryology, NIBB, Japan<sup>4</sup>)
- P-019 (OP05-11)** Zebrafish embryonic cell migration promoted by pregnenolone that changes the conformation of CLIP-170 and promoting microtubule polymerization  
Jui-Hsia Weng, ○Bon-chu Chung (IMB, Academia Sinica)
- P-020 (FT5-08)** OTX2 and DKK1 Exhibit the Earliest Asymmetric Expression in Distal Visceral Endoderm.  
OTX2 と DKK1 は Distal Visceral Endoderm で最初に非対称な発現を示す遺伝子である  
○Hideharu Hoshino<sup>1</sup>, Go Shioi<sup>2</sup>, Hiroshi Kiyonari<sup>2</sup>, Takaya Abe<sup>2</sup>, Kazuki Nakao<sup>2</sup>, Shinichi Aizawa<sup>1,2</sup> (VBP, RIKEN CDB<sup>1</sup>, LARGE, RIKEN CDB<sup>2</sup>)
- P-021 (FT5-09)** The Comparative Analysis of Early Development in Reptiles  
爬虫類初期発生の比較解析  
○Eriko Kajikawa<sup>1</sup>, Michio Yoshida<sup>1</sup>, Daisuke Kurokawa<sup>1,2</sup>, Miyuki Noro<sup>1</sup>, Shinichi Aizawa<sup>1</sup> (RIKEN CDB<sup>1</sup>, MMBS, Univ. Tokyo<sup>2</sup>)
- P-022 (OP05-12)** Theoretical model of DV-pattern scaling in *Xenopus* embryo  
初期 *Xenopus* 胚の背腹軸スケーリングを保証する理論モデル  
○Tatsuo Shibata<sup>1</sup>, Hidehiko Inomata<sup>2,3</sup>, Yoshiki Sasai<sup>2</sup> (Lab for Physical Biology, CDB<sup>1</sup>, Organogenesis and Neurogenesis Group, CDB<sup>2</sup>, PRESTO/JST<sup>3</sup>)

- P-023  
(FT5-10)** Molecular mechanisms of deep cell reaggregation during early development of an annual killifish *Nothobranchius korthausae*.  
一年魚 *Nothobranchius korthausae* の初期発生における深層細胞再集合の分子メカニズムの解析  
○Daisuke Kurokawa<sup>1,2</sup>, Hotaka Nishikawa<sup>1</sup>, Masaaki Yoshida<sup>3</sup>, Atsushi Ogura<sup>3</sup>, Shinichi Aizawa<sup>2</sup>, Koji Akasaka<sup>1</sup> (MMBS, Tokyo Univ.<sup>1</sup>, CDB, RIKEN Kobe.<sup>2</sup>, OAP, Ochanomizu Univ.<sup>3</sup>)
- P-024  
(FT5-11)** Establishment of vertebrate body plan via coordinated regulation of dorsal-ventral and anterior-posterior patterning and developmental canalization  
○Atsushi Suzuki, Kimiko Takebayashi-Suzuki (Inst. for Amphibian Biol., Hiroshima Univ. Grad. Sch. of Sci.)
- P-025  
(OP12-01)** Zebrafish TSC22D3 Plays Critical Roles in Bmp dependent Dorsoventral Patterning during Early Embryogenesis  
○William Ka Fai Tse (Dept. of Biol, HKBU)
- P-026  
(FT5-12)  
(SW1-04)** Scaling of Dorsal-Ventral Patterning by Embryo Size-Dependent Degradation of Spemann's Organizer Signals  
オーガナイザー因子の分解を介した背腹軸スケーリングの保証機構  
○Hidehiko Inomata<sup>1,2</sup>, Tatsuo Shibata<sup>3</sup>, Tomoko Haraguchi<sup>1</sup>, Yoshiki Sasai<sup>1</sup> (Organogenesis and Neurogenesis Group, CDB<sup>1</sup>, PRESTO<sup>2</sup>, Laboratory for Physical Biology, CDB<sup>3</sup>)
- P-027  
(FT5-13)** Mechanical force that drives expansion of the amniotic cavity supports antero-posterior extension of the notochord in mouse embryos.  
マウス胚では羊膜腔の膨張による機械的な力の作用が脊索の伸長を支持してる。  
○Yu Imuta<sup>1,2,3</sup>, Hiroshi Koyama<sup>4</sup>, Mototsugu Eiraku<sup>2</sup>, Yoshiki Sasai<sup>2</sup>, Toshihiko Fujimori<sup>4</sup>, Hiroshi Sasaki<sup>1</sup> (IMEG, Kumamoto Univ<sup>1</sup>, RIKEN CDB<sup>2</sup>, Osaka University, Graduate School of Medicine<sup>3</sup>, NIBB<sup>4</sup>)
- P-028  
(OP12-02)** Mechanism of the “KUBIRE” formation in the neurula embryo of the ascidian, *Halocynthia roretzi*  
マボヤ神経胚における「くびれ」形成機構の解析  
○Gaku Kumano, Sari Zenpuku, Hiroki Nishida (Osaka University)
- P-029  
(FT5-14)** P2Y nucleotide receptors are necessary for head structure formation during *Xenopus laevis* development  
アフリカツメガエルの頭部形成においてヌクレオチド受容体 P2Y は重要な機能をもつ  
○Haruka Nishida<sup>1</sup>, Akiha Nishihara<sup>2</sup>, Chikara Hashimoto<sup>1,2</sup> (Osaka Univ., Gra. Sch. of Sci., Dept. Biol<sup>1</sup>, BRH<sup>2</sup>)
- P-030  
(FT5-15)** Efficient induction of cranial neural crest stem cells from mouse ES cells  
マウス ES 細胞からの頭部神経冠幹細胞の効率的誘導  
○Masami Nozaki<sup>1</sup>, Yuki Minamino<sup>1,2</sup>, Kenji Kakudo<sup>2</sup>, Yuichi Ohnishi<sup>1,2</sup> (Res. Inst. for Microbial Dis., Osaka Univ.<sup>1</sup>, Sec. Dept. of Oral and Maxillofacial Surg, Osaka Dent. Univ.<sup>2</sup>)
- P-031  
(OP12-03)** The cilia-dependency of hedgehog signaling in fish  
魚類におけるヘッジホッグシグナル伝達経路の繊毛依存性  
○Takayoshi Yamamoto, Tatsuya Tsukahara, Hiroyuki Takeda (Lab. of Embryology, Dept. of Biol. Scis., Grad. Sch. of Sci., Univ. of Tokyo)
- P-032  
(FT5-16)** The specification of the developing telencephalon along dorsal-ventral axis  
ニワトリ終脳の背腹領域の特異性獲得機構  
○Akari Karaiwa<sup>1</sup>, Shigeru Taketani<sup>2</sup>, Masasuke Araki<sup>1</sup> (Dev. Neurobiol. Lab., Dept. of Biol. Sci.,

NWU<sup>1</sup>, Biotechnological Laboratory Faculty of Textile Science Kyoto Institute of Technology<sup>2</sup>)

**P-033  
(FT5-17)**

PRDM12 is required for the regionalization of the *Xenopus* trigeminal placode

ツメガエルの三叉神経プラコードの領域化には PRDM12 が必要である

○Shinya Matsukawa, Tatsuo Michiue (Grad. School of Arts and Sciences, The University of Tokyo)

**P-034  
(OP12-04)**

Molecular identification of *t<sup>ms</sup>*: *Vps52* promotes pluripotential cell differentiation through cell interactions

マウス *t*-complex 致死変異より同定された *Vps52* の発生制御遺伝子としての役割

○Michihiko Sugimoto<sup>1</sup>, Masayo Kondo<sup>1</sup>, Michiko Hirose<sup>2</sup>, Misao Suzuki<sup>3</sup>, Kazuyuki Mekada<sup>4</sup>, Atsuo Ogura<sup>2</sup>, Karen Artzt<sup>5</sup>, Kuniya Abe<sup>1</sup> (MCD, BRC, RIKEN<sup>1</sup>, BED, BRC, RIKEN<sup>2</sup>, CARD, Kumamoto Univ.<sup>3</sup>, EAD, BRC, RIKEN<sup>4</sup>, Univ. Texas Austin<sup>5</sup>)

**P-035  
(FT5-18)  
(SW1-03)**

MPDZ is involved in maintenance and formation of the developing optic cup

眼杯形成における MPDZ の役割

○Lanying Zhao<sup>1</sup>, Akira Ito<sup>2</sup>, Hiroto Saito<sup>3</sup>, Makoto Ishibashi<sup>2</sup>, Shigehito Yamada<sup>1,2</sup> (Grad Sch Med, Kyoto Univ.<sup>1</sup>, Department of Human Health Science, Kyoto University Graduate School of Medicine<sup>2</sup>, Department of Human Genetics, Graduate School of Medicine, Yokohama City University<sup>3</sup>)

**P-036  
(FT5-19)**

Expression patterns of *Dnmt4*, *Dnmt6*, and *Dnmt8* in zebrafish development

発生過程におけるゼブラフィッシュ *Dnmt4*, *Dnmt6*, *Dnmt8* の発現解析

○Kazuya Takayama<sup>1</sup>, Shunsuke Takanaga<sup>1</sup>, Nobuyoshi Shimoda<sup>2</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Bio. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, Dept. Regenerative Med., Natl. Inst. Longevity Sci.<sup>2</sup>)

**P-037  
(OP12-05)**

Epigenetic regulation of Hox gene expression by PcG genes in a primitive mode of insect embryogenesis in the cricket *Gryllus bimaculatus*

原始的発生様式をとる昆虫の胚発生過程におけるポリコム遺伝子群によるホメオティック遺伝子発現のエピジェネティックな制御

○Yuji Matsuoka<sup>1</sup>, Tetsuya Bando<sup>2</sup>, Taro Nakamura<sup>1</sup>, Takahito Watanabe<sup>1</sup>, Sumihare Noji<sup>1</sup>, Taro Mito<sup>1</sup> (Dept. of Bio. Sci. and Tech., Fact. of Eng., Tokushima Univ.<sup>1</sup>, Dent. and Pharm. Sci. and Grad. of Med., Okayama Univ.<sup>2</sup>)

**P-038  
(FT5-20)**

Molecular mechanisms underlying segmentation border formation in zebrafish somitogenesis

○Chimwar Wanglar, Taijiro Yabe, Shinji Takada (NIBB, SOKENDAI UNIVERSITY)

**P-039  
(FT5-21)**

The role of thyroid hormone in developing heart

甲状腺ホルモンの心臓形成における役割

○Kazuhiro Maeda, Sachiko Miyagawa-Tomita, Toshio Nakanishi (TWMU)

**P-040  
(OP12-06)**

The Role of Foxc1 in Telencephalic Vascular Development

○Thanit Prasitsak, Masato Ota, Sachiko Iseki (Mol. Cra. Emb., TMDU)

**P-041  
(FT5-22)**

Lineage tracing analysis of genes contributing to the formation of cardiac conduction system in early heart development.

初期心臓発生における刺激伝導系の細胞系譜の解析

○Akane Sakaguchi<sup>1</sup>, Hiroki Kokubo<sup>2</sup>, Yumiko Saga<sup>1</sup> (NIG<sup>1</sup>, Hiroshima Univ.<sup>2</sup>)

**P-042  
(FT5-23)**

Protogenin participates in mouse vertebral patterning by regulating Hox gene expression

○Wei-Chih Kuo, Yu-Chiuan Wang, Ming-Ji Fann (Department of Life Sciences and Institute of Genome Sciences, NYMU)

**P-043  
(FT5-24)**

Development of an RNA interference method using microinjection in the water flea *Daphnia pulex*

ミジンコ (*Daphnia pulex*) 初期胚へのマイクロインジェクションによる RNAi 法の確立

○Chizue Hiruta<sup>1</sup>, Kenji Toyota<sup>1,2</sup>, Hitoshi Miyakawa<sup>1</sup>, Taisen Iguchi<sup>1,2</sup> (NIBB<sup>1</sup>, Grad. Univ. Advanced Studies<sup>2</sup>)

**P-044  
(OP15-01)**

LIF Responsiveness in Embryonic Stem Cells from different mouse strains.  
ES 細胞での LIF 応答性 (マウス系統間での比較)

○Satoshi Ohtsuka, Hitoshi Niwa (Laboratory for Pluripotent Stem cell studies, CDB RIKEN)

**P-045  
(FT4-01)**

Function of *EflMsiA* in the active stem cells (archeocytes) in freshwater sponge, *Ephydatia fluviatilis*

カワカイメン全能性体性幹細胞における *EflMsiA* の機能

○Kazuko Okamoto, Kiyokazu Agata, Noriko Funayama (Dept. Biophys. Grad. Sch. Sci., Kyoto Univ.)

**P-046  
(OP15-02)**

Lactic Acid Bacteria Convert Human Fibroblasts to Multipotent Cells

ヒト皮膚細胞は乳酸菌を取り込むと多能性を持つようになる

○Kunimasa Ohta, Rie Kawano, Naofumi Ito (Dept. of Dev. Neurobiol., Kumamoto Univ. Grad. Sch. of Life Scis.)

**P-047  
(FT4-02)**

Akhirin is involved in the neural stem cell regulation in the central canal of a mouse spinal cord

○Athary Felemban<sup>1,2,3</sup>, Rie Kawano<sup>1</sup>, Song Xiaohong<sup>1,2</sup>, Hideaki Tanaka<sup>1,2</sup>, Kunimasa Ohta<sup>1</sup> (Dep. Dev. Neurobiol., Grad. Sch. Life Sci., Kumamoto Univ.<sup>1</sup>, Global COE, Kumamoto Univ.<sup>2</sup>, Ministry of H. Edu., Saudi Arabia<sup>3</sup>)

**P-048  
(OP15-03)**

A molecular mechanism controlling proliferation of planarian pluripotent stem cells

プラナリア全能性幹細胞の増殖制御機構

○Hayoung Lee, Kiyokazu Agata, Norito Shibata (Dept of Biophys, Kyoto univ.)

**P-049  
(FT4-03)**

The roles of chromatin remodelers in the maintenance of multipotency of mouse trunk neural crest cells in the relationship with the formation mechanisms of neural crest-derived stem cells

マウス体幹神経冠細胞の多分化能維持におけるクロマチンリモデラーの役割と神経冠細胞由来幹細胞の形成メカニズムとの関連

○Kyohei Fujita, Ryuhei Ogawa, Syunsaku Kawawaki, Kazuo Ito (Dept. Biol. Sci., Osaka Univ.)

**P-050  
(FT4-04)**

LHX2 regulates the neural differentiation of human embryonic stem cells via transcriptional modulation of PAX6 and CER1

○Hung-Chih Kuo<sup>1</sup>, Pei-Shan Hou<sup>2</sup>, Ching-Yu Chuang<sup>1</sup>, Cheng-Fu Kao<sup>1</sup>, Shen-Ju Chou<sup>1</sup>, Lee Stone<sup>1</sup>, Hong-Nerng Ho<sup>2</sup>, Chung-Liang Chien<sup>2</sup> (ICOB, Academia Sinica<sup>1</sup>, NTU<sup>2</sup>)

**P-051  
(OP15-04)**

The microRNA mir-235 suspends growth and development during starvation

microRNA mir-235 は飢餓時に発育を抑制する

○Masamitsu Fukuyama, Hidefumi Kasuga, Aya Kitazawa, Masahiko Kume, Takuya Ogawa, Kenji Kon-tani, Toshiaki Katada (Dept. of Physiological Chem, Grad. Sch. of Pharmaceutical Sci., Univ. of Tokyo)

**P-052  
(FT4-05)**

Notch signal play a role in the multipotency of melanoblast

色素芽細胞のもつ多分化能に Notch シグナルが重要である

○Natsuki Watanabe<sup>1</sup>, Masahiro Nishioka<sup>1</sup>, Takanori Wakaoka<sup>1</sup>, Tomohisa Hirobe<sup>2</sup>, Tsutomu Motohashi<sup>1</sup>, Takahiro Kunisada<sup>1</sup> (Regeneration & Adv. Med. Sci., Gifu Univ. Grad. Sch. of Med.<sup>1</sup>, Active Radiation Protection Research Team, Radiation Risk Reduction Research Program, National Institute of Radiological Sciences<sup>2</sup>)

**P-053  
(OP15-05)**

Knockdown planarians of the nuclear-type Piwi gene give new insights into planarian stem cell system

核局在型 Piwi の遺伝子機能阻害から得られたプラナリア幹細胞システムの新たな

知見

○Makoto Kashima<sup>1</sup>, Kuniaki Saito<sup>2</sup>, Eri Kawaguchi<sup>3</sup>, Osamu Nishimura<sup>3</sup>, Shigenobu Yazawa<sup>3</sup>, Mikiko Siomi<sup>2</sup>, Haruhiko Siomi<sup>2</sup>, Kiyokazu Agata<sup>3</sup>, Norito Shibata<sup>4</sup> (DB, Kyoto Uni.<sup>1</sup>, DMB, Keio uni.<sup>2</sup>, gCOE, Kyoto Uni.<sup>3</sup>, RB, Kyoto uni.<sup>4</sup>)

**P-054  
(FT4-06)**

Ddx46 is required for multi-lineage differentiation of hematopoietic stem cells in zebrafish  
ゼブラフィッシュにおいて Ddx46 は造血幹細胞の多系列分化に必要である

○Ryo Hirabayashi<sup>1</sup>, Shunya Hozumi<sup>1</sup>, Shin-ichi Higashijima<sup>2,3</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Bio. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, National Institutes of Natural Sciences, Okazaki Institute for Integrative Bioscience, National Institute for Physiological Sciences<sup>2</sup>, Graduate University for Advanced Studies<sup>3</sup>)

**P-055  
(OP15-06)**

Differential response to Retinoic acid achieves balanced self-renewal and differentiation of the stem cell compartment in mouse spermatogenesis

マウス精子幹細胞において、レチノイン酸応答性の異なる細胞集団が幹細胞の自己複製能と分化能を両立させている

○Kanako Ikami<sup>1</sup>, Ryo Sugimoto<sup>1,2</sup>, shosei Yoshida<sup>1</sup> (DGCB, NIBB<sup>1</sup>, EICM, Kagoshima Univ.<sup>2</sup>)

**P-056  
(FT4-07)**

The regulation analyses of Jagged1 expression in Sertoli cells of mouse testis

マウス精巣のセルトリ細胞における Jagged1 発現制御解析

○Ryu Okada, Taro Hara, Yukio Nishina (Grad of Nanobiosci, Yokohama City Univ.)

**P-057  
(OP15-07)**

Neural Crest-Derived Cells sustain the multipotency even after intrusion into the tissues.

組織内に存在する神経堤由来細胞の多分化能の解析

○Tsutomu Motohashi<sup>1</sup>, Natsuki Watanabe<sup>1</sup>, Masahiro Nishioka<sup>1</sup>, Takanori Wakaoka<sup>2</sup>, Takahiro Kunisada<sup>1</sup> (RAMS, Gifu Univ<sup>1</sup>, OGSM, Gifu Univ.<sup>2</sup>)

**P-058  
(FT4-08)**

Modelling Spinocerebellar Ataxia type 2 and 3 using human induced pluripotent stem cells

○Ching-Yu Chuang<sup>1</sup>, Chih-Chao Yang<sup>3</sup>, Hsiang-Po Huang<sup>4</sup>, Hung-Chih Kuo<sup>1,2</sup> (GRC, Academia Sinica<sup>1</sup>, ICOB, Academia Sinica<sup>2</sup>, Department of Neurology, UTUH<sup>3</sup>, Departments of Medical Research, NTUH<sup>4</sup>)

**P-059  
(OP15-08)**

Possible roles of regulatory T cells on the hair cycle regulation of pelage hair follicles in mice

マウス体毛毛包の毛周期調節における制御性 T 細胞の機能について

○Takashi Matsuzaki<sup>1</sup>, Mariko Oishi<sup>2</sup>, Narumi Notsu<sup>1</sup>, Ichitaro Niibe<sup>1</sup> (Fac. Life & Environ. Sci., Shimane Univ.<sup>1</sup>, Grad. Sch. Life & Environ. Sci., Shimane Univ.<sup>2</sup>)

**P-060  
(FT4-09)**

Clinical study on stem cells transplantation for treating diabetic foots through improving blood supply

○Kun Lu<sup>1</sup> (Tongji University School of Medicine<sup>1</sup>, Shanghai Tenth People's Hospital<sup>2</sup>)

**P-061  
(OP02-02)**

Null mutation of Nolz-1/Zfp503 in mesenchymal cells acts non-cell autonomously to influence differentiation of epithelial cells in developing mouse lung

○Shih-Yun Chen, Fu-Chin Liu (INS, National Yang-Ming Univ.)

**P-062  
(FT2-08)**

Oct60 is involved in the PGC formation as a germline component.

Oct60 は生殖細胞質の構成因子であり、始原生殖細胞形成に関与する。

○Keisuke Morichika<sup>1</sup>, Keigo Shimada<sup>1</sup>, Hideo Kubo<sup>2</sup>, Tsutomu Kinoshita<sup>1</sup> (Dept. Life.Sci., Sch. Sci. Rikkyo Univ.<sup>1</sup>, Tokyo Metropolitan Inst. Med. Sci.<sup>2</sup>)

**P-063  
(OP02-03)**

Sequential expression of Lgr5 and Col22a1 in developing synovial joints mark the progressive differentiation of progenitor cells to articular chondrocytes

Amy Feng<sup>1</sup>, Wilson Chan<sup>1</sup>, Vivian Ng<sup>1</sup>, Jia Chi Ye<sup>2</sup>, Sigma Stricker<sup>3</sup>, Kathryn Cheah<sup>1</sup>, Manuel Koch<sup>4</sup>, Stefan Mundlos<sup>3</sup>, Huck Hui Ng<sup>2</sup>, ○Danny Chan<sup>1</sup> (HKU<sup>1</sup>, GIS<sup>2</sup>, MPI<sup>3</sup>, IBC<sup>4</sup>)

- P-064  
(FT2-09)** Combinatorial expression of defined transcription factors induces ectopic neurons in *C. elegans* larvae  
*C. elegans* 幼虫における複数転写因子の異所発現による異所的な神経細胞の形成  
○Masaki Shimojou, Shin Takagi (Div. of biol. sci., Grad. Sch. of Sci., Nagoya Univ.)
- P-065  
(OP02-04)** Functional analysis of EDNRB2 in the melanocyte development and differentiation using *EDNRB2*-mutated chickens  
突然変異鶏を用いたメラノサイトの発生と分化におけるエンドセリン受容体 B2 の機能解析  
○Toyoko Akiyama<sup>1</sup>, Ai Shinomiya<sup>1</sup>, Keiji Kinoshita<sup>2</sup>, Makoto Mizutani<sup>2</sup>, Yasunari Kayashima<sup>3</sup>, Yoichi Matsuda<sup>2</sup> (Dept. Biol., Keio Univ.<sup>1</sup>, Agri.Biosci. Res. Centr., Nagoya Univ. Nagoya, Japan<sup>2</sup>, Food and Nutri. Sci., Univ. of Shizuoka, Japan<sup>3</sup>)
- P-066  
(FT2-10)** The phosphoinositide kinase is necessary for polarity determination of epithelial stem cells in *C. elegans*  
イノシトールリン脂質合成酵素は *C. elegans* の表皮系幹細胞の極性決定に必要である  
○Naoki Yoshida<sup>1,2</sup>, Hitoshi Sawa<sup>1,2</sup> (SOKENDAI<sup>1</sup>, Multicellular Organization Lab., NIG<sup>2</sup>)
- P-067  
(OP02-05)** Sox5 is involved in fate specification of pigment cells in medaka  
メダカ色素細胞分化における Sox5 の役割  
○Yusuke Nagao<sup>1</sup>, Tomoko Adachi<sup>2,3</sup>, Atsushi Shimizu<sup>4</sup>, Ryoko Seki<sup>2</sup>, Chikako Inoue<sup>2</sup>, Yasuhiro Kamei<sup>5</sup>, Ikuyo Hara<sup>5</sup>, Tetsuaki Kimura<sup>6</sup>, Yoshihito Taniguchi<sup>7</sup>, Kiyoshi Naruse<sup>6</sup>, Robert Kelsh<sup>3</sup>, Yuko Wakamatsu<sup>2</sup>, Masahiko Hibi<sup>2</sup>, Hisashi Hashimoto<sup>2</sup> (Grad. Sch. Sci., Nagoya Univ.<sup>1</sup>, Biosci. Biotech. Ctr., Nagoya Univ.<sup>2</sup>, Dept. of Biol. Biochem., Univ. of Bath<sup>3</sup>, Dept. of Mol. Biol., Sch. of Med., Keio Univ.<sup>4</sup>, Spectrography and Bioimaging Facility, NIBB<sup>5</sup>, Lab. of Biores., NIBB<sup>6</sup>, Dept. of Preventive Medicine and Public Health, Sch. of Med., Keio Univ.<sup>7</sup>)
- P-068  
(FT2-11)** PCP component VANG-1 functions in asymmetric divisions of *C. elegans* seam cell  
線虫表皮幹細胞の非対称分裂における VANG-1 の役割  
○Masako Yokoo, Hitoshi Sawa (Multicellular Organization Lab. NIG)
- P-069  
(OP02-07)** TGF-s signals regulate the dorsoventral patterning of neurogenic ectoderm of the sea urchin embryo  
TGF-s シグナルによるウニ胚神経外胚葉の背腹軸方向のパターニング  
Junko Yaguchi, Noriyo Takeda, Kazuo Inaba, ○Shunsuke Yaguchi (SMRC, Univ. Tsukuba)
- P-070  
(FT2-12)** Investigation of role of a novel pancreatic beta cell gene  
β 細胞特異的に発現する新規遺伝子の解析  
○Hisayoshi Omori<sup>1</sup>, Soichiro Ogaki<sup>2</sup>, Yoshinari Nakahara<sup>3</sup>, Nobuaki Shiraki<sup>4</sup>, Kazuhiko Kume<sup>5</sup>, Yutaka Kikuchi<sup>6</sup>, Shoen Kume<sup>7</sup> (IMEG, Kumamoto Univ.<sup>1</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>2</sup>, Department of Biological Science, Graduate School of Science, Hiroshima University<sup>3</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>4</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>5</sup>, Department of Biological Science, Graduate School of Science, Hiroshima University<sup>6</sup>, Department of Stem Cell Biology Institute of Molecular Embryology and Genetics Kumamoto University<sup>7</sup>)
- P-071  
(OP02-08)** Identification of novel maternal neurogenic genes that are potential components of Notch signaling in *Drosophila*  
ショウジョウバエを用いた Notch 情報伝達系における新規構成因子の探索  
○Takuma Gushiken<sup>1,2</sup>, Kenjiroo Matsumoto<sup>1</sup>, Ryo Hatori<sup>1,2</sup>, Tomoko Yamakawa<sup>1</sup>, Takeshi Sasamura<sup>1</sup>, Kenji Matsuno<sup>1</sup> (Osaka University<sup>1</sup>, Dept of Biol. / Tec., Tokyo Univ of Sci.<sup>2</sup>)

- P-072  
(FT2-13)** Identification of novel genes involved with mesoderm formation by the analysis of nanog-responsive genes in *Xenopus*  
 アフリカツメガエルにおける Nanog 応答性遺伝子の解析による、中胚葉形成に関与する新規遺伝子の同定  
 °Kentarō Ishii<sup>1</sup>, Aya Miyazaki<sup>1</sup>, Shinya Matsukawa<sup>1</sup>, Yuzuru Ito<sup>2</sup>, Yasuko Onuma<sup>2</sup>, Tatsuo Michiue<sup>1</sup> (Graduate School of Arts and Sciences, the University of Tokyo<sup>1</sup>, Research Center for Stem Cell Engineering, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba City, Ibaraki, Japan<sup>2</sup>)
- P-073  
(OP04-01)** Roles of the zinc finger protein Zbtb11 and phosphorylation modification in the regulation of Otx2 activity in early *Xenopus* eye development  
*Xenopus* の眼の初期形成に関わる Otx2 のリン酸化修飾と活性調節における Zn フィンガー蛋白質 Zbtb11 の役割  
 °Yumeko Satou<sup>1</sup>, Erina Hosono<sup>1</sup>, Kohei Minami<sup>1</sup>, Takashi Shibano<sup>1</sup>, Hiroshi Mamada<sup>1</sup>, Shuji Takahashi<sup>2</sup>, Makoto Asashima<sup>3</sup>, Masanori Taira<sup>1</sup> (Dept. of Biol.Sci, Grad. Sch. of Sci., Univ. of Tokyo<sup>1</sup>, KOMEX<sup>2</sup>, AIST<sup>3</sup>)
- P-074  
(FT2-14)  
(SW1-05)** LGR4 is required for development and maintenance of mammary gland  
 LGR4 は乳腺組織の発達と維持に必要である  
 °Kazunori Oyama, Yasuaki Mohri, Mizuki Sone, Katsuhiko Nishimori (Lab. Mol. Biol., Grad. Sch. of Agr. Sci., Univ. of Tohoku)
- P-075  
(OP04-03)** Novel transgenic tool to live monitor the morphology and behavior of Neurogenin2-expressing cells in the developing mammalian brain  
 °Takumi Kawaue, Ken Sago, Mayumi Okamoto, Tomoyasu Shinoda, Ayano Kawaguchi, Takaki Miyata (Cell Biology, Nagoya University, Graduate School of Medicine)
- P-076  
(FT2-15)** MECHANICAL STRESS INDUCES MUSCLE CELL DIFFERENTIATION AND ADAPTS LIPID METABOLISM TO ENERGY DEMAND  
 メカニカルストレスは細胞内の代謝変化を誘導し細胞分化を制御する  
 °Kota Miyasaka, Eriko Sato, Toshihiko Ogura (IDAC)
- P-077  
(OP04-04)** Investigating the roles of developmentally coordinated change of energy metabolism during mouse neural tube closure  
 マウス神経管閉鎖期に生じるエネルギー代謝状態変化の意義の解明  
 °Hidenobu Miyazawa<sup>1</sup>, Yoshifumi Yamaguchi<sup>1,2</sup>, Masayuki Miura<sup>1,3</sup> (Dept. Genetics, Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, PREST, JST<sup>2</sup>, CREST, JST<sup>3</sup>)
- P-078  
(FT2-16)** Transcription factor Blimp-1 controls the fat body remodeling in *Drosophila*  
 °Abdelrahman Sultan<sup>1</sup> (Okayama Univ.<sup>1</sup>, HITOSHI UEDA<sup>2</sup>)
- P-079  
(OP04-05)** Downregulation of Etv2 promotes endothelial to hematopoietic fate transition  
 °Makoto Kobayashi, Miki Takeuchi, Mana Watanabe, Miho Takeuchi (Univ. Tsukuba, Fac. Med.)
- P-080  
(OP04-06)** Regulation of red blood cell transition from larval to adult type during anuran metamorphosis  
 無尾類変態期における赤血球転換機構の解析  
 °Masahiro Yamaguchi<sup>1,3</sup>, Yui Kawaguchi<sup>2</sup>, Iyo Matsuda<sup>1</sup>, Tsutomu Kinoshita<sup>3</sup> (Dept. Chem. Biochem., Suzuka Natl. Coll. Tech.<sup>1</sup>, Adv. Appl. Chem. Mat. Eng., Suzuka Natl. Coll. Tech.<sup>2</sup>, Dept. Life Sci., Coll. Sci., Rikkyo Univ.<sup>3</sup>)
- P-081  
(FT2-05)  
(SW1-06)** Extracellular syntaxin4 triggers the differentiation program in teratocarcinoma F9 cells with impacts on cell adhesion properties.  
 テラトカルシノーマ F9 細胞における細胞外シンタキシン 4 の細胞接着と分化への

影響

○Natsumi Hagiwara, Yohei Hirai (Dep. Bioscience, Grad. Sch. Sci. Technol., Kwansei Gakuin Univ.)

**P-082**  
**(OP02-01)**

IRSp53 family of I-BAR domain proteins regulates microvillus morphogenesis by sculpting the apical plasma membrane.

IRSp53 ファミリータンパク質は I-BAR ドメインの膜変形活性により微絨毛の形態形成を制御する

○Shusaku Kurisu, Tadaomi Takenawa (ICMS, Kobe Univ. Grad. Schl. of Med.)

**P-083**  
**(FT2-06)**

Spatial distribution of Wnt protein in the mouse neural tube

マウス神経管発生における Wnt タンパク質の空間分布の解析

○Takuma Shinozuka<sup>1,2</sup>, Ritsuko Takada<sup>2</sup>, Shinji Takada<sup>1,2</sup> (Dept. Basic Biology, SOKENDAI<sup>1</sup>, Okazaki Institute for Integrative Biosciences, National Institutes of Natural Sciences<sup>2</sup>)

**P-084**  
**(OP02-06)**

In vivo collective migration requires N-Cadherin endocytosis controlled by LPA/Edg4 signalling.

生体内集団的細胞遊走には LPA/Edg4 シグナルによって制御される N-cadherin のエンドサイトーシスが必要である

○Sei Kuriyama<sup>1,2</sup>, Eric Theveneau<sup>2</sup>, Alexandre Benedetto<sup>3</sup>, Alexandre Kabla<sup>4</sup>, Guillaume Charras<sup>3</sup>, Masamitsu Tanaka<sup>1</sup>, Maddy Parsons<sup>5</sup>, Roberto Mayor<sup>2</sup> (Akita University<sup>1</sup>, UCL, Cell and Developmental Biology Department, UK<sup>2</sup>, UCL, London Centre for Nanotechnology, UK<sup>3</sup>, Cambridge Univ., UK<sup>4</sup>, King's College London, Randall Division for Biophysics, UK<sup>5</sup>)

**P-085**  
**(OP04-02)**

Genetic labeling and ablation of mouse Shh-expressing cells during cortical neurogenesis at late gestation

マウス胎生後期の脳皮質内での神経発生におけるソニックヘッジホッグ発現細胞の遺伝的検出及び除去

○Jun Motoyama (Brain Science, Doshisha Univ.)

**P-086**  
**(FT2-07)**  
**(SW1-07)**

Optimal cellular mobility for synchronization arising from the gradual recovery of intercellular interactions

遺伝子発現の同期を達成するための最適な細胞移動率

○Koichiro Uriu<sup>1</sup>, Saul Ares<sup>2</sup>, Andrew Oates<sup>3</sup>, Luis Morelli<sup>4</sup> (Theoretical Biology Laboratory, RIKEN ASI, Japan<sup>1</sup>, Logic of Genomic Systems Laboratory, CNB, CSIC, Spain<sup>2</sup>, MRC NIMR, UK<sup>3</sup>, Departamento de Fisica, FCEyN UBA and IFIBA, CONICET, Argentina<sup>4</sup>)

**P-087**  
**(OP04-07)**

Role of Integrin  $\beta 1$  in endothelial cells

血管内皮細胞における Integrin  $\beta 1$  の機能解析

○Kenichi Kanai<sup>1,2</sup>, Hiroyuki Yamamoto<sup>2</sup>, Manuel Ehling<sup>2</sup>, Erina Kuranaga<sup>1</sup>, Ralf Adams<sup>2</sup> (RIKEN, CDB<sup>1</sup>, MPI, Münster<sup>2</sup>)

**P-088**  
**(FT2-01)**  
**(SW1-08)**

The subcellular localization of cyclin B2 is required for bipolar spindle formation in meiosis I during *Xenopus* oocyte maturation

サイクリン B2 の細胞内局在はアフリカツメガエル卵成熟過程の二極性紡錘体形成に必要なである

○Satoshi Yoshitome<sup>1</sup>, Nobuaki Furuno<sup>2</sup>, Claude Prigent<sup>3</sup>, Eikichi Hashimoto<sup>4</sup> (Fac. Pharm., Iwaki Meisei Univ.<sup>1</sup>, Lab. Amphibian Biol., Grad. Sch. Sci., Hiroshima Univ.<sup>2</sup>, Inst. Genet., Dev. Rennes, Univ. Rennes 1<sup>3</sup>, Dept. Biomed. Sci., Sch. Life Sci., Tottori Univ.<sup>4</sup>)

**P-089**  
**(OP18-04)**

Stress response to DNA damage and control of apoptosis in germinal stem cell

生殖幹細胞における DNA 損傷応答とアポトーシスについて

○Natsuko Iyoda<sup>1</sup>, Mai Akihisa<sup>1</sup>, Nami Ueda<sup>1</sup>, Keisuke Fukuo<sup>2</sup>, Kentaro Yomogida<sup>3</sup> (Mukogawa Women's Univ Human Env Sci<sup>1</sup>, Dept. of Food Scis. & Nutrition, Sch. of Humam Env. Sci., Mukogawa Woman's Univ<sup>2</sup>, IBS<sup>3</sup>)

- P-090  
(FT4-14)** Differentiation and cell death in the *Xenopus* ectodermal cell mass treated with bFGF protein  
bFGF タンパクで処理した *Xenopus* 外胚葉細胞における分化と細胞死  
○Hiroataka Kato<sup>1</sup>, Takayuki Nosaki<sup>1</sup>, Tomohiro Narita<sup>2</sup>, Shinichiro Nishimatsu<sup>2</sup>, Tsutomu Nouno<sup>2</sup>, Masao Sakai<sup>1</sup> (Chemistry and BioScience, Graduate School of Science and Engineering, Kagoshima University<sup>1</sup>, Department of Molecular and Developmental Biology, Kawasaki Medical School<sup>2</sup>)
- P-091  
(OP18-05)** Syntaxin18 cis-SNARE complex is a novel alarm factor that detects vesicular transport defects  
Syntaxin18 複合体は小胞輸送の異常を監視する役割を果たす  
○Yuko Nishiwaki, Asuka Yoshizawa, Yutaka Kojima, Eri Oguri, Shohei Nakamura, Shohei Suzuki, Junichi Yuasa-Kawada, Mariko Kinoshita-Kawada, Toshiaki Mochizuki, Ichiro Masai (OIST)
- P-092  
(FT4-15)** Klf8 Is Essential for the Survival of Purkinje and Eurydendroid Cells in the Cerebellum of Zebrafish  
○Ming-Yuan Tsai<sup>1</sup>, Yu-Fen Lu<sup>2</sup>, Chang-Jen Huang<sup>1,3</sup>, Sheng-Ping Hwang<sup>1,2</sup> (GILS, NDMC, Taiwan<sup>1</sup>, ICOB, Academia Sinica, Taiwan<sup>2</sup>, IBC, Academia Sinica, Taiwan<sup>3</sup>)
- P-093  
(OP18-06)** Characterization of Integrins function in specific cells for cell-corpses engulfment in *Caenorhabditis elegans*  
○Tsung-Yuan Hsu, Hsiao-Han Hsieh, Hang-Shiang Jiang, Yi-Chun Wu (IMCB, Taiwan Univ)
- P-094  
(FT4-16)** Wallenda regulates JNK-mediated cell death and migration in *Drosophila*  
○Xianjue Ma, Yujun Chen, Lei Xue (SLST, Tongji Univ.)
- P-095  
(OP18-07)** Protogenin Prevents Premature Apoptosis of Rostral Cephalic Neural Crest Cells by Activating the  $\alpha 5\beta 1$  Integrin  
○Yu-Chiuan Wang, Hsien-Chia Juan, Yu-Hui Wong, Wei-Chih Kuo, Yi-Ling Lu, Shu-Fen Lin, Chia-Jing Lu, Ming-Ji Fann (Institute of Neuroscience, NYMU)
- P-096  
(OP08-01)** Evidence for multiple opsin phototransduction pathways in larvae of a reef-building coral (Cnidaria: Anthozoa: Hexacorallia: Scleractinia)  
○Benjamin Mason<sup>1</sup>, David Miller<sup>2</sup> (ARC CofECRS, James Cook Univ.<sup>1</sup>, Sch. Pharm & Mol Sci, ARC CofECRS, James Cook Univ.<sup>2</sup>)
- P-097  
(FT2-02)** The acto-myosin system and TGF- $\beta$  signaling were involved in the cell sorting process in *Xenopus laevis* embryonic cells  
アクトミオシン系と TGF- $\beta$  シグナリングは、アフリカツメガエル胚の胚細胞における細胞選別過程に参与する  
○Ayano Harata (Dep. Bio. Sci. Fac. Life and Environ. Sci., Shimane Uni.)
- P-098  
(OP08-02)** Molecular basis of stripe pattern formation in zebrafish  
ゼブラフィッシュの体表模様形成機構  
○Masakatsu Watanabe<sup>1</sup>, Daisuke Watanabe<sup>1</sup>, Tomoki Nishida<sup>2</sup>, Shigeru Kondo<sup>1</sup> (FBS, Osaka Univ.<sup>1</sup>, UHVEM, Osaka Univ.<sup>2</sup>)
- P-099  
(OP08-03)** Mib1 regulates cell migration via ubiquitination of p120ctn  
○Takamasa Mizoguchi<sup>1,3</sup>, Kazuya Hirose<sup>2</sup>, Shoko Ikeda<sup>3</sup>, Saori Watanabe<sup>3</sup>, Motoyuki Itoh<sup>1,3</sup> (Grad. Sch. of Pharm. Sci., Chiba Univ.<sup>1</sup>, Div. of Bio. Sci., Grad. Sch. of Sci., Nagoya Univ.<sup>2</sup>, Fac. of Pharm. Sci., Chiba Univ.<sup>3</sup>)
- P-100  
(FT2-03)** The involvement of ubiquitin carboxy-terminal hydrolase 37 (UCH37) in Wnt/b-catenin signaling pathway during *xenopus* development  
○Wonhee Han, Seungjoon Lee, Jin-Kwan Han (Department of Life Science, POSTECH, Republic of Korea)

- P-101  
(OP08-04)** Identification of genetic modifiers that interact with *pecanex*, encoding a component of Notch signaling in *Drosophila*  
Notch 情報伝達系の構成遺伝子 *pecanex* と遺伝的相互作用を示す遺伝子の網羅的探索  
○Tomoko Yamakawa<sup>1</sup>, Yu Atsumi<sup>1,2</sup>, Shiori Kubo<sup>1</sup>, Kenji Matsuno<sup>1</sup> (Dept. of Biol. Sci., Grad. school of Sci., Osaka Univ.<sup>1</sup>, Dept. of Biol./Tec., Tokyo Univ. of Sci.<sup>2</sup>)
- P-102  
(OP08-05)** IKKε antagonizes PKC-dependent inhibitory phosphorylation of Singed/Fascin to promote paracrystalline actin bundle assembly  
IKKε はアクチン束化タンパク質 Singed/Fascin を PKC による抑制的リン酸化から保護することによって結晶状のアクチン束形成を促進する  
○Tetsuhisa Otani<sup>1</sup>, Takuya Maeda<sup>1</sup>, Kazuyo Misaki<sup>2</sup>, Shigenobu Yonemura<sup>2</sup>, Shigeo Hayashi<sup>1</sup> (RIKEN CDB, Lab for Morphogenetic Signaling<sup>1</sup>, RIKEN CDB, Electron Microscope Lab<sup>2</sup>)
- P-103  
(FT2-04)** SH2B1β promotes neurite formation and neuronal branching through interacting with IRSp53 and Eps8  
○Chien-Jen Chen, Linyi Chen (Institute of Molecular Medicine, NTHU, Taiwan)
- P-104  
(OP08-06)** Expression profile of ORC and MCM complex in the anterior and posterior to Morphogenetic furrow of *Drosophila* eye disc.  
シヨウジョウバエ複眼原基の分化決定した細胞群と未分化細胞群における MCM, ORC の発現パターン  
○Hidetsugu Kohzaki<sup>1</sup>, Yota Murakami<sup>1,2</sup> (Dept. Cell Biol., IVR, Kyoto Univ.<sup>1</sup>, Dept. Chem., Facu., Science, Hokkaido Univ.<sup>2</sup>)
- P-105  
(OP08-07)** Nuclear Body Paraspeckles Are Essential for the Formation of Functional Corpus Luteum  
核内構造体パラスペックルは機能的な黄体形成に必須である  
○Shinichi Nakagawa<sup>1</sup>, Tetsuro Hirose<sup>2</sup> (RNA Biol Lab, RIKEN<sup>1</sup>, BIRC, NAIST<sup>2</sup>)
- P-106  
(OP08-08)** Cell polarity suppresses Hippo signaling through the regulation of Angiomotin distribution in preimplantation mouse embryos  
細胞極性の Angiomotin 分布制御によるマウス着床前胚 Hippo 経路の制御機構  
○Yoshikazu Hirate<sup>1</sup>, Shino Hirahara<sup>6</sup>, Atsushi Suzuki<sup>2</sup>, Vernadeth Alarcon<sup>3</sup>, Yohei Yoshihama<sup>4</sup>, Kazunori Akimoto<sup>2</sup>, Takaaki Hirai<sup>4</sup>, Takeshi Hara<sup>4</sup>, Kazuhiro Chida<sup>4</sup>, Shigeo Ohno<sup>2</sup>, Yusuke Marikawa<sup>3</sup>, Akihiko Shimono<sup>5</sup>, Hiroshi Sasaki<sup>1</sup> (IMEG, Kumamoto Univ.<sup>1</sup>, Yokohama City Univ.<sup>2</sup>, Univ of Hawaii, USA<sup>3</sup>, Univ of Tokyo<sup>4</sup>, Trans Genic, Inc<sup>5</sup>, RIKEN CDB<sup>6</sup>)
- P-107  
(OP05-01)** Expression timing of *Gdf11* reveals positional diversity of the hindlimb in tetrapods  
*Gdf11* 発現開始タイミングの種間の違いが四肢動物における後肢の位置の多様性を生み出す  
○Yoshiyuki Matsubara<sup>1</sup>, Ayumi Hattori<sup>2</sup>, Yusuke Watanabe<sup>2</sup>, Toshihiko Ogura<sup>2</sup>, Se-Jin Lee<sup>3</sup>, Atsushi Kuroiwa<sup>1</sup>, Takayuki Suzuki<sup>1,4</sup> (Div of Biol Sci, Grad Sch of Sci, Nagoya Univ.<sup>1</sup>, IDAC, Tohoku Univ.<sup>2</sup>, Sch of Med, Johns Hopkins Univ, USA.<sup>3</sup>, JST PRESTO<sup>4</sup>)
- P-108  
(FT6-01)** Innovative photomicroscopy and inhibitor approaches to understanding the mechanisms of building up the spiculous skeleton of the freshwater sponge *Ephydatia fluviatilis*  
カイメンの体を成長させる骨片骨格はどの様に組み上げられるのか—骨片を立ち上げる機構の解析—  
○Kotoe Kawai, Kiyokazu Agata, Noriko Funayama (Dept. of Biophysics, Graduate school of Science, Kyoto Univ.)
- P-109  
(OP05-02)** Transcriptional regulation mechanisms of mesenchymal *Fibroblast growth factor 10* expression in response to the AER signaling

- AER 由来シグナルによる肢芽間充織 *Fgf10* の転写制御機構  
 ◦Yo-ichi Yamamoto-Shiraishi, Hiroaki Higuchi, Shigeki Yamamoto, Mie Hirano, Atsushi Kuroiwa (Div. of Biol. Sci., Grad. Sch. of Sci., Nagoya Univ.)
- P-110 (FT6-02)** Positive feedback mechanism in the simultaneous cell differentiation in *Dictyostelium discoideum*  
 Positive feedback を介した細胞性粘菌における同調的な細胞分化機構  
 ◦Toru Uchikawa<sup>1</sup>, Masahiro Ueda<sup>1,2</sup> (Grad. Sch. of Sci., Osaka Univ.<sup>1</sup>, RIKEN QBiC<sup>2</sup>)
- P-111 (OP05-03)** *Hox* and *Wnt* signaling cooperatively control *Fgf10* expression in the limb field  
*Hox* と *Wnt* シグナルは予定肢芽領域における *Fgf10* 発現を協調的に制御する  
 Taishi Ueta, Hiroyuki Inaba, Takehiro Hitokoto, Yo-ichi Shiraishi, Takayuki Suzuki, ◦Atsushi Kuroiwa (Div. of Biol. Sci., Grad. Sch. of Sci., Nagoya Univ.)
- P-112 (FT6-03)** Efficient EGL-17/FGF secretion by epidermal cells in *C. elegans* requires components of the synaptic vesicle recycling machinery  
*C. elegans* 表皮細胞における効率的な EGL-17/FGF に分泌にはシナプス小胞リサイクリング機構で機能する因子を必要とする  
 ◦Hiroki Tanaka, Masaki Shimojou, Shin Takagi (Div. of Bio. Sci., Grad. Sch. of Sci., Nagoya Univ.)
- P-113 (OP05-04)** Coordination between tubular elongation and cell epithelialization is regulated by FGFs emanating from surrounding tissues  
 管組織の伸長と細胞上皮化のコーディネーションは周囲組織からの FGF シグナルによって制御される  
 ◦Yuji Atsuta<sup>1,2</sup>, Yoshiko Takahashi<sup>1</sup> (Grad. Sch. of Sci., Kyoto Univ.<sup>1</sup>, NAIST, Biol. Sci.<sup>2</sup>)
- P-114 (FT6-04)** Analysis of Heparan Sulfate function during *C. elegans* anchor cell invasion  
*C. elegans* のアンカー細胞浸潤時におけるヘパラン硫酸の機能解析  
 ◦Shinji Ihara<sup>1</sup>, Sherwood David<sup>2</sup>, Hitoshi Sawa<sup>1</sup> (Multicellular Lab, NIG.<sup>1</sup>, Duke University, Department of Biology<sup>2</sup>)
- P-115 (OP05-05)** Oriented cell division for the formation of the body midline  
 生体の正中線づくりにおける細胞分裂の方向付け  
 ◦Tadayoshi Watanabe<sup>1,2</sup>, Gary Liu<sup>1</sup>, Takashi Mikawa<sup>1</sup> (CVRI, UCSF<sup>1</sup>, Zoology, Kyoto Univ.<sup>2</sup>)
- P-116 (FT6-05)** Single-minded regulates specification of ventral cell fates in *Daphnia magna*  
 オオミジンコ *single-minded* ホモログは腹部特異化を制御している  
 ◦Shinichi Morita<sup>1</sup>, Chisato Hiraga<sup>1</sup>, Taisen Iguchi<sup>2</sup>, Yasuhiro Shiga<sup>1</sup>, Shinichi Tokishita<sup>1</sup>, Toshihiro Ohta<sup>1</sup> (LEMB at TUPS<sup>1</sup>, Div. of Mol. Env. End., NIBB<sup>2</sup>)
- P-117 (OP05-06)** Metabolic dynamics and function during somitogenesis  
 体節形成過程における代謝経路の役割  
 ◦Masayuki Oginuma, Philippe Moncuquet, Pourquoi Olivier (IGBMC)
- P-118 (FT6-06)** Gene expression of twinning formation in *Xenopus laevis* embryo-#2  
 アフリカツメガエル 2 次胚形成における遺伝子発現—その 2  
 ◦Eiji Sato<sup>1</sup>, Yasuko Onuma<sup>3</sup>, Michio Fujie<sup>2</sup>, Naoki Adati<sup>2</sup>, Tadayosi Uezato<sup>1</sup>, Naoyuki Miura<sup>1</sup>, Yuzuru Ito<sup>3</sup> (Dept. of Biochem., Hamamatsu Univ. Sch. of Med.<sup>1</sup>, REC, Hamamatsu Univ. Sch. of Med.<sup>2</sup>, AIST<sup>3</sup>)
- P-119 (OP05-07)** *Lfng* regulates the synchronized oscillation of the mouse segmentation clock via trans-repression of Notch signalling  
*Lfng* は周囲の細胞の Notch シグナルをトランスに抑制することでマウス体節時計の同調機構を制御する  
 ◦Yusuke Okubo<sup>1</sup>, Takeshi Sugawara<sup>2</sup>, Natsumi Abe-Koduka<sup>3</sup>, Jun Kanno<sup>1</sup>, Akatsuki Kimura<sup>2</sup>, Yumiko

Saga<sup>3</sup> (NIHS<sup>1</sup>, NIG<sup>2</sup>, NIG<sup>3</sup>)

**P-120  
(FT6-07)**

Differential expression patterns of two types of medaka periostin during development and adulthood

発生期と成体における 2 種類のメダカペリオスチンの発現解析

○Kohei Ito, Masanobu Nishidate, Taku Akiyama, Mai Morioka, Shun Kimura, Akira Kudo (Dept. Biol. Info., Tokyo Inst. Tech.)

**P-121  
(OP05-08)**

Understanding the Role of Wnt5a in the Morphogenesis of the Vertebrate Body Plan

マウス初期胚形態形成における Wnt5a の役割

○Rieko Ajima<sup>1,2,3</sup>, Prabhakar Gudla<sup>2</sup>, Kristin Biris<sup>2</sup>, Lino Tessarollo<sup>2</sup>, Stephen Lockett<sup>2</sup>, Mark Lewandoski<sup>2</sup>, Hiroshi Hamada<sup>3</sup>, Yumiko Saga<sup>1</sup>, Terry Yamaguchi<sup>2</sup> (NIG<sup>1</sup>, NCI-Frederick, NIH<sup>2</sup>, Grad. School of Frontier Biosciences, Osaka Univ.<sup>3</sup>)

**P-122  
(FT6-08)**

A transmembrane metalloprotease ADAM10a regulates behaviors of primitive erythroblasts and vascular formation in zebrafish development.

ゼブラフィッシュの発生において膜型メタロプロテアーゼ ADAM10a は赤芽球の移動および脈管形成に関与する

Anna Tomosawa, ○Atsuo Iida, Atsuko Sehara-Fujisawa (Ins. for Front. Med. Sci., Kyoto University)

**P-123  
(OP07-01)**

Hox gene overexpression in cranial neural crest cells is sufficient for first-to-second pharyngeal arch transformation and reveals a possible Hox/Dlx crosstalk

Hox 遺伝子の過剰発現により、頭頸部神経堤細胞限定的な Hox 遺伝子の発現が鰓弓の領域化に十分条件であること、Hox 遺伝子と Dlx 遺伝子の相互作用の可能性があることが明らかになった

○Taro Kitazawa<sup>1</sup>, Kou Fujisawa<sup>1</sup>, Yuichiro Arima<sup>1</sup>, Yumiko Kawamura<sup>1</sup>, Tsuyoshi Inoue<sup>2,3</sup>, Youichiro Wada<sup>2</sup>, Takahide Kohro<sup>2,4</sup>, Hiroyuki Aburatani<sup>5</sup>, Tatsuhiko Kodama<sup>2</sup>, Kisung Kim<sup>1</sup>, Takahiro Sato<sup>1</sup>, Yasunobu Uchijima<sup>1</sup>, Giovanni Levi<sup>6</sup>, Yukiko Kurihara<sup>1</sup>, Hiroki Kurihara<sup>1</sup> (Dept. Physiol. Chem. & Metab., Grad. Sc. of Med., Univ. of Tokyo<sup>1</sup>, RCAST<sup>2</sup>, Dept. Nephrology & Endocrinology., Grad. Sc. of Med., Univ. of Tokyo<sup>3</sup>, Dept Translational Research Healthcare & Clinical Science., Grad. Sc. of Med., Univ. of Tokyo<sup>4</sup>, RCAST<sup>5</sup>, Evolution des Regulations Endocriniennes, CNRS, UMR7221, Museum National d' Histoire Naturelle<sup>6</sup>)

**P-124  
(FT6-09)**

Irx11 is regulated by Mef2ca in pharyngeal arch morphogenesis of zebrafish

○Han-Ni Chuang<sup>1,2</sup>, Meng-Wei Li<sup>2</sup>, Kuang-Ming Hsiao<sup>1</sup>, Huichin Pan<sup>2</sup> (Department of life Science, Institute of Molecular Biology, NCCU<sup>1</sup>, Department of Biomedical Sciences, CSMU<sup>2</sup>)

**P-125  
(OP07-02)**

Seven-pass transmembrane cadherin Celsr1 regulates cell polarity and three-dimensional morphogenesis in the mouse oviduct epithelium.

7 回膜貫通型カドヘリン Celsr1 はマウス卵管において上皮細胞の極性と 3 次元形態の形成を制御する。

○Dongbo Shi<sup>1,2</sup>, Kouji Komatsu<sup>1</sup>, Hiroshi Koyama<sup>1</sup>, Mayumi Hirao<sup>1</sup>, Fadel Tissir<sup>3</sup>, Andre Goffinet<sup>3</sup>, Tadashi Uemura<sup>2</sup>, Toshihiko Fujimori<sup>1,4</sup> (NIBB<sup>1</sup>, Kyoto Univ.<sup>2</sup>, UCL<sup>3</sup>, CREST, JST<sup>4</sup>)

**P-126  
(FT6-10)**

Low temperature mitigates cardia bifida in zebrafish embryos

○Che-Yi Lin<sup>1</sup>, Cheng-Chen Huang<sup>2</sup>, Wen-Der Wang<sup>3</sup>, Chung-Der Hsiao<sup>4</sup>, Ching-Feng Cheng<sup>5</sup>, Yi-Ting Wu<sup>6</sup>, Yu-Fen Lu<sup>6</sup>, Sheng-Ping Hwang<sup>1,6</sup> (IBB, NTOU, Taiwan<sup>1</sup>, DB, UWRF, USA<sup>2</sup>, GIAB, NCYU, Taiwan<sup>3</sup>, DBT, CYCU, Taiwan<sup>4</sup>, DP, TCGH, Taiwan<sup>5</sup>, ICOB, Academia Sinica, Taiwan<sup>6</sup>)

**P-127  
(OP07-03)**

Dysregulation of *Aqp3* and endolymphatic hydrops in a mouse model of campomelic dysplasia

Irene.Y.Y. Szeto<sup>1</sup>, Tiffany Au<sup>1</sup>, Daniel Chu<sup>1</sup>, Sarah Wynn<sup>1</sup>, Angel Mak<sup>1</sup>, Y.S. Chan<sup>2</sup>, Robin Lovell-Badge<sup>3</sup>, Wood-Yee Chan<sup>4</sup>, Mai-har Sham<sup>1</sup>, ○Kathryn.S.E. Cheah<sup>1</sup> (Department of Biochemistry, The University of Hong Kong<sup>1</sup>, Department of Physiology, The University of Hong Kong<sup>2</sup>, Division of

Developmental Genetics, MRC National Institute for Medical Research<sup>3</sup>, Department of Anatomy, The Chinese University of Hong Kong<sup>4</sup>)

- P-128 (FT6-11)** Hemodynamically controlled nuclear shuttling of Mrtf-b and its functional role in cardiac development and circulatory homeostasis  
メカニカルストレス依存的な Mrtf-b の核移行による心臓発生と心機能の恒常性維持機構  
○Hideto Osada, Masato Kimura, Kota Miyasaka, Yusuke Watanabe, Toshihiko Ogura (IDAC)
- P-129 (OP07-04)** How are the spicule hold-up points regulated? — Observed spicule hold-up process suggests the involvement of the shape of the body space in regulation of where spicules are held up  
骨片を立てる位置はどの様に決まるのか? 「骨片の一端を持ち上げ立ちあげる過程」から見えてきた体内空間の関与  
Kotoe Kawai, Kouji Kishimoto, Chihiro Inui, Kiyokazu Agata, ○Noriko Funayama (Dept. Biophysics, Graduate School of Science, Kyoto-Univ.)
- P-130 (FT6-12)** Quantification of mechanical force driving the left-handed twisting of the gut epithelial tube in *Drosophila*  
ショウジョウバエにおける消化管上皮の反時計回りの捻転を引き起こす機械的な力の定量化  
○Mai Adachi<sup>1</sup>, Naotaka Nakazawa<sup>1,3</sup>, Reo Maeda<sup>3</sup>, Shukei Sugita<sup>2</sup>, Takeo Matsumoto<sup>2</sup>, Kenji Matsuno<sup>1</sup> (Dept. of Biol. Sci., Osaka Univ.<sup>1</sup>, Dept. of Mech. Eng., Nagoya Inst. of Tech.<sup>2</sup>, Dept. of Biol. Sci / Tec., Tokyo Univ.<sup>3</sup>)
- P-131 (OP07-05)** CXCR7 signaling modulates cell-cell adhesion in *Xenopus* mesendoderm cells  
ツメガエル CXCR7 情報伝達経路は細胞間接着を制御する  
○Akimasa Fukui, Kazuya Furusawa, Naoki Sasaki (Transd. Life Sci., Grad. Sch. Life Sci., Hokkaido Univ.)
- P-132 (FT6-13)** Formation of fin-specific structures (fin-ray) in zebrafish development  
ゼブラフィッシュの発生における鰭条構造の形成機構  
○Tohru Yano, Hitoshi Yokoyama, Koji Tamura (Dept. Dev. Biol. and Neurosci., Grad. Sch. Sci., Tohoku Univ.)
- P-133 (OP07-06)** Regulation of paraxial protocadherin (PAPC) by a phosphorylation-dependent ubiquitin system is required for *Xenopus* early development  
リン酸化依存的なユビキチン化による paraxial protocadherin (PAPC) の調節はアフリカツメガエルの初期発生に必須である  
○Masatake Kai<sup>1,2</sup>, Noriyuki Kinoshita<sup>2</sup> (Grad. Sch. of Med., Osaka City Univ.<sup>1</sup>, NIBB<sup>2</sup>)
- P-134 (FT6-14)** Cux2 refines the position of limbs along the rostral-caudal axis during chick development  
○Shogo Ueda<sup>1</sup>, Yasuko Kanazawa<sup>1</sup>, Natsuno Suda<sup>1</sup>, Ryo Yamada<sup>1</sup>, Hisanobu Shimamura<sup>1</sup>, Ryuichiro Nakato<sup>2</sup>, Katsuhiko Shirahige<sup>2</sup>, Mikiko Tanaka<sup>1</sup> (Tokyo Tech.<sup>1</sup>, IMCB, Tokyo Univ.<sup>2</sup>)
- P-135 (OP07-07)** Planar Cell Polarity directs Septin-mediated compartmentalization of cortical actomyosin  
○Asako Shindo, John Wallingford (HHMI and UT Austin)
- P-136 (FT6-15) (SW2-03)** Analysis of the function of *Fgf10* chromosomal enhancers that control limb specific expression  
*Fgf10*の発現を肢芽特異的に制御するエンハンサーの機能解析  
○Chisa Ando<sup>1</sup>, Yu-go Yokota<sup>1</sup>, Yu-hei Kohara<sup>1</sup>, Yo-ichi Yamamoto-Shiraishi<sup>1</sup>, Yo-ichi Mizushima<sup>2</sup>, Tomoko Sagai<sup>2</sup>, Toshihiko Shiroishi<sup>2</sup>, Atsushi Kuroiwa<sup>1</sup> (Div. of Biol. Sci., Grad. Sch. of Sci., Nagoya Univ.<sup>1</sup>, Mammalian Genetics Laboratory, National Institute of Genetics.<sup>2</sup>)

- P-137  
(OP07-08)** March2 inhibits the Wnt signaling pathways by promoting Dishevelled degradation during *Xenopus* development  
 °Hyeyoon Lee<sup>1</sup>, Seong-Moon Cheong<sup>2</sup>, Gun-Sik Cho<sup>3</sup>, Jin-Kwan Han<sup>1</sup> (Department of Life Science, POSTECH, Republic of Korea<sup>1</sup>, The F. M. Kirby Neurobiology Center, Harvard Medical School, USA<sup>2</sup>, Johns Hopkins University School of Medicine, USA<sup>3</sup>)
- P-138  
(FT6-16)** Transcriptome analyses of flounder metamorphosis left-right asymmetric differentiation  
 ヒラメ変態の左右非対称化プロセスのトランスクリプトーム解析  
 °Hayato Yokoi, Xiaoming Wu, Yoshifumi Sakai, Tohru Suzuki (Grad Schl Agricul Sci, Tohoku Univ)
- P-139  
(OP10-01)** Involvement of microtubule-dependent transport of Wnt signaling components in zebrafish dorsal determination  
 セブラフィッシュ背側決定における Wnt シグナルコンポーネントの微小管依存性輸送の関係  
 °Hiromu Hino<sup>1,2</sup>, Ryoko Seki<sup>1,2</sup>, Long Tran<sup>3</sup>, Takashi Shimizu<sup>1,2</sup>, Karuna Sampath<sup>3</sup>, Masahiko Hibi<sup>1,2</sup> (DBS, Nagoya univ.<sup>1</sup>, BBC, Nagoya univ<sup>2</sup>, TSL<sup>3</sup>)
- P-140  
(FT6-17)** Reduced cell number in the hindgut epithelium disrupts hindgut left-right asymmetry in a mutant of *pebble*, encoding a RhoGEF, in *Drosophila* embryos  
 RhoGEF をコードする *pebble* の突然変異体におけるショウジョウバエ胚後腸上皮の細胞数の減少が後腸の左右非対称性を乱す  
 °Mitsutoshi Nakamura<sup>1</sup>, Kenjiroo Matsumoto<sup>1</sup>, Yuta Iwamoto<sup>1,2</sup>, Ryo Hatori<sup>1,2</sup>, Kenji Matsuno<sup>1</sup> (Dept of Biol. Sci, Osaka Univ<sup>1</sup>, Dept of Biol Sci and Tech, TUS<sup>2</sup>)
- P-141  
(OP10-02)** Locomotive activity of *Xenopus* primordial germ cell is regulated by extracellular signals involving SDF-1.  
 ゼノパス始原生殖細胞の移動能は SDF-1 を含む細胞外シグナルにより制御される  
 Kohei Terayama, Hidefumi Orii, Kenji Watanabe, °Makoto Mochii (Grad. Sch. Life Sci., Univ. Hyogo)
- P-142  
(OP10-03)** Multiple origins of myeloid cells in *Xenopus* embryo  
 ゼノパス胚には 3 つの骨髄球の起源がある  
 °Mitsugu Maeno, Yasutaka Imai, Hiroyuki Sakata (Grad. Sch. Sci. Tech., Niigata Univ.)
- P-143  
(FT6-19)** Wnt signaling regulates the left-right axis formation in the node of mouse embryos  
 マウス左右軸形成における Wnt シグナルの役割  
 °Keiko Kitajima, Shinya Oki, Tomoyuki Sumi, Chikara Meno (Kyushu Univ.)
- P-144  
(OP10-04)** Spatio-temporal activation of ERK1/2 through VEGFRs regulates establishment and formation of segmental artery in zebrafish  
 VEGFR を介した時間的空間的 ERK の活性化はゼブラフィッシュにおける体節間動脈の確立と形成維持に重要な働きを示す  
 °Masahiro Shin, Nathan Lawson (UMASSMED)
- P-145  
(FT6-20)  
(SW2-01)** Temporal observation of the influence of the Fgf signal about somite formation  
 体節形成における Fgf シグナルの影響の経時的な観察  
 °Kenji Maekubo, Yohei Hirai (Grad. Sch. of Sci. and Tech., Kwansai Gakuin Univ.)
- P-146  
(OP10-05)** Klf8 is required for cardiac Left-Right patterning through regulation of *spaw* expression in zebrafish embryos  
 °Sheng-Ping Hwang<sup>1,2</sup>, Che-Yi Lin<sup>2</sup>, Ming-Yuan Tsai<sup>3</sup>, Yi-Chung Chen<sup>1</sup>, Yu-Fen Lu<sup>1</sup>, Hsin-Chi Liao<sup>1</sup>, Chang-Jen Huang<sup>4</sup> (ICOB, Academia Sinica, Taipei, Taiwan<sup>1</sup>, Institute of Bioscience and Biotechnology, National Taiwan Ocean University, Keelung, Taiwan<sup>2</sup>, Graduate Institute of Life Sciences, National Defense Medical Center, National Defense University, Neihu, Taipei, Taiwan<sup>3</sup>, Institute of Biological Chemistry, Academia Sinica, Taipei, Taiwan<sup>4</sup>)

- P-147  
(FT6-21)** Ripply2-dependent negative regulation of Tbx6 is required for somitogenesis  
 ○Wei Zhao<sup>1,2</sup>, Yumiko Saga<sup>1,2,3</sup> (NIG<sup>1</sup>, Graduated School of Science, university of Tokyo<sup>2</sup>, Department of Genetics, SOKENDAI<sup>3</sup>)
- P-148  
(OP10-06)** Analysis of mutant *stöpsel*<sup>dt128d</sup> (*stp*) indicating the vertebral form abnormality  
 椎骨の形態異常を示す変異体 *stöpsel*<sup>dt128d</sup> (*stp*) の解析  
 ○Akihiro Misu, Hiroaki Yamanaka, Shigeru Kondo (Kondo S lab. FBS Osaka uni)
- P-149  
(FT6-22)  
(SW2-02)** Formation of the digestive tract in *Ciona intestinalis* includes two distinct morphogenic processes between its anterior and posterior parts  
 カタユウレイボヤにおける消化管形成：前方と後方で異なる管のでき方と細胞の由来  
 ○Keiichi Nakazawa<sup>1</sup>, Takumi Yamazawa<sup>1</sup>, Yuuta Moriyama<sup>1</sup>, Yousuke Ogura<sup>2</sup>, Narudo Kawai<sup>2</sup>, Yasunori Sakakura<sup>2</sup>, Hidetoshi Saiga<sup>1</sup> (Dept. Biol. Sci., Tokyo Metro Univ.<sup>1</sup>, Shimoda, Tsukuba Univ.<sup>2</sup>)
- P-150  
(OP10-07)** Cadherin-mediated physical barrier regulates cell geometry in zebrafish lens epithelium  
 ゼブラフィッシュ水晶体上皮細胞においてカドヘリンの細胞接着による細胞領域間の堅さの違いが細胞形態、方向性を制御する  
 ○Toshiaki Mochizuki<sup>1</sup>, Shohei Suzuki<sup>1</sup>, Asako Sakaue-Sawano<sup>2</sup>, Atsushi Miyawaki<sup>2</sup>, Ichiro Masai<sup>1</sup> (OIST<sup>1</sup>, RIKEN BSI<sup>2</sup>)
- P-151  
(FT6-23)** Exploring the role of atypical cadherins in collective cell migration  
 集団的細胞移動における非典型的カドヘリンの機能解析  
 ○Masaki Arata<sup>1</sup>, Yutaro Nishino<sup>1</sup>, Kousuke Mouri<sup>1</sup>, Yuzo Watanabe<sup>1</sup>, Motoki Saito<sup>1</sup>, Tadashi Uemura<sup>1,2</sup> (Grad. Sch. of Bio., Kyoto Univ.<sup>1</sup>, CREST, JST<sup>2</sup>)
- P-152  
(OP13-01)** The H3K27 demethylase, *Jmjd3*, regulates *pax6* expression for eye development  
 ヒストン脱メチル化因子 *Jmjd3* は、眼の発生において *Pax6* の発現を制御する  
 ○Akane Kawaguchi<sup>1</sup>, Haruki Ochi<sup>2</sup>, Norihiro Sudou<sup>1</sup>, Hajime Ogino<sup>1</sup> (NAIST<sup>1</sup>, Yamagata University, Faculty of medicine<sup>2</sup>)
- P-153  
(FT6-24)  
(SW2-08)** Knockdown of *ouro* genes represses tadpole tail regression during *Xenopus* metamorphosis  
 オウロ遺伝子のノックダウンは変態期のツメガエル幼生の尾部退縮を抑制する  
 ○Erisa Maruyama, Mitsugu Maeno, Yumi Izutsu (Dept. Biol., Faculty of Sci., Niigata Univ., Japan)
- P-154  
(OP13-02)** GON-1/ADAMTS and fibulin-1 act through collagen IV to control *C.elegans* organogenesis  
 GON-1/ADAMTS と fibulin-1 は IV 型コラーゲンを通じて線虫の器官形成を制御する  
 ○Tomomi Takano<sup>1</sup>, Yukihiko Kubota<sup>2</sup>, Kiyoji Nishiwaki<sup>1</sup> (Dep. of Bisci. Sch. of Sci. and Tech., Kwansei Gakuin Univ.<sup>1</sup>, Grad. Sch. of Life Sci. Tohoku Univ.<sup>2</sup>)
- P-155  
(FT3-09)** BMP/ Smad Signaling in Mouse Sternum Development  
 BMP / Smad でマウス胸骨開発におけるシグナリング  
 ○Ka Kui Tong<sup>1</sup>, Yat Long Tsoi<sup>1</sup>, Yuk Lau Wong<sup>1</sup>, Kin Ming Kwan<sup>1,2,3</sup> (SLS, CUHK<sup>1</sup>, CCDB, CUHK<sup>2</sup>, SKL of Agrobiotech, CUHK<sup>3</sup>)
- P-156  
(OP13-03)** Nuclear membrane proteins act in transport of the Netrin receptor, UNC-5 in cell migration in *C. elegans*.  
 細胞移動における核膜タンパク質の新たな役割  
 ○Hon-Song Kim, Kiyoji Nishiwaki (Dep. of Biosci. Kwansei-Gakuin Univ.)
- P-157  
(FT3-10)** The dorsal aorta initiates a molecular cascade that instructs sympatho-adrenal specification  
 背側大動脈は交感神経および副腎髄質の前駆細胞の移動と分化を制御する司令塔

- としてはたらく  
 ○Daisuke Saito<sup>1</sup>, Yuta Takase<sup>1,2</sup>, Hidetaka Murai<sup>1,2</sup>, Yoshiko Takahashi<sup>3</sup> (NAIST<sup>1</sup>, Kyoto University<sup>2</sup>)
- P-158  
(OP13-04)** The origin of stem and progenitor cells in the zebrafish lateral line primordium.  
 ゼブラフィッシュ側線における幹細胞と前駆細胞の発生上の起源  
 ○Masataka Nikaido, Richard Alexander, Tatjana Piotrowski (Stowers Inst.)
- P-159  
(FT3-11)** Fibronectin mediates correct positioning of the interrenal organ in zebrafish  
 ○Chih-Wei Chou, Chih-Hao Chiu, Yi-Wen Liu (Department of Life Science, Tunghai Univ., Taiwan)
- P-160  
(OP13-05)** Collective unidirectional motion of epithelial cells supported by planar cell dynamics during *Drosophila* organogenesis (part I): Experimental approach  
 ショウジョウバエ雄性生殖器の形態形成に見られる上皮細胞の集団的一方向性運動 (part I): 実験からのアプローチ  
 Ayako Isomura<sup>1</sup>, Katsuhiko Sato<sup>2</sup>, Tetsuya Hiraiwa<sup>2</sup>, Emi Maekawa<sup>1</sup>, Aimi Tsukioka<sup>1</sup>, ○Erina Kuranaga<sup>1</sup> (Lab. Histogenetic Dynamics, RIKEN CDB<sup>1</sup>, Lab. Physical Biology, RIKEN CDB<sup>2</sup>)
- P-161  
(FT6-18)** The role of cell-ECM interactions in collective cellular movement during the looping morphogenesis of *Drosophila* male terminalia  
 細胞-ECM 相互作用がショウジョウバエ雄性生殖器の形態形成に与える影響  
 ○Emi Maekawa<sup>1</sup>, Aimi Tsukioka<sup>1</sup>, Ayako Isomura<sup>1</sup>, Kazuyo Misaki<sup>2</sup>, Shigenobu Yonemura<sup>2</sup>, Erina Kuranaga<sup>1</sup> (Lab. Histogenetic Dynamics, RIKEN CDB<sup>1</sup>, Electron Microscope Lab., RIKEN CDB<sup>2</sup>)
- P-162  
(OP13-06)** Collective unidirectional motion of epithelial cells induced by planar cell dynamics during *Drosophila* organogenesis (part II): Theoretical approach  
 ショウジョウバエ雄性生殖器の形態形成に見られる上皮細胞の集団的一方向性運動 (part II): 理論からのアプローチ  
 ○Katsuhiko Sato<sup>1</sup>, Tetsuya Hiraiwa<sup>1</sup>, Emi Maekawa<sup>2</sup>, Tatsuo Shibata<sup>1</sup>, Ayako Isomura<sup>2</sup>, Aimi Tsukioka<sup>2</sup>, Erina Kuranaga<sup>2</sup> (Lab. Physical biology, RIKEN CDB<sup>1</sup>, Lab. Histogenetic Dynamics, RIKEN CDB<sup>2</sup>)
- P-163  
(FT3-13)** Expression of *Eph/ephrin* family genes in smooth muscle of the embryonic chick digestive organs  
 ニワトリ胚期消化器官平滑筋組織における Eph/ephrin 遺伝子の発現  
 ○Yasuo Ishii, Kiyoe Fujimoto, Sadao Yasugi (Fac. Life Sci., Kyoto Sangyo Univ.)
- P-164  
(OP13-07)** Mathematical analysis of vascular and spot patterns by auxin and PIN dynamics in plant development  
 オーキシシン-PIN ダイナミクスによる葉脈とスポットパターン形成の数理モデル  
 ○Yoshinori Hayakawa<sup>1,2</sup>, Masashi Tachikawa<sup>2</sup>, Atsushi Mochizuki<sup>1,2</sup> (Dept Comput. Intelligence & Sys. Science, Tokyo Institute of Technology<sup>1</sup>, Theoretical Biology Laboratory, RIKEN<sup>2</sup>)
- P-165  
(FT3-14)  
(SW1-09)** Cadherin-7 enhances sonic hedgehog signaling by inhibiting the movement of full-length Gli3 to the primary cilium  
 カドヘリン-7 は転写因子 Gli3 の移動制限によりソニックヘッジホッグシグナルを調節する。  
 ○Rie Kawano<sup>1</sup>, Kunimasa Ohta<sup>2</sup>, Daisuke Niimori<sup>3</sup> (Dev. Neurobio. Kumamoto University<sup>1</sup>, Division of Developmental Neurobiology, Graduate School of Medical Sciences, Kumamoto University, 1-1-1 Honjo, Kumamoto 860-8556, Japan<sup>2</sup>, Department of Dermatology and Plastic Surgery, Graduate School of Life Sciences, Kumamoto University, 1-1-1 Honjo Kumamoto 860-8556 Japan<sup>3</sup>)
- P-166  
(OP13-08)** Analysis of pattern formation in multicellular cyanobacteria by Cellular Automaton model  
 セルオートマトンモデルによる多細胞性シアノバクテリアの形態形成現象の解析  
 ○Jun-ichi Ishihara<sup>1,2</sup>, Masashi Tachikawa<sup>2</sup>, Hideo Iwasaki<sup>1</sup>, Atsushi Mochizuki<sup>2</sup> (Dept. of Electr. Engin. and Biosci., Waseda Univ.<sup>1</sup>, Theoretical Biology Lab., RIKEN<sup>2</sup>)

- P-167  
(FT3-15)  
(SW1-10)** Study of secondary neurulation: stem cell-like behavior of neural tube precursors implicated by transplantation of EGFP-labeled tail bud  
Secondary Neurulation 研究 : EGFP 標識 tail bud の移植から浮かび上がった神経管前駆細胞の幹細胞様の挙動  
○Teruaki Kawachi<sup>1</sup>, Eisuke Shimokita<sup>2</sup>, Yoshiko Takahashi<sup>1</sup> (Department of Zoology, Kyoto University<sup>1</sup>, Graduate School of Biological Science, Nara Institute of Science and Technology<sup>2</sup>)
- P-168  
(OP16-01)** Regulation of Wnt and BMP signaling pathways in the regional specification of early blastoderm in the cricket *Gryllus bimaculatus*  
○Taro Nakamura, Sumihare Noji, Taro Mito (Dept of Life Systems, Institute of Tech. and Sci., The University of Tokushima)
- P-169  
(FT3-16)  
(SW1-11)** Long-distance cell migrations during larval development in an appendicularian, *Oikopleura dioica*.  
ワカレオタマボヤ *Oikopleura dioica* 後期発生のライブイメージングによって見出された長距離移動を示す細胞群  
○Kanae Kishi, Takeshi Onuma, Hiroki Nishida (Dept. Biol. Sci., Osaka Univ.)
- P-170  
(OP16-02)** Mechanical coupling of apical membrane and luminal matrix shapes tracheal tube geometry in *Drosophila*  
○Bo Dong<sup>1</sup>, Edouard Hannezo<sup>2</sup>, Jacques Prost<sup>2,3</sup>, Jean-Francois Joanny<sup>2</sup>, Shigeo Hayashi<sup>1,4</sup> (CDB<sup>1</sup>, Physicochimie Curie (Institut Curie/CNRS-UMR168/UPMC), Institut Curie, Centre de Recherche, 26 rue d'Ulm F-75248 Paris Cedex 05, France<sup>2</sup>, ESPCI, 10 rue Vauquelin, F-75231 Paris Cedex 05, France<sup>3</sup>, Department of Biology, Kobe University Graduate School of Science, 1-1 Rokkodai-cho, Nada-ku, Kobe, Hyogo, 657-8051, Japan<sup>4</sup>)
- P-171  
(FT3-17)  
(SW1-12)** Role of motile cilia in development and function of renal tubes in fish  
魚類の腎臓発生における運動性繊毛の役割  
Sayaka Tayama, Yuri Ikeda, Hitomi Igarashi, Hajime Matsui, ○Atsuko Shimada, Hiroyuki Takeda (Dep. Biol. Sci., Grad. Sch. Sci., Univ. Tokyo)
- P-172  
(OP16-03)** Cell intercalation and cell junctional length fluctuation during airway tube elongation in *Drosophila*  
ショウジョウバエ気管伸長における細胞境界の組みかえと細胞境界長のゆらぎの役割について  
Hosei Wada, Katsuhiko Sato, Tatsuo Shibata, ○Shigeo Hayashi (RIKEN CDB)
- P-173  
(FT3-18)** A novel defined factor specifies cardiac-vascular cell fate and promotes heart regeneration  
新規転写因子による心臓一血管運命決定と心臓再生  
○Yuika Morita<sup>1,2</sup>, Yuko Tsukahara<sup>1</sup>, Peter Anderson<sup>3</sup>, Junko Kurokawa<sup>4</sup>, Hiroe Sugizaki<sup>1</sup>, Ryuichi Nishinakamura<sup>5</sup>, Tetsushi Furukawa<sup>4</sup>, Chulan Kwon<sup>3</sup>, Kazuko Koshiha-Takeuchi<sup>1</sup>, Jun K. Takeuchi<sup>1,2,6</sup> (Cardiovas. Reg, IMCB, the Univ. of Tokyo<sup>1</sup>, Graduate School of Sciences, the Univ. of Tokyo<sup>2</sup>, Cardio, Johns Hopkins Univ. School of Med<sup>3</sup>, Tokyo Medical and Dental Univ.<sup>4</sup>, CARD, Kumamoto Univ.<sup>5</sup>, JST PRESTO<sup>6</sup>)
- P-174  
(OP16-04)** The HOX gene *Antp* in the visceral mesoderm *Drosophila* regulates size balance between 1st and 2nd midgut chambers  
ショウジョウバエの内臓中胚葉で発現する HOX 遺伝子 *Antp* は中腸第 1/ 第 2 チェンバー間の大きさのバランスを制御する  
Keita Fujimoto, Masahiko Arishige, Yumiko Harada, ○Ryutaro Murakami (Grad. Sch. Med., Yamaguchi Univ.)
- P-175  
(FT3-12)** Cloning of FoxN1 and its expression in *Xenopus laevis*.  
アフリカツメガエル転写因子 FoxN1 のクローニングと発現解析

○Naoya Iimura, Hideho Uchiyama (Grad. Sch. of Nanobiosciences, Yokohama City Univ.)

- P-176  
(OP16-05)** A secreted decoy of insulin-like receptor antagonizes insulin/IGF signaling to restrict body growth in *Drosophila*  
ショウジョウバエ分泌型 ‘おとり’ インスリン様受容体は、体の成長を抑制する  
○Naoki Okamoto, Takashi Nishimura (RIKEN, CDB)
- P-177  
(OP16-06)** Developmental evolution of the hypaxial muscles of vertebrates  
脊椎動物の軸下筋発生機構の進化  
○Rie Kusakabe<sup>1</sup>, Saori Tani<sup>1</sup>, Richard Harland<sup>2</sup>, Shigeru Kuratani<sup>3</sup>, Kunio Inoue<sup>1</sup> (Dept. Biol., Grad. Sch. Sci., Kobe Univ.<sup>1</sup>, Mol. Cell Biol., UC Berkeley, USA<sup>2</sup>, CDB, RIKEN, Japan<sup>3</sup>)
- P-178  
(FT5-01)** Roles of microRNAs in medaka myogenesis  
メダカ胚筋形成における microRNA の役割  
○Saori Tani, Rie Kusakabe, Kunio Inoue (Dept. Biol., Grad. Sch. Sci., Kobe Univ.)
- P-179  
(OP16-07)** The investigation of post-transcriptional process to form adult skeletal muscle stem cells  
骨格筋幹細胞の形成に関与する転写後調節機構探求  
○Takahiko Sato<sup>1</sup>, Takuya Yamamoto<sup>2</sup>, Atsuko Sehara<sup>1</sup> (IFMS, Kyoto Univ.<sup>1</sup>, CiRA, Kyoto Univ.<sup>2</sup>)
- P-180  
(OP01-01)** Role of tubulin folding pathway in neurite morphogenesis of *Drosophila* olfactory projection neuron  
神経突起形成におけるチューブリン折りたたみ経路の役割  
○Misako Okumura<sup>1</sup>, Masayuki Miura<sup>1,2</sup>, Takahiro Chihara<sup>1,2</sup> (Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- P-181  
(FT3-01)** Tag1-mediated early interaction between neural crest cells and motor axons in zebrafish.  
神経冠細胞と運動神経軸索との相互作用における Tag1 の機能  
○Mika Sato-Maeda<sup>1,2</sup>, Wataru Shoji<sup>1</sup> (CIR, Tohoku Univ.<sup>1</sup>, Grad Sci, Tohoku Univ.<sup>2</sup>)
- P-182  
(OP01-02)** Roles of Robo endocytic trafficking in acquisition of axonal responsiveness to the repellent Slit during midline crossing  
正中線交叉における交連軸索の Slit 応答性の不可逆性スイッチを支える分子基盤  
○Junichi Kawada<sup>1</sup>, Mariko Kinoshita-Kawada<sup>1</sup>, Shigeru Yanagi<sup>2</sup>, Ichiro Masai<sup>1</sup>, Yi Rao<sup>3</sup>, Jane Wu<sup>4</sup> (OIST<sup>1</sup>, Sch. of Life Sci. Tokyo Univ. of Pharm. Life Sci.<sup>2</sup>, Peking Univ. Sch. of Life Sci.<sup>3</sup>, Dept. of Neurology Northwestern Univ. Feinberg Sch. of Med.<sup>4</sup>)
- P-183  
(OP01-03)** Genetic analysis of the leucine-rich repeat molecule Capricious in synaptic-layer specificity in the *Drosophila* visual system  
ショウジョウバエ視覚神経系における LRR 膜タンパク質 Capricious はシナプス層の特異性を決定していない  
Sandra Berger-Mueller<sup>2,3</sup>, Atsushi Sugie<sup>2,4</sup>, Fumio Takahashi<sup>1</sup>, Gaia Tavosanis<sup>4</sup>, ○Takashi Suzuki<sup>1,2</sup> (Dept. Biosci. & Biotech., Titech<sup>1</sup>, Max Planck Institute of Neurobiology, Martinsreid, Germany<sup>2</sup>, CNR/UPS UMR5273 STROMA lab-Inserm U1031, Toulouse, France<sup>3</sup>, DZNE, Bonn, Germany<sup>4</sup>)
- P-184  
(FT3-02)** Stochastic Ca<sup>2+</sup> waves that propagate through the neuroepithelium in various distance of the brain and retina imaged with GCaMP3 in zebrafish embryos  
ゼブラフィッシュ初期胚の神経上皮でみられる特徴的な Ca<sup>2+</sup> 濃度変化のイメージング  
○Shin-ichi Okamoto, Yuuya Takimura, Tadaaki Nishioka, Masashi Nakagawa, Kohei Hatta (Univ. of Hyogo)
- P-185  
(OP01-04)** Formation process of individual compartments in the cerebellum of mouse embryo  
マウス小脳内における、個々の区画の形成過程

○Mitsuhiro Hashimoto, Takaki Miyata (Dep. of Cell Biol. Nagoya Univ.)

- P-186 (OP01-05)** MRE32 RNA is essential for mushroom body morphogenesis in *Drosophila* adult brain  
MRE32 RNA はショウジョウバエキノコ体の形態形成に必須である  
○Sachi Inagaki<sup>1</sup>, Masanao Sato<sup>3,4</sup>, Natsuki Nakamura<sup>2</sup>, Satoru Kobayashi<sup>3,4</sup>, Yuji Kageyama<sup>1,2</sup> (Res Ctr Environmental Genomics, Kobe Univ<sup>1</sup>, Dpt Biol, Grad Sch Sci, Kobe Univ<sup>2</sup>, OIIB, NINS<sup>3</sup>, NIBB, NINS<sup>4</sup>)
- P-187 (FT3-03) (SW2-04)** Unveiling the role of Ephrin for dendrite targeting of *Drosophila* olfactory projection neurons  
ショウジョウバエ嗅覚投射神経の樹状突起領域形成におけるエフリンの機能解析  
○Shirin Makihara<sup>1</sup>, Sayaka Sekine<sup>1</sup>, Masayuki Miura<sup>1,2</sup>, Takahiro Chihara<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- P-188 (OP01-06)** Evidence for involvement of apoptosis in establishing proper cerebrospinal fluid hydrodynamics  
脳脊髄液動態の確立におけるアポトーシスの関与  
Ayako Yoshida<sup>1</sup>, ○Yoshifumi Yamaguchi<sup>1,2</sup>, Daisuke Kawata<sup>1</sup>, Naomi Shinotsuka<sup>1</sup>, Mariko Yoshida<sup>1</sup>, Masayuki Miura<sup>1,3</sup> (Dept. Genet. Pharma. The Univ. of Tokyo<sup>1</sup>, PREST, JST<sup>2</sup>, CREST, JST<sup>3</sup>)
- P-189 (OP01-07)** Molecular and cellular dissection of axonal pruning in *Drosophila* sensory neurons  
ショウジョウバエ感覚ニューロンにおける軸索刈り込みメカニズムの探索  
○Rei Morikawa, Kazuo Emoto (Dept. Cell Biol., Osaka Biosci. Inst.)
- P-190 (OP01-08)** Examination of developmental processes of the ferret cerebral cortex using in utero electroporation  
子宮内電気穿孔法を用いたフェレット大脳皮質の形成過程解析  
○Hiroshi Kawasaki, Tomohisa Toda, Lena Iwai (Grad Sch of Med, Kanazawa Univ)
- P-191 (FT3-04)** Development of cerebellar granule cell axons in zebrafish  
ゼブラフィッシュにおける小脳顆粒細胞の軸索形成機構  
○Shingo Yamaguchi<sup>1,2</sup>, Miki Takeuchi<sup>1</sup>, Kazuhide Asakawa<sup>3</sup>, Koichi Kawakami<sup>3</sup>, Takashi Shimizu<sup>1,2</sup>, Masahiko Hibi<sup>1,2</sup> (Bioscience and Biotechnology Center, Nagoya Univ.<sup>1</sup>, Graduate School of Science, Nagoya Univ.<sup>2</sup>, National Institute of Genetics<sup>3</sup>)
- P-192 (OP03-01)** Generation of the 3-Dimensional Multi-gene Expression Map for the Zebrafish Developing Habenular Nuclei  
Guo-Tzau Wang<sup>2</sup>, Chang-Huain Hsieh<sup>2</sup>, Yuan-Ding Yu<sup>3</sup>, Wei-Han Lang<sup>1</sup>, ○Yung-Shu Kuan<sup>1,3,4,5</sup> (IBS, NTU, TW<sup>1</sup>, NCHC, Taiwan<sup>2</sup>, IBC-AS, Taiwan<sup>3</sup>, NCSC, NTU, Taiwan<sup>4</sup>, NPAS-AS, Taiwan<sup>5</sup>)
- P-193 (OP03-02)** SeeDB: an aqueous optical clearing agent for imaging intact fluorescence and morphology in the mouse brain.  
新奇透明化試薬 SeeDB の開発とマウス脳の蛍光イメージング  
Meng-tsen Ke<sup>1,2</sup>, Satoshi Fujimoto<sup>1</sup>, ○Takeshi Imai<sup>1,2,3</sup> (RIKEN CDB<sup>1</sup>, Grad Sch of Biostudies, Kyoto Univ<sup>2</sup>, PRESTO, JST<sup>3</sup>)
- P-194 (OP03-03)** Role of early intracortical activity in the maturation of neocortical circuits  
初期神経活動による大脳皮質神経回路形成の制御  
○Torsten Bullmann, Carina Hanashima (RIKEN CDB)
- P-195 (FT3-05)** Dmbx1 can compensate the down-regulation of Otx2 activity  
Dmbx1 は Otx2 活性の下方調節を補償できる  
Yousuke Ishikawa, ○Isato Araki (Iwate Univ, Fac Eng, Dept Chem Bioeng)

- P-196  
(OP03-04)** How have human brains been evolved? : comparative gene expression analysis among rodents, new world monkeys and old world monkeys  
齧歯類、新世界ザル、旧世界ザル間の遺伝子発現比較からヒト脳へと至る大脳皮質進化の機構を探る試み  
○Eiji Matsunaga, Sanae Nambu, Mariko Oka, Michio Tanaka, Miki Taoka, Atushi Iriki (Lab for Symbolic Cognitive Development, RIKEN BSI)
- P-197  
(OP03-05)** Functional analysis of RP58 transcriptional repressor in neuronal migration during corticogenesis  
大脳皮質形成時の神経細胞移動における RP58 転写抑制因子の機能解析  
○Chiaki Ohtaka-Maruyama, Haruo Okado (TMIMS)
- P-198  
(OP03-06)** Neural-specific elimination of *Mab21l2* results in respiratory failure in mouse neonates  
○Chung Man Chan, King Lau Chow (LIFS, HKUST)
- P-199  
(FT3-06)** Cell death inducing mechanisms by maternal separation stress in the postnatal mouse hippocampus  
隔離ストレスが仔マウスの海馬に細胞死を誘導するメカニズムの解析  
○Tatsuya Katahira<sup>1</sup>, Yutaro Miyaji<sup>2</sup>, Rikou Fukunaga<sup>2</sup>, Jun Motoyama<sup>1</sup> (Laboratory of Developmental Neurobiology, Graduate School of Brain Science, Doshisha University<sup>1</sup>, Department of Medical Life Systems, Faculty of Life and Medical Science, Doshisha University<sup>2</sup>)
- P-200  
(OP03-07)** Interkinetic nuclear migration through TAG-1-assisted progenitor elongation prevents neuroepithelial overcrowding and ensures neocortical histogenesis  
○Mayumi Okamoto<sup>1</sup>, Takashi Namba<sup>2</sup>, Tomoyasu Shinoda<sup>1</sup>, Ken Sago<sup>1</sup>, Kanako Saito<sup>1</sup>, Akira Sakakibara<sup>1</sup>, Ayano Kawaguchi<sup>1</sup>, Kazunori Nakajima<sup>3</sup>, Masahiro Ueda<sup>4,5</sup>, Shigeo Hayashi<sup>6</sup>, Toshihiko Fujimori<sup>7</sup>, Kozo Kaibuchi<sup>2</sup>, Takaki Miyata<sup>1</sup> (Dept Anat and Cell Biol, Nagoya Univ, Grad Sch of Med<sup>1</sup>, Dept Cell Pharmacol, Nagoya Univ, Grad Sch of Med<sup>2</sup>, Dept Anat, Keio Univ, Grad Sch of Med<sup>3</sup>, Dept Biol Sci, Osaka Univ, Grad Sch of Sci<sup>4</sup>, Lab for Cell Signaling Dynamics, QBiC,RIKEN<sup>5</sup>, Lab for Morphogenetic Signaling, CDB, RIKEN<sup>6</sup>, Div Embryology, NIBB<sup>7</sup>)
- P-201  
(OP11-01)** Basement membrane integrity is required for axogenesis of cerebellar granule cells.  
小脳顆粒細胞の軸索伸長には正常な基底膜形成が必要である  
○Miki Takeuchi<sup>1</sup>, Shigenobu Yonemura<sup>2</sup>, Kazuhide Asakawa<sup>3</sup>, Koichi Kawakami<sup>3</sup>, Shinji Takada<sup>4</sup>, Takashi Shimizu<sup>1</sup>, Masahiko Hibi<sup>1</sup> (Bioscience and Biotechnology Center, Nagoya Univ.<sup>1</sup>, RIKEN Center for Developmental Biology<sup>2</sup>, National Institute of Genetics<sup>3</sup>, Okazaki Institute for Integrative Bioscience<sup>4</sup>)
- P-202  
(FT3-07)** Aromatic L-amino acid decarboxylase deficiency affects neuronal development in zebrafish  
○De-fen Shih<sup>1</sup>, Shyh-Jye Lee<sup>1</sup>, Wang-Tso Lee<sup>2</sup> (Institute of Zoology, Department of Life Science, NTU<sup>1</sup>, Development of Pediatrics, NTUH<sup>2</sup>)
- P-203  
(OP11-02)** Highly efficient transplantation into the embryonic mouse cortex reveals the acquisition of apico-basal polarity by neural progenitors derived from pluripotent stem cells  
胚性幹細胞から誘導された神経前駆細胞は胎生期脳の上皮極性に従い細胞突起を形成する  
Fumiaki Nagashima, ○Yoichi Kosodo (Dept. Anatomy, Kawasaki Med.)
- P-204  
(OP11-03)** Sufu controls the number and cell fate of hindbrain progenitors  
○Hong Huan Hor<sup>1</sup>, XingAn Wang<sup>1</sup>, Mai Har Sham<sup>1</sup>, Chi Chung Hui<sup>2,3</sup> (Dept of Biochemistry, LKS Faculty of Medicine, HKU<sup>1</sup>, Program in Developmental and Stem Cell Biology, The Hospital for Sick Children<sup>2</sup>, Department of Molecular Genetics, University of Toronto<sup>3</sup>)

- P-205 (FT3-08)** HDAC6 mutations rescue human tau-induced microtubule defects in *Drosophila*  
Ying Xiong<sup>1</sup>, <sup>○</sup>Kai Zhao<sup>1</sup>, Jiayi Wu<sup>1</sup>, Zhiheng Xu<sup>1</sup>, Shan Jin<sup>2</sup>, Yongqing Zhang<sup>1</sup> (IGDB, CAS<sup>1</sup>, College of Life Sciences, Hubei University<sup>2</sup>)
- P-206 (OP11-04)** Nemo-like kinase blocks Hedgehog signaling by phosphorylating Gli1 transcription factor in neural progenitor cells and brain tumor.  
神経前駆細胞及び脳腫瘍において Nemo-like kinase は転写因子 Gli1 をリン酸化してヘッジホッグシグナルを抑制する  
<sup>○</sup>Tohru Ishitani, Nobuyuki Shimizu, Shizuka Ishitani (Div. of Cell Reg. Sys., Med. Ins. of Bioreg., Kyushu Univ.)
- P-207 (FT7-06)** Lgr4 knockout mice show female hermaphroditism  
雌 Lgr4 ノックアウトマウスは仮性半陰陽を示す  
<sup>○</sup>Masae Koizumi<sup>1</sup>, Kazunori Oyama<sup>1</sup>, Akihiro Nawa<sup>2</sup>, Katsuhiko Nishimori<sup>1</sup> (Lab. Mol. Biol., Grad. Sch. of univ. of Tohoku<sup>1</sup>, Dep. Obstetrics and Gynecology, Grad. Sch. of Med., Univ. of Ehime<sup>2</sup>)
- P-208 (OP17-06)** BMP Signaling Determines XX Germ Cell Fate independently of Retinoic Acid-induced Meiotic Initiation  
<sup>○</sup>Quan Wu<sup>1</sup>, Chu-Xia Deng<sup>2</sup>, Yumiko Saga<sup>1,3</sup> (SOKENDAI<sup>1</sup>, NIDDK<sup>2</sup>, NIG<sup>3</sup>)
- P-209 (FT7-07)** Identification of a genetic cause of non-regenerative head tissues in the planarian *Phragmatobia kawakatsui*  
コガタウズムシにおける頭部構造再生条件の探索  
<sup>○</sup>Yui Nishimura<sup>1</sup>, Martina Hroudá<sup>1</sup>, Eri Kawaguchi<sup>1</sup>, Yazawa Shigenobu<sup>2</sup>, Osamu Nishimura<sup>2</sup>, Takeshi Inoue<sup>1</sup>, Kiyokazu Agata<sup>1</sup>, Yoshihiko Umeson<sup>1</sup> (Dept. of Biophysics Grad. School of Science, Kyoto Univ.<sup>1</sup>, Global COE Program: Evolution and Biodiversity, Division of Biological Sciences, Graduate School of Science, Kyoto University<sup>2</sup>)
- P-210 (FT7-08) (SW2-06)** *In vivo* model system to study the genetic program of tissue regeneration  
組織再生の遺伝プログラム研究に向けた *in vivo* モデルシステムの確立  
<sup>○</sup>Soshiro Kashio<sup>1</sup>, Fumiaki Obata<sup>1,2</sup>, Liu Zhang<sup>1</sup>, Takahiro Chihara<sup>1,2</sup>, Masayuki Miura<sup>1,2</sup> (Genetics, Grad Sch Pharm Sci, Univ Tokyo<sup>1</sup>, CREST, JST<sup>2</sup>)
- P-211 (OP14-01)** Wnt activation in nail epithelium couples nail growth to digit regeneration  
マウスにおいて爪表皮での Wnt の活性化が爪の成長と指の再生に必要なである  
<sup>○</sup>Makoto Takeo<sup>1</sup>, Wei Chin Chou<sup>1</sup>, Qi Sun<sup>1</sup>, Piul Rabbani<sup>1</sup>, Cynthia Loomis<sup>1</sup>, Makoto Taketo<sup>2</sup>, Mayumi Ito<sup>1</sup> (Dermatology and Cell Biology, NYU<sup>1</sup>, Pharmacology, Kyoto Univ.<sup>2</sup>)
- P-212 (FT7-09)** JAK/STAT signaling promotes blastemal cell proliferation during leg regeneration in the cricket *Gryllus bimaculatus*  
脚再生過程において JAK/STAT シグナルは再生芽細胞の増殖を制御する  
<sup>○</sup>Tetsuya Bando<sup>1</sup>, Taro Mito<sup>2</sup>, Hideyo Ohuchi<sup>1</sup>, Sumihare Noji<sup>2</sup> (Okayama Univ.<sup>1</sup>, Tokushima Univ.<sup>2</sup>)
- P-213 (FT7-10)** Analysis of the source of ‘blastema survival factor’ and its downstream signaling during the zebrafish fin fold regeneration  
ゼブラフィッシュの膜ヒレ再生時における再生芽生存因子の起源とその下流シグナルの解析  
<sup>○</sup>Tomoya Hasegawa, Teruhiro Nakajima, Takashi Ishida, Akira Kudo, Atsushi Kawakami (Tokyo tech)
- P-214 (OP14-02)** Epidermal Wnt/beta-catenin signalling promotes dermal adipocyte differentiation during hair follicle morphogenesis and regeneration  
表皮性の Wnt/beta-catenin シグナルが毛包発生と再生時の皮下脂肪の分化を促進する  
Giacomo Donati<sup>2,3</sup>, <sup>○</sup>Hironobu Fujiwara<sup>1,2</sup>, Valentina Proserpio<sup>4</sup>, Fiona Watt<sup>2,3</sup> (RIKEN CDB<sup>1</sup>, Cancer

Research UK Cambridge Resesarch Institute<sup>2</sup>, King's College London<sup>3</sup>, MRC Laboratory of Molecular Biology<sup>4</sup>)

- P-215**  
**(FT7-11)**  
**(SW2-07)** Imaging and characterization of mmp9-expressing cells during zebrafish fin regeneration using the Tol2 BAC transgenic  
Tol2 BAC トランスジェニックを用いた、ゼブラフィッシュのひれ再生における mmp9 発現細胞の解析  
○Kazunori Ando, Akira Kudo, Atsushi Kawakami (Tokyo Tech)
- P-216**  
**(FT7-12)**  
**(SW2-09)** Critical role of *fibronectin 1b* during zebrafish fin regeneration  
ゼブラフィッシュひれ再生における *fibronectin 1b* の機能解析  
○Eri Shibata, Emiko Murase, Akira Kudo, Atsushi Kawakami (Tokyo tech)
- P-217**  
**(OP14-03)** Vascular regeneration in zebrafish caudal fin.  
ゼブラフィッシュにおける血管再生機構  
○Yoshiko Kametani<sup>1,2</sup>, Didier Stainier<sup>2,3</sup>, Shinji Takada<sup>1</sup> (OIIB<sup>1</sup>, UCSF<sup>2</sup>, MPI-HLR<sup>3</sup>)
- P-218**  
**(FT7-13)**  
**(SW2-05)** Transient reduction of 5-methylcytosine and 5-hydroxymethylcytosine is caused by active DNA demethylation during regeneration of zebrafish fin  
ゼブラフィッシュの尾びれ再生過程では能動的 DNA 脱メチル化による 5-メチルシトシンと 5-ヒドロキシメチルシトシンの一時的な減少が生じる  
○Kentarō Hirose<sup>1</sup>, Nobuyoshi Shimoda<sup>2</sup>, Yutaka Kikuchi<sup>1</sup> (Dep. of Biol. Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>1</sup>, Dep. of Rege. Med., NCGG<sup>2</sup>)
- P-219**  
**(FT7-14)** The analysis on pattern formation of the joint during newt limb regeneration  
イモリの四肢再生における関節のパターン形成の解析  
○Rio Tsutsumi, Shota Takemura, Miki Hiramaya, Yuko Urata, Wataru Yamashita, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys., Grad. Sch. of Sci, Kyoto Univ.)
- P-220**  
**(OP14-04)** Cyclooxygenase-2 signaling regulates osteoclast differentiation during fracture healing in medaka.  
Cyclooxygenase-2 シグナルがメダカの骨折修復における破骨細胞分化を制御する  
○Kazuhiro Takeyama<sup>1,2</sup>, Masahiro Chatani<sup>1</sup>, Yoshiro Takano<sup>3</sup>, Akira Kudo<sup>1</sup> (Dept. of Biological Information, TokyoTech<sup>1</sup>, JSPS Reseach Fellow<sup>2</sup>, Sect. of Biostructural Science, Grad. Sch. of TMDU<sup>3</sup>)
- P-221**  
**(FT7-15)** Comprehensive Analysis of Time-course of Gene Expression Pattern during Forelimb Regeneration in Newt *Cynops pyrrhogaster*  
アカハライモリの前肢再生過程における遺伝子発現変化の網羅的解析  
○Shota Takemura, Rio Tsutsumi, Miki Hirayama, Yuko Urata, Chiaki Michibayashi, Wataru Yamashita, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys., Grad. of Sci., Kyoto Univ.)
- P-222**  
**(FT7-16)** Hippo signaling is important for *Xenopus* limb regeneration  
アフリカツメガエルの四肢再生における Hippo 系路の重要性  
○Shinichi Hayashi<sup>1</sup>, Haruki Ochi<sup>2</sup>, Hajime Ogino<sup>2</sup>, Koji Tamura<sup>1</sup>, Hitoshi Yokoyama<sup>1</sup> (Laboratory of Organ Morphogenesis, Tohoku University<sup>1</sup>, Developmental Genomics Research Group, NAIST<sup>2</sup>)
- P-223**  
**(OP14-05)** Different cellular contribution of somite-derived tissues to limb regeneration in larval and adult *Xenopus*  
ツメガエルの四肢再生において体節由来組織は幼生期と成体期では異なる細胞寄与を示す  
Chikashi Nagayama<sup>1</sup>, Takashi Ariizumi<sup>2</sup>, Koji Tamura<sup>1</sup>, ○Hitoshi Yokoyama<sup>1</sup> (Dept. of Dev. Biol., Grad. School of Life Sci., Tohoku Univ.<sup>1</sup>, Dept. of Bioresource Sci., College of Agri., Tamagawa Univ.<sup>2</sup>)

- P-224  
(FT7-17)** A new regeneration study system in *Xenopus laevis*; Ectopic blastema induction by nerve deviation and skin wounding  
 アフリカツメガエル (*Xenopus laevis*) における新規再生研究系 ; 神経遊走と皮膚損傷による異所再生芽の誘導  
 °Kazumasa Mitogawa, Miyuki Moriyasu, Ayako Hirata, Aki Makanae, Akira Satoh (RCIS, Okayama Univ)
- P-225  
(FT7-18)** Comparative study of limb regeneration between amphibians and mammals  
 両生類との比較から探るマウスの四肢再生能  
 °Shinichirou Miura, Tetsuya Endo (Lab. of Biol., Aichi Gakuin Univ.)
- P-226  
(OP14-06)** The molecular logic for head regenerative and head non-regenerative ability among different planarian species  
 頭部再生能の異なるプラナリア種の分子基盤  
 °Yoshihiko Umesono<sup>1,2</sup>, Junichi Tasaki<sup>2</sup>, Yui Nishimura<sup>2</sup>, Martina Hrouda<sup>2</sup>, Eri Kawaguchi<sup>2</sup>, Shigenobu Yazawa<sup>2</sup>, Osamu Nishimura<sup>2</sup>, Kazutaka Hosoda<sup>2</sup>, Takeshi Inoue<sup>2</sup>, Kiyokazu Agata<sup>2</sup> (RIKEN CDB<sup>1</sup>, Kyoto Univ. Department of Biophysics<sup>2</sup>)
- P-227  
(FT7-19)** Amphibian retinal regeneration is triggered by matrix metalloproteinases  
 両生類網膜再生初期過程を制御する matrix metalloproteinases の解析  
 °Hanako Naito<sup>1</sup>, Yoko Ueda<sup>1</sup>, Takahiko Sato<sup>2</sup>, Atsuko Sehara-Fujisawa<sup>2</sup>, Masasuke Araki<sup>1</sup> (Dev. Neurobiol. Lab., Dept. of Biol. Sci., Nara Women's Univ.<sup>1</sup>, Department of Growth Regulation, Institute for Frontier Medical Sciences, Kyoto Univ.<sup>2</sup>)
- P-228  
(FT7-20)** *Rax* and *Pax6* expressions are related to the localization of cell adhesion molecules during retinal regeneration in *Xenopus*  
 成体ツメガエル網膜再生における *Rax*・*Pax6* 遺伝子の発現パターンと細胞接着分子の動態の解析  
 °Yoko Ueda<sup>1</sup>, Rika Teshigawara<sup>2</sup>, Masasuke Araki<sup>1,2</sup> (Graduate school of humanities and science, NWU<sup>1</sup>, Dev. Neurobiol. Lab., Dept. of Biol. Sci., NWU<sup>2</sup>)
- P-229  
(OP14-07)** Transcriptome analysis to search for genes involved in anteriorization during regeneration of the planarian *Dugesia japonica*  
 トランスクリプトーム解析によるプラナリアの再生過程における前方化に関わる遺伝子の探索  
 °Kazutaka Hosoda<sup>1</sup>, Osamu Nishimura<sup>2</sup>, Shigenobu Yazawa<sup>1</sup>, Tetsutaro Hayashi<sup>3</sup>, Kiyokazu Agata<sup>1</sup>, Yoshihiko Umesono<sup>3</sup> (Dept. of Biophys., Kyoto Univ.<sup>1</sup>, GCOE, Kyoto Univ.<sup>2</sup>, RIKEN CDB<sup>3</sup>)
- P-230  
(FT7-21)** Studies on regeneration of the dopaminergic neuron in newts, *Cynops pyrrhogaster*  
 アカハライモリを用いたドーパミン神経細胞再生の解析  
 °Yuko Urata, Wataru Yamashita, Rio Tsutsumi, Shota Takemura, Miki Hirayama, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys. Grad. Sch. of Sci., Kyoto Univ.)
- P-231  
(FT7-22)** In vitro analysis of the neural stem cells in newt *Cynops pyrrhogaster*  
 アカハライモリ神経幹細胞の In vitro 解析  
 °Wataru Yamashita, Yuko Urata, Chiaki Michibayashi, Rio Tsutsumi, Shota Takemura, Miki Hirayama, Takeshi Inoue, Kiyokazu Agata (Dept. of Biophys. Grad. Sci., Kyoto Univ.)
- P-232  
(OP14-08)** Brain regeneration in *Aeolosoma viride*  
 °Jiun-Hong Chen, Fei-Man Hsu, Yi-Tze Wu (DLF/IZ, NTU)
- P-233  
(FT7-23)** Lineage tracing analysis of cardiomyocytes in the newt cardiac regeneration by tamoxifen-inducible Cre loxP system.  
 タモキシフェン誘導型 Cre loxP システムを用いたイモリの心臓再生過程における

細胞系譜の追跡。

○Ayumi Myouga, Naoki Yokotani, Takashi Takeuchi, Toshinori Hayashi (Scl of Life Science, Tottori Univ.)

**P-234  
(FT7-24)**

What Molecule Triggers Proliferation of Cardiomyocytes during Newt Heart Regeneration?

イモリ心臓再生過程において、心筋細胞の増殖を開始させるトリガーは何か？

Naoki Yokotani<sup>1</sup>, Takeshi Inoue<sup>2</sup>, Eri Kawaguchi<sup>2</sup>, Kiyokazu Agata<sup>2</sup>, Takashi Takeuchi<sup>1</sup>, ○Toshinori Hayashi<sup>1</sup> (Scl. of Life Science, Tottori Univ.<sup>1</sup>, Grad. Sch. Science., Kyoto Univ.<sup>2</sup>)

**P-235  
(OP18-01)**

Finding of molecular triggers of axolotl limb regeneration.

ウーパールーパー四肢再生における再生惹起因子

Aki Makanae<sup>1</sup>, Kazumasa Mitogawa<sup>1</sup>, Miyuki Moriyasu<sup>1</sup>, Ayako Hirata<sup>1</sup>, ○Akira Satoh<sup>1,2</sup> (RCIS<sup>1</sup>, JST PRESTO<sup>2</sup>)

**P-236  
(FT2-17)**

Specific isolation of HCN4 positive cardiac pace-making cells derived from embryonic stem cells

ES細胞由来 HCN4 陽性心臓ペースメーカー細胞の分取と解析

○Kumi Morikawa, Yasuaki Shirayoshi, Ichiro Hisatome (Dept. of Regenerat. Med. & Therapeut., Grad. Sch. of Med. Sci., Tottori Univ.)

**P-237  
(OP18-02)**

Wnt and Notch signals guide embryonic stem cell differentiation into the intestinal lineages

Wnt シグナルと Notch シグナルが腸上皮細胞への分化を導く

○Soichiro Ogaki, Nobuaki Shiraki, Kazuhiko Kume, Shoen Kume (Kumamoto Univ IMEG Dept. of Stem Cell Biol.)

**P-238  
(FT4-10)**

Functional Analysis of Drosophila Histone Methyltransferase G9a

ショウジョウバエヒストンメチル基転移酵素 G9a の機能解析

○Kohei Shimaji<sup>1</sup>, Shintaro Tanaka<sup>1</sup>, Hiroshi Kimura<sup>3</sup>, Yasuyuki Ohkawa<sup>4</sup>, Tetsuya Sato<sup>5</sup>, Mikita Suyama<sup>5</sup>, Hideki Yoshida<sup>1,2</sup>, Masamitsu Yamaguchi<sup>1,2</sup> (Kyoto Inst. of Tech. Univ.<sup>1</sup>, Insect Biomedical Research Center<sup>2</sup>, Graduate School of Frontier Biosciences, Osaka Univ.<sup>3</sup>, Dept. of Adv. Med. Initiatives, Fac. of Med., Kyushu Univ.<sup>4</sup>, Div. of Bioinformatics, Med. Inst. of Bioregulation, Kyushu Univ.<sup>5</sup>)

**P-239  
(OP18-03)**

Antagonistic relationship between H3K27me3 and DNA methylation in the regulation of developmental genes

発生関連遺伝子の発現制御における DNA メチル化と H3K27me3 のアンタゴニズム

○Ryohei Nakamura<sup>1</sup>, Taro Saito<sup>2</sup>, Wei Qu<sup>2</sup>, Jun Yoshimura<sup>2</sup>, Shinichi Morishita<sup>2</sup>, Yutaka Suzuki<sup>2</sup>, Shinichi Hashimoto<sup>2</sup>, Tatsuya Tsukahara<sup>1</sup>, Hiroyuki Takeda<sup>1</sup> (Dept. Bio. Sci., Grad. Sch. Sci., Univ. Tokyo<sup>1</sup>, Dept. Comp. Biol., Grad. Sch. Fro. Sci., Univ. Tokyo<sup>2</sup>)

**P-240  
(FT4-11)**

The histone demethylase jmjd3 stimulates ectopic eye formation by increasing the access of pax6 protein to its target gene

ヒストン脱メチル化因子 jmjd3 は pax6 が標的遺伝子にアクセスするのを助けて異所的な眼形成を促進する

○Norihito Sudou, Akane Kawaguchi, Haruki Ochi, Hajime Ogino (NAIST)

**P-241  
(FT4-12)**

The cis-regulatory evolution for developmental robustness and stress response

○Haruki Ochi<sup>1</sup>, Akane Kawaguchi<sup>2</sup>, Norihito Sudou<sup>2</sup>, Kazuyuki Hoshijima<sup>4</sup>, Hajime Ogino<sup>3</sup> (Fac. of Med., Yamagata Univ.<sup>1</sup>, Grad. Sch. of Bio. Sci., NAIST<sup>2</sup>, Dept. of Animal Bioscience, Nagahama Inst. of Bio-Sci. and Tech.<sup>3</sup>, Dep. of Human Genetics, Univ. of Utah<sup>4</sup>)

- P-242  
(OP09-01)** Screen for modifiers of transcriptional inheritance  
転写のエピジェネティック継承の解析  
○Tetsuya Muramoto, Masahiro Ueda (RIKEN QBiC)
- P-243  
(OP09-02)** Accelerating the Tempo of the Segmentation Clock by Reducing the Number of Introns in the Hes7 Gene  
Hes7 遺伝子のイントロン削減による分節時計の加速化  
○Yukiko Harima, Yoshiki Takashima, Yuriko Ueda, Toshiyuki Ohtsuka, Ryoichiro Kageyama (IVR, Kyoto Univ.)
- P-244  
(FT1-06)** Identification of a novel regulatory element for *Shh* expression in the mouse lung and gut  
*Shh* 遺伝子の肺と消化管の発現に関与する新規エンハンサーエレメントの同定  
○Takanori Amano<sup>1</sup>, Nagaharu Tsukiji<sup>2</sup>, Toshihiko Shiroishi<sup>1</sup> (NIG<sup>1</sup>, Department of Clinical and Laboratory Medicine, Faculty of Medicine, University of Yamanashi<sup>2</sup>)
- P-245  
(OP09-03)** *armadillo* and *orthodenticle* regulate the traveling of a wave of *hedgehog* expression in the early spider embryo  
アルマジロとオルソデンティクルは初期クモ胚においてヘッジホッグ発現波の伝播を制御する  
○Hiroki Oda, Yasuko Akiyama-Oda (JT BRH)
- P-246  
(OP09-04)** Hipk2 plays essential roles in the Wnt-mediated early developmental events by inducing Dishevelled dephosphorylation and stabilization.  
タンパク質リン酸化酵素 Hipk2 は、Dishevelled タンパク質の脱リン酸化と安定化を誘導することにより、Wnt 分子が制御する初期発生イベントにおいて必須の役割を果たす。  
○Nobuyuki Shimizu, Tohru Ishitani (Div. of Cell Reg. Sys., Dep. of Immuno. and Neurosci., M.I.B., Kyushu Univ.)
- P-247  
(FT1-07)** Estrogen-related receptor beta is necessary to induce Cdx2 gene activation after repression of Oct3/4  
Esrrb は Oct3/4 発現減少に伴って生じる Cdx2 の発現上昇の制御に必要である  
○Mariko Yamane, Toshimi Sugimoto, Hitoshi Niwa (RIKEN CDB)
- P-248  
(OP09-05)** Nipbl and Med12 regulate limb-specific expression of genes cooperatively during vertebrate limb development  
脊椎動物四肢発生期において Nipbl と Med12 は肢芽特異的な遺伝子発現を協同的に調節する  
○Akihiko Muto<sup>1,2,4</sup>, Martha Lopez-Burks<sup>2,4</sup>, Yutaka Kikuchi<sup>1</sup>, Anne Calof<sup>3,4</sup>, Arthur Lander<sup>2,4</sup>, Thomas Schilling<sup>2,4</sup> (Dept. Biol. Sci., Hiroshima, Univ.<sup>1</sup>, Dept. Dev. Cell Biol., UC Irvine, USA<sup>2</sup>, Dept. Anat. Neurobiol, UC Irvine, USA<sup>3</sup>, CCBS, UC Irvine, USA<sup>4</sup>)
- P-249  
(OP09-06)** Hypoxia reduces the toxicity of a metabolic inhibitor via activation of the HIF signalling pathway and reduction of chemical uptake  
○I Chen Hung<sup>1,2</sup>, Helen Walton<sup>1</sup>, Shyh-Jye Lee<sup>2</sup>, Ronny van Aerle<sup>1</sup>, Megan Resse<sup>1</sup>, James Cresswell<sup>1</sup>, Rod W. Wilson<sup>1</sup>, Eduarda M. Santos<sup>1</sup> (Biosciences, College of Life and Environmental Sciences, University of Exeter<sup>1</sup>, Institute of Zoology, National Taiwan University<sup>2</sup>)
- P-250  
(FT1-08)** Identification of novel zinc finger genes suppressing precocious specification of the brain fate in brain/palp precursor cells in the *Ciona intestinalis* embryo  
カタユウレイボヤ胚の脳一付着突起前駆細胞において、適切な時間まで脳への分化プログラムの開始を抑制するジンクフィンガー遺伝子の同定と解析  
○Tatsuro Ikeda, Terumi Matsuoka, Yutaka Satou (Dept. of Zool., Grad. Sch. of Sci., Kyoto Univ.)

- P-251 (OP09-07)** Cis-acting transcriptional repression establishes a sharp boundary in chordate embryos  
Admp 遺伝子は Pinhead 遺伝子によりタンパク質レベルおよび転写レベルで二重の抑制をうけ動物胚の腹側の領域を決定する  
○Kaoru Imai<sup>1</sup>, Yutaka Daidou<sup>2</sup>, Takehiro Kusakabe<sup>2</sup>, Yutaka Satou<sup>1</sup> (Kyoto Univ.<sup>1</sup>, Konan University<sup>2</sup>)
- P-252 (FT1-09)** Defining the sequence for nuclear localization of *C. elegans* muscleblind proteins  
○Po-Hsuan Chen<sup>1</sup>, Bo-Lun Su<sup>1</sup>, Li-Chun Wang<sup>1</sup>, Hung-Chi Su<sup>2</sup>, Kuang-Ming Hsiao<sup>1</sup> (DLS, NCC Univ.<sup>1</sup>, DBS, CSM Univ.<sup>2</sup>)
- P-253 (OP09-08)** Four signaling pathways cooperatively specify neural fate in ascidian embryos  
ホヤ胚において 4 つのシグナル経路が協調して神経運命決定をする  
○Naoyuki Ohta, Yutaka Satou (Kyoto University)
- P-254 (OP06-01)** Experimental Evodevo of larval skeleton in Echinodermata  
棘皮動物の幼生骨片の実験的進化発生学研究  
○Hiroyuki Koga, Yoshiaki Morino, Hiroshi Wada (Univ. Tsukuba)
- P-255 (FT1-10)** Hox gene cluster structure in the genome of *Halocynthia roretzi*.  
マボヤの Hox 遺伝子のクラスター構造  
○Yuka Sekigami<sup>1</sup>, Takuya Kobayashi<sup>1</sup>, Ai Omi<sup>1</sup>, Tetsuro Ikuta<sup>1</sup>, Asao Fujiyama<sup>2</sup>, Noriyuki Satoh<sup>3</sup>, Hidetoshi Saiga<sup>1</sup> (TMU<sup>1</sup>, NIG<sup>2</sup>, OIST<sup>3</sup>)
- P-256 (OP06-02)** Regulation of Left-Right Asymmetry in Sea Urchins  
Yi-Jyun Luo, Jeff Chieh-fu Peng, ○Yi-Hsien Su (ICOB, Academia Sinica)
- P-257 (OP06-03)** Nodal signalling determines biradial symmetry in the cnidarian Hydra  
刺胞動物ヒドラの分岐形態は Nodal シグナルにより制御される  
○Hiroshi Watanabe<sup>1</sup>, Heiko Schmidt<sup>2</sup>, Bert Hobmayer<sup>3</sup>, Suat Özbek<sup>1</sup>, Thomas Holstein<sup>1</sup> (COS, Univ. Heidelberg<sup>1</sup>, CIBIV<sup>2</sup>, Inst. Zool. Univ. Innsbruck<sup>3</sup>)
- P-258 (FT1-11)** Anterior-Posterior Axis formation in Non-rodent Mammals  
非齧歯類哺乳動物における前後軸形成機構の解析  
○Michio Yoshida<sup>1</sup>, Eriko Kajikawa<sup>1</sup>, Yoko Suda<sup>1</sup>, Daisuke Kurokawa<sup>2</sup>, Akira Onishi<sup>3</sup>, Tomoyuki Tokunaga<sup>4</sup>, Shinichi Aizawa<sup>1</sup> (Body plan, CDB, RIKEN<sup>1</sup>, Misaki Marine Biological Station, Graduate School of Science, The University of Tokyo, Japan<sup>2</sup>, Transgenic Animal Research Center, National Institute of Agrobiological Sciences, Japan<sup>3</sup>, Division of Animal Sciences, National Institute of Agrobiological Sciences, Japan<sup>4</sup>)
- P-259 (OP06-04)** Possible evolutionary origin of cardiac function  
心臓機能の進化的起源  
○Hiroshi Shimizu<sup>1</sup>, Kevin Pang<sup>2</sup>, Mark Q Martindale<sup>2</sup> (NIG<sup>1</sup>, Kewalo Marine Laboratory, Univ. Hawaii<sup>2</sup>)
- P-260 (FT1-12)** Molecular mechanisms regulating heterochronic development of marsupial cranial neural crest  
有袋類における頭部神経堤発生の異時性の分子制御機構  
○Yoshio Wakamatsu<sup>1</sup>, Tadashi Nomura<sup>2</sup>, Noriko Osumi<sup>1</sup>, Kunihiro Suzuki<sup>3</sup> (Div. of Dev. Neurosci., Tohoku Univ. Grad. Sch. of Med.<sup>1</sup>, Dept. Biol. Dev. Neurobiol., Kyoto Prefectural Univ. Med., Grad. Sch. Med. Sci.<sup>2</sup>, Dept. Biol., Nihon Univ., Sch. Dentist. Matsudo<sup>3</sup>)
- P-261 (OP06-05)** Elastin gene subfunctionalization and formation of teleost-specific outflow tract, “bulbus arteriosus”, in fish evolution and development  
エラスチン遺伝子の機能分化と真骨魚類においてみられる動脈球（流出路）の発生と進化  
○Yuuta Moriyama<sup>1</sup>, Jun Takeuchi<sup>1,2</sup>, Kazuko Koshiba-Takeuchi<sup>1,2</sup> (Cardiovascular Regeneration, IMCB,

Univ. of Tokyo, Japan<sup>1</sup>, Biological Science, Grad. Sch. of Sciences, Univ. of Tokyo, Japan<sup>2</sup>)

- P-262 (OP06-06)** Expression of germline markers in three species of amphioxus supports a preformation mechanism of germ cell development in cephalochordates  
Qiu-Jin Zhang<sup>1,2</sup>, Yi-Jyun Luo<sup>1</sup>, Hui-Ru Wu<sup>1</sup>, Yen-Ta Chen<sup>1</sup>, <sup>○</sup>Jr-Kai Yu<sup>1,3</sup> (ICOB, Academia Sinica<sup>1</sup>, Fujian Normal University<sup>2</sup>, Inst. Ocean., NTU<sup>3</sup>)
- P-263 (FT1-13)** Evolutionary divergence of an epithelial linings-specific *Shh* enhancer  
上皮特異的な *Shh* エンハンサーの進化的分岐  
<sup>○</sup>Tomoko Sagai<sup>1</sup>, Takanori Amano<sup>1</sup>, Akiteru Maeno<sup>1</sup>, Tetsuaki Kimura<sup>2</sup>, Kiyoshi Naruse<sup>2</sup>, Toshihiko Shi-roishi<sup>1</sup> (Mammal. Genet., NIG<sup>1</sup>, Bioresources, NIBB<sup>2</sup>)
- P-264 (OP06-07)** Evolutionary background of pluripotency among amniotes — FGF/ERK-independent proliferation in early embryos —  
鳥類・爬虫類から見る多能性機構の進化  
<sup>○</sup>Shota Nakanoh, Kiyokazu Agata (Kyoto University, Science)
- P-265 (FT1-14)** A conserved molecular and cellular mechanism of lung-bud formation between tetrapods and *Polypterus senegalus*  
四肢動物と古代魚ポリプテルス間で保存されている肺芽形成の分子細胞生物学的メカニズム  
<sup>○</sup>Ritsuko Kobayashi, Koji Fujimura, Masatsugu Noda, Norifumi Tatsumi, Masataka Okabe (Dept. of Anat., Jikei Univ. School of Med.)
- P-266 (OP06-08)** Modification of anterior-posterior patterning systems during the fin-to-limb transformation: Insight into the origin of thumbs  
対鰭から四肢への形態変化における前後軸形成機構の変更～親指の起源への洞察～  
<sup>○</sup>Koh Onimaru, Mikiko Tanaka (Tokyo Tech.)
- P-267 (OP06-09)** Pax1 and Segmental Development of Pharyngeal Arch  
Pax1 が解き明かす咽頭弓分節機構  
<sup>○</sup>Kazunori Okada, Hiroshi Wada (Univ. Tsukuba)
- P-268 (FT1-15)** Developmental roles of siamois-related Gene in a basal Actinopterygian: functional and evolutionary implications  
原始的条鰭類ポリプテルスの初期発生における新規 siamois 関連遺伝子の役割  
<sup>○</sup>Masaki Takeuchi<sup>1,2</sup>, Shinichi Aizawa<sup>2</sup> (Dep. Med. Eng. Kawasaki Univ. Med. Welf.<sup>1</sup>, CDB, RIKEN<sup>2</sup>)
- P-269 (OP06-10)** Evolutionary and functional analysis of cis-regulatory elements in mammalian Gsx1 and Gsx2 homeobox genes  
哺乳類 Gsx1, Gsx2 ホメオボックス遺伝子シス発現調節因子の進化的および機能的解析  
<sup>○</sup>Kenta Sumiyama (NIG)
- P-270 (FT1-16)** Medaka miR-124 is involved in post-transcriptional regulation of polypyrimidine tract binding protein 1 (PTBP1) in neural development  
メダカ miR-124 は神経系発生で PTBP1 の転写調節に関与する  
<sup>○</sup>Yumiko Kato<sup>1</sup>, Rie Kusakabe<sup>2</sup>, Kunio Inoue<sup>2</sup>, Shin Tochinnai<sup>3</sup> (Dept. Nat. His. Sci., Grad. Sch. Sci., Hokkaido Univ.<sup>1</sup>, Dept. Biol., Grad. Sch. Sci., Kobe Univ.<sup>2</sup>, Dept. Nat. His. Sci., Fac. Sci., Hokkaido Univ.<sup>3</sup>)
- P-271 (OP06-11)** Role of *Six1* in evolution of vertebrate primary sensory system  
脊椎動物体幹部一次感覚神経系の進化における *Six1* の役割

- Kiyoshi Kawakami<sup>1</sup>, Hiroshi Yajima<sup>1</sup>, Makoto Suzuki<sup>2</sup>, Haruki Ochi<sup>3</sup>, Keiko Ikeda<sup>4</sup>, Shigeru Sato<sup>1</sup>, Hajime Ogino<sup>3</sup>, Naoto Ueno<sup>2</sup> (Div. Biol., CMM, Jichi Med. Univ.<sup>1</sup>, Div. Morpho. NIBB<sup>2</sup>, Dev. Genet. NAIST<sup>3</sup>, Dep. Biol. Hyogo Med. Col.<sup>4</sup>)
- P-272 (FT1-17)** Characterization of Zebrafish internexin neuronal intermediate filament protein, alpha a (inaa), in the developing nervous system  
○Meng-Lin Liao, Chung-Liang Chien (DACB, NTU)
- P-273 (OP06-12)** Conserved genetic module for the development of dorsal flat sheet-like structures among Branchiopod crustaceans  
鰓脚綱甲殻類に保存された背部平板状構造形成に関与する遺伝子モジュール  
Yuki Ishida, Shin-ichi Tokishita, ○Yasuhiro Shiga (Tokyo Univ. Pharm. & Life Sci., Sch. of Life Scis.)
- P-274 (FT4-17)** Gr33a modulates mate choice based on age in *Drosophila*  
○Yujia Hu, Yi Han, Lei Xue (SLST, Tongji Univ.)
- P-275 (OP11-05)** Age-dependent apoptosis of select olfactory neurons impairs innate attraction behavior in *Drosophila*  
特定の嗅覚受容体神経における加齢依存的なアポトーシスが、老化に伴う個体行動変化を引き起こす  
○Takahiro Chihara<sup>1,2</sup>, Aki Kitabayashi<sup>1</sup>, Michie Morimoto<sup>1</sup>, Ken-ichi Takeuchi<sup>1</sup>, Kaoru Masuyama<sup>3</sup>, Ayako Tonoki<sup>4</sup>, Ronald Davis<sup>4</sup>, Jing Wang<sup>3</sup>, Masayuki Miura<sup>1,2</sup> (Dept. Genetics, Grad. Sch. Pharm. Sci., Univ. Tokyo<sup>1</sup>, CREST, JST, Japan<sup>2</sup>, Neurobiol. Biol Sci, UCSD, USA<sup>3</sup>, Neurosci. The Scripps Florida, USA<sup>4</sup>)
- P-276 (OP17-07)** The role of circadian clock gene *per1b* in attention deficit/hyperactivity behaviors  
○Han Wang, Jian Huang, Zhaomin Zhong, Mingyong Wang, Yicheng Tan, Xifeng Chen, He Xiong (SUCCC, Soochow Univ.)
- P-277 (FT1-01)** Cellular sensory mechanisms for detecting specific fold-changes in extracellular cues  
細胞外シグナルの特定倍変化を検出する細胞センサーのメカニズム  
○Ken-ichi Hironaka<sup>1,2</sup>, Yoshihiro Morishita<sup>2</sup> (Kyushu Univ.<sup>1</sup>, RIKEN CDB<sup>2</sup>)
- P-278 (FT1-02)** Fucci vectors for chick embryos  
ニワトリ胚のための Fucci ベクター  
○Nozomi Onodera<sup>1</sup>, Yui Furesawa<sup>2</sup>, Isato Araki<sup>2</sup> (UGSA, Iwate Univ.<sup>1</sup>, Dept Chem & Bioeng, Fac Eng, Iwate Univ<sup>2</sup>)
- P-279 (OP11-06)** A theoretical study of the developmental properties that determine floral organ number  
花器官の数はどのような発生過程から決まるのか  
○Miho Kitazawa, Koichi Fujimoto (Dept. of Biol. Sci., Grad. Sch. of Sci., Osaka Univ.)
- P-280 (FT1-03) (SW2-10)** Numerical analyses for behaviors of auxin transport pattern on growing fields  
オーキシン極性輸送に基づくパターンでの成長場における数値解析  
○Akiko Nakamasu<sup>1,2</sup>, Kimura Seisuke<sup>1</sup>, Nobhiko Suematsu<sup>3,4</sup> (Dep. Biores. Env. Sci. KSU.<sup>1</sup>, JSPS Reserch Fellow<sup>2</sup>, Grad. School. Adv. Math. Sci. Meiji Univ.<sup>3</sup>, MIMS, Meiji Univ.<sup>4</sup>)
- P-281 (FT1-04)** A theoretical study of mechanical force and cell shape dynamics during cell competition  
細胞競合における機械的な力の役割  
○Arisu Tsuboi, Koichi Fujimoto (Osaka Univ.)
- P-282 (OP11-07)** Targeted genome modifications using ZFNs and TALENs in the cricket *Gryllus bimaculatus*  
フタホシコオロギにおける ZFN, TALEN を用いた標的遺伝子改変  
○Takahito Watanabe<sup>1</sup>, Hiroshi Ochiai<sup>2</sup>, Tetsushi Sakuma<sup>2</sup>, Taro Nakamura<sup>1</sup>, Taro Mito<sup>1</sup>, Takashi Yama-

moto<sup>2</sup>, Sumihare Noji<sup>1</sup> (Dept. of Life Systems, Inst. of Tec. and Sci., Univ. of Tokushima<sup>1</sup>, Dept. of Math. and Life Sci., Grad. Sch. of Sci., Hiroshima Univ.<sup>2</sup>)

**P-283**  
**(FT1-05)**  
**(SW2-11)**

A theory on the timing of cell fate decision in developing organs  
成長組織における細胞運命の決定タイミングに関する理論  
○Yoshihiro Morishita<sup>1</sup>, Takayuki Suzuki<sup>2</sup> (RIKEN CDB<sup>1</sup>, Nagoya Univ.<sup>2</sup>)

**P-284**  
**(FT4-13)**

Functional characterization of miR-375 and miR-200a of downstream regulation in development of hepatocellular carcinoma  
○Cheng-Maw Ho<sup>1,3</sup>, Hui-Ling Chen<sup>2</sup>, Po-Huang Lee<sup>1,3</sup> (GICM, NTU<sup>1</sup>, HRC, NTUH<sup>2</sup>, DS, NTUH<sup>3</sup>)

# 日本発生生物学会第46回大会 市民講座

## 生物好きをもっと増やしたい—生き物ワールドへの水先案内—

日時：2013年6月1日（土） 13:00～16:00

場所：島根大学松江キャンパス  
（第一部）大学ホール  
（第二部）大学会館3階

世話人：松崎 貴（島根大学生物資源科学部）

参加費：無料

内容：

### 第一部 生物の魅力を知ってもらうには（13:05～14:25）

1. 国際生物学オリンピックと高校生物教育  
ナビゲーター：齋藤 淳一 先生（東京学芸大学附属国際中等教育学校）
2. おもしろくて役に立つ生物学～進化、発生、医療と地球の未来～  
ナビゲーター：栃内 新 先生（北海道大学大学院理学研究院）
3. 理科好き、生物好きを増やそう！～サヒメルからのチャレンジ～  
ナビゲーター：龍 善暢 先生（島根県立三瓶自然館サヒメル）
4. 誰でも簡単に使える植物図鑑は作れるか？  
ナビゲーター：秋廣 高志 先生（島根大学生物資源科学部）

パネルディスカッション（14:25～15:00）

パネラー：齋藤 淳一・栃内 新・龍 善暢・秋廣 高志・児玉 有紀（島根大学生物資源科学部）・  
岩 義博（島根県立浜田高等学校）  
司会：松崎 貴

\*クリッカー（双方向話型教育支援システム）を使って聴衆の皆様の意見をリアルタイムで反映しながら、生物教育の課題や展望を論議する予定です

### 第二部 体験：生き物ワールドへの“ここからドア”（15:00～16:00）

- 生物の発生現象って不思議だ
- マイクロ王で遊んでみよう
- DVDでみる生命現象
- iPisで身近な植物を同定してみよう？

## 第一部：講演要旨

### 国際生物学オリンピックと高校生物教育 齋藤 淳一（東京学芸大学附属国際中等教育学校）

国際生物学オリンピックは3つの大目標を掲げています。

- ・生物学の問題の創造的解決を通じた、生物学研究への活発な興味を鼓舞
- ・生物学に興味を持つ学生間での定期的国際交流の推進
- ・生物学教育に関するアイデアと教材の交換を推進

実験課題では、日本の高校教育では通常、使用されない分光光度計や電気泳動法なども含めたスキルが要求されます。また、統計学的処理を含めたデータの処理能力も要求されます。今回は、国際生物学オリンピックの紹介とともに、世界の中の日本の生物教育について考えたいと思います。

### おもしろくて役に立つ生物学～進化、発生、医療と地球の未来 栃内 新（北海道大学大学院理学研究院）

新しい学習指導要領の下で高校の理科教育が大きく変わっています。生物学の変化は大きく、1年生が学ぶ生物からは「生殖と発生」や「メンデルの法則」がなくなり、「遺伝子」、「免疫」や「生態系」が大きく扱われるようになっていきます。教科書の変化はさておき、ヒトという動物である「自分とはなにか」を知るという意味において、生物学ほど多くの生徒の興味をひきつけやすく、また日々生きるために直接役に立つ学問はありません。ここを押さえると、生物の授業が変わります。

### 理科好き、生物好きを増やそう！～サヒメルからのチャレンジ～ 龍 善暢（島根県立三瓶自然館サヒメル）

自然科学系の博物館、三瓶自然館サヒメル。ここでは来館者に本物に触れたときの発見と感動を伝えています。そこから生まれる疑問や探求心こそが理科を好きになる原動力と信じて。さらに、理科好きの子ども達を増やすために、先生方にも理科好きになってもらいたい。そんな願いを込めて先生方とサヒメルをつなぐ「サヒメル理科ネット」を作りました。博物館としてどんなお手伝いができるのか。サヒメルからのチャレンジです。

### 誰でも簡単に使える植物図鑑は作れるか？ 秋廣 高志（島根大学生物資源科学部）

身の回りにどんな生き物が生育しているのか知らない子供（大人も）が増えています。私の研究室では、専門的な知識がなくても植物の名前を調べることが出来る“種の同定支援システム（名称は iPis : plant identification system）”の構築を行なっています。多くの人がこのシステムを使い「植物の名前がわかる」喜びを知って頂きたいと思っています。開発のエピソード、そして今後の展望についてご説明したいと思います。参考 URL は <http://tayousei.life.shimane-u.ac.jp/> です。

日本発生生物学会第 46 回大会

第 7 回男女共同参画ランチョンワークショップ

46<sup>th</sup> annual meeting for the JSDB with the APDBN, 7<sup>th</sup> Gender equality workshop

5 月 31 日（金）12:10-13:10 会場 Room2（くにびきメッセ）

## 「生物学を企業で活かす、広がる可能性」

話題提供：

小島 清嗣（オリンパス株式会社）

「人生に無駄はない、とトルストイは言った」

豊田 礼子（株式会社コングレ）

「アカデミアからビジネスへ—研究者としてのキャリアを活かして」

司会：倉永英里奈（理研 CDB）・小柴-竹内 和子（東京大学・分生研）

生物分野を学ぶ学生やポスドクにとって、将来アカデミアで自分の学んできた事を活かす姿は容易に想像できても、企業での姿はなかなか想像に難しいものがあると考えられます。多くの学生が目を向けるのは、生物学と直結しそうな製薬や食品の研究開発部門を持つ企業であり、そのような企業は得てして競争率が非常に高く、学生を悩ます原因となっています。しかし、生物学、特に我々が学ぶ発生生物学を活かす方法というのは意外にあるのではないのでしょうか？ 本ワークショップでは、生物学を学び、ドクターコースを終えた後、他の企業も経てオリンパスに就職され顕微鏡開発に携わってこられた小島清嗣氏、また、ポスドク後コンベンション会社コングレに就職され、学会に参加する側から学会運営をサポートする側に回られた豊田礼子氏を講師としてお招きし、ご自身の経験をもとに、ご自身の学んでこられた事がどのように企業での仕事に反映されているか、お話いただく予定です。将来について悩んでいる学生、ポスドク、また、その指導教官の方々にご参加いただき、自分の学んできた（学んでいる）ことに対して自信を持ち、前向きにキャリアパスについて考えられるようになればと思っております。ランチ付き、日本語ですので、多くの方々のご参加をお待ちしております。

主催：日本発生生物学会男女共同参画 WG

後援：男女共同参画学協会連絡会

## **Luncheon Seminar** ランチョンセミナー

May 31 (Fri) 12:10 - 13:10 Room 1

### **Getting Published Well: Strategies for Success**

Speaker: Dr. Gary C. Schoenwolf (University of Utah School of Medicine)

Publication provides an opportunity to showcase your science to the world. Where you publish (*i.e.*, which journal) affects how your work is viewed by the scientific community, and can affect both the reading and citation of your work and your reputation as a scientist, which in turn affects your career development. Hence, it is important that your work receives the recognition it deserves by being published in the best journal that your science allows. In theory, several largely objective factors determine where a paper is published: its scientific quality, the advance the paper makes in its field, and its applicability to the broader community of science. However, how your paper is perceived by the editors and reviewers (and subsequently by its readers) is equally important. The gold standard for what constitutes a high impact paper is based largely on criteria developed in the Western world. Therefore, scientists trained elsewhere can be at a significant disadvantage. The lecture will focus on strategies for creating the best perception of your paper, increasing the likelihood that it will be published well.

## Author Index (Speaker indicated in Bold.)

<p>A</p> <p>Abe, Kuniya OP12-04 (P-034)</p> <p>Abe, Shin-ichi OP17-02 (P-004)</p> <p>Abe, Takaya FT5-08 (P-020)</p> <p>Abe-Koduka, Natsumi OP05-07 (P-119)</p> <p>Aburatani, Hiroyuki OP07-01 (P-123)</p> <p>Adachi, Mai FT6-12 (P-130)</p> <p>Adachi, Tomoko OP02-05 (P-067)</p> <p>Adati, Naoki FT6-06 (P-118)</p> <p>Adams, Ralf OP04-07 (P-087)</p> <p>Aerle, Ronny van OP09-06 (P-249)</p> <p>Agata, Kiyokazu FT4-01 (P-045) " FT6-01 (P-108) " FT7-07 (P-209) " FT7-14 (P-219) " FT7-15 (P-221) " FT7-21 (P-230) " FT7-22 (P-231) " FT7-24 (P-234) " OP06-07 (P-264) " OP07-04 (P-129) " OP14-06 (P-226) " OP14-07 (P-229) " OP15-03 (P-048) " OP15-05 (P-053)</p> <p>Aizawa, Shinichi FT1-11 (P-258) " FT1-15 (P-268) " FT5-07 (P-018) " FT5-08 (P-020) " FT5-09 (P-021) " FT5-10 (P-023)</p>	<p>Ajima, Rieko OP05-08 (P-121)</p> <p>Akasaka, Koji FT5-10 (P-023)</p> <p>Akihisa, Mai OP18-04 (P-089)</p> <p>Akimoto, Kazunori OP08-08 (P-106)</p> <p>Akiyama, Taku FT6-07 (P-120)</p> <p>Akiyama, Toyoko OP02-04 (P-065)</p> <p>Akiyama-Oda, Yasuko OP05-10 (P-016) " OP09-03 (P-245)</p> <p>Alarcon, Vernadeth OP08-08 (P-106)</p> <p>Alexander, Richard OP13-04 (P-158)</p> <p>Amano, Takanori FT1-06 (P-244) " FT1-13 (P-263)</p> <p>Anderson, Peter FT3-18 (P-173)</p> <p>Ando, Chisa <b>SW2-03 (FT6-15) (P-136)</b></p> <p>Ando, Kazunori <b>SW2-07 (FT7-11) (P-215)</b></p> <p>Araki, Isato FT1-02 (P-278) " <b>FT3-05 (P-195)</b></p> <p>Araki, Masasuke FT5-16 (P-032) " FT7-19 (P-227) " FT7-20 (P-228)</p> <p>Arata, Masaki FT6-23 (P-151)</p> <p>Ares, Saul SW1-07 (FT2-07) (P-086)</p> <p>Ariizumi, Takashi OP14-05 (P-223)</p> <p>Arima, Yuichiro OP07-01 (P-123)</p>	<p>Arishige, Masahiko OP16-04 (P-174)</p> <p>Artzt, Karen OP12-04 (P-034)</p> <p>Asakawa, Kazuhide FT3-04 (P-191) " OP11-01 (P-201)</p> <p>Asashima, Makoto OP04-01 (P-073)</p> <p>Atsumi, Yu OP08-04 (P-101)</p> <p>Atsuta, Yuji OP05-04 (P-113)</p> <p>Au, Tiffany OP07-03 (P-127)</p> <p style="text-align: center;"><b>B</b></p> <p>Bando, Kana FT5-07 (P-018)</p> <p>Bando, Tetsuya FT7-09 (P-212) " OP12-05 (P-037)</p> <p>Benedetto, Alexandre OP02-06 (P-084)</p> <p>Berger-Mueller, Sandra OP01-03 (P-183)</p> <p>Biris, Kristin OP05-08 (P-121)</p> <p>Bullmann, Torsten OP03-03 (P-194)</p> <p style="text-align: center;"><b>C</b></p> <p>Calof, Anne OP09-05 (P-248)</p> <p>Chan, Chung Man OP03-06 (P-198)</p> <p>Chan, Danny OP02-03 (P-063)</p> <p>Chan, Wilson OP02-03 (P-063)</p> <p>Chan, Wood-Yee OP07-03 (P-127)</p> <p>Chan, Y.S. OP07-03 (P-127)</p> <p>Charras, Guillaume OP02-06 (P-084)</p> <p>Chatani, Masahiro OP14-04 (P-220)</p> <p>Cheah, Kathryn OP02-03 (P-063)</p> <p>Cheah, Kathryn.S.E. OP07-03 (P-127)</p> <p>Chen, Chien-Jen FT2-04 (P-103)</p> <p>Chen, Chuan-Mu FT5-02 (P-011)</p> <p>Chen, Chun-Yu FT5-04 (P-014)</p> <p>Chen, Hui-Ling FT4-13 (P-284)</p> <p>Chen, Jiun-Hong OP14-08 (P-232)</p> <p>Chen, Linyi FT2-04 (P-103)</p> <p>Chen, Po-Hsuan FT1-09 (P-252)</p> <p>Chen, Shih-Yun OP02-02 (P-061)</p> <p>Chen, Xifeng OP17-07 (P-276)</p> <p>Chen, Yen-Ta OP06-06 (P-262)</p> <p>Chen, Yi-Chung OP10-05 (P-146)</p> <p>Chen, Yujun FT4-16 (P-094)</p> <p>Cheng, Ching-Feng FT6-10 (P-126)</p> <p>Cheng, Winston FT5-02 (P-011)</p> <p>Cheong, Seong-Moon OP07-08 (P-137)</p> <p>Chida, Kazuhiro OP08-08 (P-106)</p> <p>Chien, Chung-Liang FT1-17 (P-272) " FT4-04 (P-050)</p> <p>Chihara, Takahiro</p>
--	---	--

OP01-01 (P-180)	OP04-07 (P-087)	Fukui, Akimasa	Hara, Ikuyo
" <b>OP11-05 (P-275)</b>	Eiraku, Mototsugu	OP07-05 (P-131)	OP02-05 (P-067)
" SW2-04 (FT3-03) (P-187)	FT5-13 (P-027)	Fukunaga, Rikou	Hara, Takeshi
" SW2-06 (FT7-08) (P-210)	Emoto, Kazuo	FT3-06 (P-199)	OP08-08 (P-106)
Chinone, Ayako	OP01-07 (P-189)	Fukuo, Keisuke	Hara, Taro
<b>SW1-02 (FT7-05) (P-009)</b>	Endo, Tetsuya	OP18-04 (P-089)	FT4-07 (P-056)
Chiu, Chih-Hao	FT7-18 (P-225)	Fukuyama, Masamitsu	Harada, Yumiko
FT3-11 (P-159)	Eto, Ko OP17-02 (P-004)	OP15-04 (P-051)	OP16-04 (P-174)
Cho, Gun-Sik	F	Funayama, Noriko	Haraguchi, Tomoko
OP07-08 (P-137)	Fann, Ming-Ji	FT4-01 (P-045)	SW1-04 (FT5-12) (P-026)
Chou, Chih-Wei	FT5-23 (P-042)	" FT6-01 (P-108)	Harata, Ayano
FT3-11 (P-159)	" OP18-07 (P-095)	" <b>OP07-04 (P-129)</b>	FT2-02 (P-097)
Chou, Shen-Ju	Felemban, Athary	Furesawa, Yui	Harima, Yukiko
FT4-04 (P-050)	FT4-02 (P-047)	FT1-02 (P-278)	OP09-02 (P-243)
Chou, Wei Chin	Feng, Amy	Furukawa, Tetsushi	Harland, Richard
OP14-01 (P-211)	OP02-03 (P-063)	FT3-18 (P-173)	OP16-06 (P-177)
Chow, King Lau	Fujie, Michio	Furuno, Nobuaki	Hasegawa, Akira
OP03-06 (P-198)	FT6-06 (P-118)	SW1-08 (FT2-01) (P-088)	FT5-05 (P-015)
Chu, Daniel	Fujimori, Toshihiko	Furusawa, Kazuya	Hasegawa, Tomoya
OP07-03 (P-127)	FT5-07 (P-018)	OP07-05 (P-131)	FT7-10 (P-213)
Chuang, Ching-Yu	" OP03-07 (P-200)	G	Hashimoto, Chikara
FT4-04 (P-050)	" OP07-02 (P-125)	Goffinet, Andre	FT5-14 (P-029)
" <b>FT4-08 (P-058)</b>	" FT5-13 (P-027)	OP07-02 (P-125)	Hashimoto, Eikichi
Chuang, Han-Ni	Fujimoto, Keita	Gudla, Prabhakar	SW1-08 (FT2-01) (P-088)
FT6-09 (P-124)	OP16-04 (P-174)	OP05-08 (P-121)	Hashimoto, Hisashi
Chung, Bon-chu	Fujimoto, Kiyoe	Gushiken, Takuma	OP02-05 (P-067)
OP05-11 (P-019)	FT3-13 (P-163)	OP02-08 (P-071)	Hashimoto, Mitsuhiro
Chuong, Cheng-Ming <b>PL-01</b>	Fujimoto, Koichi	H	OP01-04 (P-185)
Cresswell, James	FT1-04 (P-281)	Hagiwara, Natsumi	Hashimoto, Shinichi
OP09-06 (P-249)	" OP11-06 (P-279)	<b>SW1-06 (FT2-05) (P-081)</b>	OP18-03 (P-239)
D	Fujimoto, Satoshi	Hamada, Hiroshi	Hatori, Ryo
Daidou, Yutaka	OP03-02 (P-193)	FT5-06 (P-017)	FT6-17 (P-140)
OP09-07 (P-251)	Fujimura, Koji	" OP05-08 (P-121)	" OP02-08 (P-071)
David, Sherwood	FT1-14 (P-265)	Han, Jin-Kwan	Hatta, Kohei
FT6-04 (P-114)	Fujisawa, Kou	FT2-03 (P-100)	FT3-02 (P-184)
Davis, Ronald	OP07-01 (P-123)	" OP07-08 (P-137)	Hattori, Ayumi
OP11-05 (P-275)	Fujita, Kyohei	Han, Wonhee	OP05-01 (P-107)
Deng, Chu-Xia	FT4-03 (P-049)	FT2-03 (P-100)	Hayakawa, Kazuo S03-06
OP17-06 (P-208)	Fujiwara, Hironobu	Han, Yi FT4-17 (P-274)	Hayakawa, Yoshinori
Donati, Giacomo	OP14-02 (P-214)	Hanashima, Carina	OP13-07 (P-164)
OP14-02 (P-214)	Fujiyama, Asao	OP03-03 (P-194)	Hayashi, Shigeo
Dong, Bo	FT1-10 (P-255)	Hanaue, Mayu	OP03-07 (P-200)
OP16-02 (P-170)	Fukuda, Hiroo SS-04	OP17-05 (P-010)	OP08-05 (P-102)
E	Fukuda, Yuusuke	Hannezo, Edouard	" OP16-02 (P-170)
Ehling, Manuel	SW1-01 (FT7-04) (P-007)	OP16-02 (P-170)	" <b>OP16-03 (P-172)</b>

Hayashi, Shinichi FT7-16 (P-222)	" OP18-01 (P-235)	Hosono, Erina OP04-01 (P-073)	I Ichikawa, Rie OP17-01 (P-002)
Hayashi, Tetsutaro OP14-07 (P-229)	OP08-08 (P-106)	Hou, Pei-Shan FT4-04 (P-050)	Igarashi, Hitomi SW1-12 (FT3-17) (P-171)
Hayashi, Toshinori FT7-23 (P-233)	FT7-15 (P-221)	Hozumi, Shunya FT4-06 (P-054)	Iguchi, Taisen FT5-24 (P-043)
" <b>FT7-24 (P-234)</b>	" FT7-21 (P-230)	Hrouda, Martina FT7-07 (P-209)	" FT6-05 (P-116)
" S02-05	" FT7-22 (P-231)	" OP14-06 (P-226)	Ihara, Shinji FT6-04 (P-114)
" <b>TW-5</b>	FT4-05 (P-052)	Hsiao, Chung-Der FT6-10 (P-126)	Iida, Atsuo FT6-08 (P-122)
Hayashi, Yoshiki OP17-03 (P-006)	Hironaka, Ken-ichi FT1-01 (P-277)	Hsiao, Kuang-Ming FT1-09 (P-252)	Iimura, Naoya FT3-12 (P-175)
Hibi, Masahiko FT3-04 (P-191)	Hirose, Kazuya OP08-03 (P-099)	" FT6-09 (P-124)	Ikami, Kanako OP15-06 (P-055)
" OP02-05 (P-067)	Hirose, Kentaro SW2-05 (FT7-13) (P-218)	Hsieh, Chang-Huain OP03-01 (P-192)	Ikawa, Masahito <b>S01-03</b>
" OP10-01 (P-139)	Hirose, Michiko OP12-04 (P-034)	Hsieh, Hsiao-Han OP18-06 (P-093)	Ikeda, Keiko OP06-11 (P-271)
" OP11-01 (P-201)	Hirose, Tetsuro OP08-07 (P-105)	Hsu, Fei-Man OP14-08 (P-232)	Ikeda, Nobuhito FT5-05 (P-015)
Higaki, Takumi <b>SS-01</b>	Hiruta, Chizue FT5-24 (P-043)	Hsu, Tsung-Yuan <b>OP18-06 (P-093)</b>	Ikeda, Shoko OP08-03 (P-099)
Higashijima, Shin-ichi FT4-06 (P-054)	Hisano, Yu S03-01	Hsu, Yu-Chen FT5-04 (P-014)	Ikeda, Tatsuro FT1-08 (P-250)
Higuchi, Hiroaki OP05-02 (P-109)	Hisatome, Ichiro FT2-17 (P-236)	Hu, Yujia FT4-17 (P-274)	Ikeda, Yuri SW1-12 (FT3-17) (P-171)
Hino, Hiromu OP10-01 (P-139)	" FT5-05 (P-015)	Huang, Chang-Jen FT4-15 (P-092)	Ikenishi, Aiko S02-05
Hirabayashi, Ryo FT4-06 (P-054)	Hitokoto, Takehiro OP05-03 (P-111)	" OP10-05 (P-146)	Ikuta, Tetsuro FT1-10 (P-255)
Hiraga, Chisato FT6-05 (P-116)	Ho, Cheng-Maw FT4-13 (P-284)	Huang, Cheng-Chen FT6-10 (P-126)	Imai, Kaoru OP09-07 (P-251)
Hirahara, Shino OP08-08 (P-106)	Ho, Hong-Nerng FT4-04 (P-050)	Huang, Hsiang-Po FT4-08 (P-058)	Imai, Takeshi OP03-02 (P-193)
Hirai, Takaaki OP08-08 (P-106)	Hobmayer, Bert OP06-03 (P-257)	Huang, Jian OP17-07 (P-276)	Imai, Yasutaka OP10-03 (P-142)
Hirai, Yohei SW1-06 (FT2-05) (P-081)	Holstein, Thomas OP06-03 (P-257)	Hui, Chi Chung OP11-03 (P-204)	Imuta, Yu FT5-13 (P-027)
" SW2-01 (FT6-20) (P-145)	Hor, Hong Huan OP11-03 (P-204)	Hung, Chia-Lun FT5-04 (P-014)	Inaba, Hiroyuki OP05-03 (P-111)
Hiraiwa, Tetsuya OP13-05 (P-160)	Hoshijima, Kazuyuki FT4-12 (P-241)	Hung, I Chen OP09-06 (P-249)	Inaba, Kazuo OP02-07 (P-069)
" OP13-06 (P-162)	Hoshino, Hideharu FT5-07 (P-018)	Hwang, Sheng-Ping FT4-15 (P-092)	Inagaki, Sachi OP01-05 (P-186)
Hiramaya, Miki FT7-14 (P-219)	" <b>FT5-08 (P-020)</b>	" FT6-10 (P-126)	Inomata, Hidehiko
Hirano, Mie OP05-02 (P-109)	Hosoda, Kazutaka OP14-06 (P-226)	" <b>OP10-05 (P-146)</b>	
Hirao, Mayumi OP07-02 (P-125)	" <b>OP14-07 (P-229)</b>		
Hirata, Ayako FT7-17 (P-224)			

OP05-12 (P-022)	FT6-18 (P-161)	Kai, Masatake	FT1-16 (P-270)
" SW1-04 (FT5-12) (P-026)	" OP13-05 (P-160)	OP07-06 (P-133)	Kato, Yuzuru
Inoue, Chikako	" OP13-06 (P-162)	Kaibuchi, Kozo	OP17-04 (P-008)
OP02-05 (P-067)	Isoyama, Yukiko S03-03	OP03-07 (P-200)	Kawachi, Teruaki
Inoue, Kunio	Ito, Akira	Kajikawa, Eriko	SW1-10 (FT3-15) (P-167)
FT1-16 (P-270)	SW1-03 (FT5-18) (P-035)	FT1-11 (P-258)	Kawada, Junichi
" FT5-01 (P-178)	Ito, Kazuo	" <b>FT5-09 (P-021)</b>	OP01-02 (P-182)
" OP16-06 (P-177)	FT4-03 (P-049)	Kakudo, Kenji	Kawade, Kensuke <b>SS-03</b>
Inoue, Takeshi	Ito, Kohei	FT5-15 (P-030)	Kawaguchi, Akane
FT7-07 (P-209)	FT6-07 (P-120)	Kamei, Ya	FT4-11 (P-240)
" FT7-14 (P-219)	Ito, Mayumi	OP02-05 (P-067)	" FT4-12 (P-241)
" FT7-15 (P-221)	OP14-01 (P-211)	Kametani, Yoshiko	" <b>OP13-01 (P-152)</b>
" FT7-21 (P-230)	Ito, Naofumi	OP14-03 (P-217)	Kawaguchi, Ayano
" FT7-22 (P-231)	OP15-02 (P-046)	Kanai, Kenichi	OP03-07 (P-200)
" FT7-24 (P-234)	Ito, Yuzuru	OP04-07 (P-087)	" OP04-03 (P-075)
" OP14-06 (P-226)	FT2-13 (P-072)	Kanazawa, Yasuko	Kawaguchi, Eri
Inoue, Tsuyoshi	" FT6-06 (P-118)	FT6-14 (P-134)	FT7-07 (P-209)
OP07-01 (P-123)	Itoh, Motoyuki	Kaneko, Takehito S03-04	" FT7-24 (P-234)
Inui, Chihiro	OP08-03 (P-099)	Kanno, Jun	" OP14-06 (P-226)
OP07-04 (P-129)	Iwai, Lena	OP05-07 (P-119)	" OP15-05 (P-053)
Iriki, Atushi	OP01-08 (P-190)	Kao, Cheng-Fu	Kawaguchi, Yui
OP03-04 (P-196)	Iwamoto, Yuta	FT4-04 (P-050)	OP04-06 (P-080)
Iseki, Sachiko	FT6-17 (P-140)	Kao, Chung-Yang	Kawahara, Atsuo <b>S03-01</b>
OP12-06 (P-040)	Iwasaki, Hideo	FT5-04 (P-014)	Kawai, Kotoe
Ishibashi, Makoto	OP13-08 (P-166)	Karaiwa, Akari	FT6-01 (P-108)
SW1-03 (FT5-18) (P-035)	Iyoda, Natsuko	FT5-16 (P-032)	" OP07-04 (P-129)
Ishida, Takashi	OP18-04 (P-089)	Kashima, Makoto	Kawai, Narudo
FT7-10 (P-213)	Izutsu, Yumi	OP15-05 (P-053)	S03-02
Ishida, Yuki	SW2-08 (FT6-24) (P-153)	Kashio, Soshiro	" SW2-02 (FT6-22) (P-149)
OP06-12 (P-273)	<b>J</b>	<b>SW2-06 (FT7-08) (P-210)</b>	Kawakami, Atsushi
Ishihara, Jun-ichi	Jiang, Hang-Shiang	Kashiwagi, Akihiko S03-03	FT7-10 (P-213)
OP13-08 (P-166)	OP18-06 (P-093)	Kashiwagi, Keiko S03-03	" SW2-07 (FT7-11) (P-215)
Ishii, Kentaro	Jin, Shan	Kasuga, Hidefumi	" SW2-09 (FT7-12) (P-216)
FT2-13 (P-072)	FT3-08 (P-205)	OP15-04 (P-051)	Kawakami, Kiyoshi
Ishii, Yasuo	Joanny, Jean-Francois	Katada, Toshiaki	OP06-11 (P-271)
FT3-13 (P-163)	OP16-02 (P-170)	OP15-04 (P-051)	Kawakami, Koichi
Ishikawa, Yousuke	Juan, Hsien-Chia	Katagiri, Kumiko	FT3-04 (P-191)
FT3-05 (P-195)	OP18-07 (P-095)	FT7-02 (P-003)	" OP11-01 (P-201)
Ishimoto, Yukitaka S02-02	<b>K</b>	Katagiri, Yukiko	Kawamura, Yumiko
Ishitani, Shizuka	Kabla, Alexandre	SW1-01 (FT7-04) (P-007)	OP07-01 (P-123)
OP11-04 (P-206)	OP02-06 (P-084)	Katahira, Tatsuya	Kawano, Rie
Ishitani, Tohru	Kageyama, Ryoichiro	FT3-06 (P-199)	FT3-14 (P-165)
OP09-04 (P-246)	OP09-02 (P-243)	Kato, Hirotaka	" FT4-02 (P-047)
" <b>OP11-04 (P-206)</b>	Kageyama, Yuji	FT4-14 (P-090)	" OP15-02 (P-046)
Isomura, Ayako	OP01-05 (P-186)	Kato, Yumiko	" SW1-09 (FT3-14) (P-165)

Kawasaki, Hiroshi	OP01-02 (P-182)	OP18-05 (P-091)	FT2-12 (P-070)
OP01-08 (P-190)	" OP18-05 (P-091)	Kokubo, Hiroki	" OP18-02 (P-237)
Kawata, Daisuke	Kishi, Kanae	FT5-22 (P-041)	Kunisada, Takahiro
OP01-06 (P-188)	SW1-11 (FT3-16) (P-169)	Komatsu, Kouji	FT4-05 (P-052)
Kawaue, Takumi	Kishimoto, Kouji	OP07-02 (P-125)	" OP15-07 (P-057)
OP04-03 (P-075)	OP07-04 (P-129)	Komeya, Mitsuru	Kuo, Hung-Chih
Kawawaki, Syunsaku	Kitabayashi, Aki	FT7-02 (P-003)	FT4-04 (P-050)
FT4-03 (P-049)	OP11-05 (P-275)	Kondo, Masayo	" FT4-08 (P-058)
Kaya-shima, Yasunari	Kitadate, Yu	OP12-04 (P-034)	Kuo, Wei-Chih
OP02-04 (P-065)	OP17-01 (P-002)	Kondo, Shigeru	FT5-23 (P-042)
Ke, Meng-tsen	Kitajima, Keiko	OP08-02 (P-098)	OP18-07 (P-095)
OP03-02 (P-193)	FT6-19 (P-143)	" OP10-06 (P-148)	Kuraku, Shigehiro <b>TW-1</b>
Kelsh, Robert	Kitazawa, Aya	Kontani, Kenji	Kuranaga, Erina
OP02-05 (P-067)	OP15-04 (P-051)	OP15-04 (P-051)	FT6-18 (P-161)
Kihira, Miho S02-02	Kitazawa, Miho	Koshiba-Takeuchi, Kazuko	" OP04-07 (P-087)
Kikuchi, Yutaka	OP11-06 (P-279)	FT3-18 (P-173)	" <b>OP13-05 (P-160)</b>
FT2-12 (P-070)	Kitazawa, Taro	" OP06-05 (P-261)	" OP13-06 (P-162)
" FT4-06 (P-054)	OP07-01 (P-123)	Kosodo, Yoichi	Kuratani, Shigeru
" FT5-19 (P-036)	Kiyonari, Hiroshi	OP11-02 (P-203)	OP16-06 (P-177)
" OP09-05 (P-248)	FT5-08 (P-020)	Koyama, Hiroshi	Kurihara, Hiroki
" SW2-05 (FT7-13) (P-218)	Kobayashi, Kazuya S01-02	FT5-13 (P-027)	OP07-01 (P-123)
Kim, Hon-Song	Kobayashi, Makoto	" OP07-02 (P-125)	Kurihara, Yukiko
OP13-03 (P-156)	OP04-05 (P-079)	Kuan, Yung-Shu	OP07-01 (P-123)
Kim, Kisung	Kobayashi, Ritsuko	OP03-01 (P-192)	Kurisu, Shusaku
OP07-01 (P-123)	FT1-14 (P-265)	Kubo, Hideo	OP02-01 (P-082)
Kim, Shin-Il S03-06	Kobayashi, Satoru	FT2-08 (P-062)	Kuriyama, Sei
Kimura, Akatsuki	OP01-05 (P-186)	Kubo, Shiori	OP02-06 (P-084)
OP05-07 (P-119)	" OP17-03 (P-006)	OP08-04 (P-101)	Kuroiwa, Atsushi
Kimura, Hiroshi	Kobayashi, Takuya	Kubota, Yoshinobu	OP05-01 (P-107)
FT4-10 (P-238)	FT1-10 (P-255)	FT7-02 (P-003)	" OP05-02 (P-109)
Kimura, Masato	Koch, Manuel	Kubota, Yukihiro	" <b>OP05-03 (P-111)</b>
FT6-11 (P-128)	OP02-03 (P-063)	OP13-02 (P-154)	" SW2-03 (FT6-15) (P-136)
Kimura, Shun	Kodama, Tatsuhiko	Kudo, Akira	" TW-3
FT6-07 (P-120)	OP07-01 (P-123)	FT6-07 (P-120)	Kurokawa, Daisuke
Kimura, Tetsuaki	Koga, Hiroyuki	" FT7-10 (P-213)	FT1-11 (P-258)
FT1-13 (P-263)	OP06-01 (P-254)	" OP14-04 (P-220)	" FT5-09 (P-021)
" OP02-05 (P-067)	Kohara, Yu-hei	" SW2-07 (FT7-11) (P-215)	" <b>FT5-10 (P-023)</b>
Kinoshita, Keiji	SW2-03 (FT6-15) (P-136)	" SW2-09 (FT7-12) (P-216)	Kurokawa, Junko
OP02-04 (P-065)	Kohro, Takahide	Kumano, Gaku	FT3-18 (P-173)
Kinoshita, Noriyuki	OP07-01 (P-123)	OP12-02 (P-028)	Kusakabe, Rie
OP07-06 (P-133)	Kohzaki, Hidetsugu	Kume, Kazuhiko	FT1-16 (P-270)
Kinoshita, Tsutomu	OP08-06 (P-104)	FT2-12 (P-070)	" FT5-01 (P-178)
FT2-08 (P-062)	Koizumi, Masae	" OP18-02 (P-237)	" <b>OP16-06 (P-177)</b>
" OP04-06 (P-080)	FT7-06 (P-207)	" OP15-04 (P-051)	Kusakabe, Takehiro
Kinoshita-Kawada, Mariko	Kojima, Yutaka	Kume, Shoen	OP09-07 (P-251)

Kutsuna, Natsumaro <b>SS-02</b>	FT5-04 (P-014)	Maeno, Mitsugu	FT6-17 (P-140)
Kwan, Kin Ming	Liu, Fu-Chin	<b>OP10-03 (P-142)</b>	" OP02-08 (P-071)
FT3-09 (P-155)	OP02-02 (P-061)	" SW2-08 (FT6-24) (P-153)	Matsumoto, Midori
Kwon, Chulan	Liu, Gary	Maezawa, Takanobu <b>S01-02</b>	SW1-02 (FT7-05) (P-009)
FT3-18 (P-173)	OP05-05 (P-115)	Mak, Angel	Matsumoto, Takeo
L	Liu, Yi-Wen	OP07-03 (P-127)	FT6-12 (P-130)
Lander, Arthur	FT3-11 (P-159)	Makanae, Aki	Matsunaga, Eiji
OP09-05 (P-248)	Lockett, Stephen	FT7-17 (P-224)	OP03-04 (P-196)
Lang, Wei-Han	OP05-08 (P-121)	" OP18-01 (P-235)	Matsuno, Kenji
OP03-01 (P-192)	Loomis, Cynthia	Makihara, Shirin	FT6-12 (P-130)
Lawson, Nathan	OP14-01 (P-211)	SW2-04 (FT3-03) (P-187)	" OP02-08 (P-071)
OP10-04 (P-144)	Lopez-Burks, Martha	Mamada, Hiroshi	" OP08-04 (P-101)
Lee, Hayoung	OP09-05 (P-248)	OP04-01 (P-073)	" FT6-17 (P-140)
OP15-03 (P-048)	Lovell-Badge, Robin	Marikawa, Yusuke	Matsuoka, Terumi
Lee, Hyeyoon	OP07-03 (P-127)	OP08-08 (P-106)	FT1-08 (P-250)
OP07-08 (P-137)	Lu, Chin-Jing	Martindale, Mark Q	Matsuoka, Yuji
Lee, Po-Huang	OP18-07 (P-095)	OP06-04 (P-259)	OP12-05 (P-037)
FT4-13 (P-284)	Lu, Kun	Maruyama, Ayumi	Matsuzaki, Fumio <b>S02-03</b>
Lee, Se-Jin	FT4-09 (P-060)	OP17-01 (P-002)	Matsuzaki, Takashi
OP05-01 (P-107)	Lu, Yi-Ling	Maruyama, Erisa	OP15-08 (P-059)
Lee, Seungjoon	OP18-07 (P-095)	SW2-08 (FT6-24) (P-153)	Mayor, Roberto
FT2-03 (P-100)	Lu, Yu-Fen	Masai, Ichiro	OP02-06 (P-084)
Lee, Shyh-Jye	FT4-15 (P-092)	OP01-02 (P-182)	Mekada, Kazuyuki
FT3-07 (P-202)	" FT6-10 (P-126)	" OP10-07 (P-150)	OP12-04 (P-034)
" OP09-06 (P-249)	" OP10-05 (P-146)	" OP18-05 (P-091)	Meno, Chikara
Lee, Wang-Tso	Luo, Yi-Jyun	" <b>S02-01</b>	FT6-19 (P-143)
FT3-07 (P-202)	OP06-02 (P-256)	Mashimo, Tomoji <b>S03-04</b>	Michibayashi, Chiaki
Levi, Giovanni	" OP06-06 (P-262)	Mason, Benjamin	FT7-15 (P-221)
OP07-01 (P-123)	M	OP08-01 (P-096)	" FT7-22 (P-231)
Lewandoski, Mark	Ma, Xianjue	Masuyama, Kaoru	Michiue, Tatsuo
OP05-08 (P-121)	FT4-16 (P-094)	OP11-05 (P-275)	FT2-13 (P-072)
Li, Meng-Wei	Maeda, Kazuhiro	Matsubara, Yoshiyuki	" FT5-17 (P-033)
FT6-09 (P-124)	FT5-21 (P-039)	OP05-01 (P-107)	Mikawa, Takashi
Liao, Hsin-Chi	Maeda, Reo	Matsuda, Iyo	OP05-05 (P-115)
OP10-05 (P-146)	FT6-12 (P-130)	OP04-06 (P-080)	Miller, David
Liao, Meng-Lin	Maeda, Takuya	Matsuda, Yoichi	OP08-01 (P-096)
FT1-17 (P-272)	OP08-05 (P-102)	OP02-04 (P-065)	Minami, Kohei
Lin, Che-Yi	Maekawa, Emi	Matsui, Hajime	OP04-01 (P-073)
FT6-10 (P-126)	FT6-18 (P-161)	SW1-12 (FT3-17) (P-171)	Minamino, Yuki
" OP10-05 (P-146)	" OP13-05 (P-160)	Matsukawa, Shinya	FT5-15 (P-030)
Lin, Chien-Yu	" OP13-06 (P-162)	FT2-13 (P-072)	Misaki, Kazuyo
FT5-04 (P-014)	Maekubo, Kenji	" <b>FT5-17 (P-033)</b>	FT6-18 (P-161)
Lin, Shu-Fen	SW2-01 (FT6-20) (P-145)	Matsumoto, Akira <b>S02-05</b>	" OP08-05 (P-102)
OP18-07 (P-095)	Maeno, Akiteru	" TW-5	Misu, Akihiro
Lin, Shu-Wha	FT1-13 (P-263)	Matsumoto, Kenjiroo	OP10-06 (P-148)

Mito, Taro	Mizuno, Kensaku S02-02	FT3-18 (P-173)	FT7-19 (P-227)
FT7-09 (P-212)	Mizushina, Yo-ichi	Moriyama, Yuuta	Nakagawa, Masashi
" OP11-07 (P-282)	SW2-03 (FT6-15) (P-136)	<b>OP06-05 (P-261)</b>	FT3-02 (P-184)
" OP12-05 (P-037)	Mizutani, Makoto	" SW2-02 (FT6-22) (P-149)	Nakagawa, Shinichi
" OP16-01 (P-168)	OP02-04 (P-065)	Moriyasu, Miyuki	OP08-07 (P-105)
Mitogawa, Kazumasa	Mochii, Makoto	FT7-17 (P-224)	Nakahara, Yoshinari
FT7-17 (P-224)	OP10-02 (P-141)	" OP18-01 (P-235)	FT2-12 (P-070)
" OP18-01 (P-235)	Mochizuki, Atsushi	Motohashi, Tsutomu	Nakajima, Kazunori
Miura, Masayuki	OP13-07 (P-164)	FT4-05 (P-052)	OP03-07 (P-200)
OP01-01 (P-180)	" OP13-08 (P-166)	" <b>OP15-07 (P-057)</b>	Nakajima, Teruhiro
" OP01-06 (P-188)	Mochizuki, Toshiaki	Motoyama, Jun	FT7-10 (P-213)
" OP04-04 (P-077)	OP10-07 (P-150)	FT3-06 (P-199)	Nakamasu, Akiko
" OP11-05 (P-275)	" OP18-05 (P-091)	" <b>OP04-02 (P-085)</b>	SW2-10 (FT1-03) (P-280)
" <b>S02-04</b>	" S02-01	Mouri, Kousuke	Nakamura, Mitsutoshi
" SW2-04 (FT3-03) (P-187)	Mohri, Yasuaki	FT6-23 (P-151)	FT6-17 (P-140)
" SW2-06 (FT7-08) (P-210)	SW1-05 (FT2-14) (P-074)	Mundlos, Stefan	Nakamura, Natsuki
Miura, Naoyuki	Moncuquet, Philippe	OP02-03 (P-063)	OP01-05 (P-186)
FT6-06 (P-118)	OP05-06 (P-117)	Murai, Hidetaka	Nakamura, Ryohei
Miura, Shinichirou	Morelli, Luis	FT3-10 (P-157)	OP18-03 (P-239)
FT7-18 (P-225)	SW1-07 (FT2-07) (P-086)	Murai, Shin	Nakamura, Shohei
Miura, Takashi SS-01	Morichika, Keisuke	<b>SW1-01 (FT7-04) (P-007)</b>	OP18-05 (P-091)
Miwa, Naofumi	FT2-08 (P-062)	Murakami, Ryutaro	Nakamura, Takafumi
OP17-05 (P-010)	Morikawa, Kumi	OP16-04 (P-174)	FT5-05 (P-015)
Miyagawa-Tomita, Sachiko	FT2-17 (P-236)	Murakami, Yota	Nakamura, Taro
FT5-21 (P-039)	Morikawa, Rei	OP08-06 (P-104)	OP11-07 (P-282)
Miyaji, Yutaro	OP01-07 (P-189)	Muraki, Michiko S03-01	" OP12-05 (P-037)
FT3-06 (P-199)	Morimoto, Michie	Muramoto, Tetsuya	" <b>OP16-01 (P-168)</b>
Miyakawa, Hitoshi	OP11-05 (P-275)	OP09-01 (P-242)	Nakanishi, Toshio
FT5-24 (P-043)	Morino, Yoshiaki	Murase, Emiko	FT5-21 (P-039)
Miyanari, Yusuke <b>S03-05</b>	OP06-01 (P-254)	SW2-09 (FT7-12) (P-216)	Nakanoh, Shota
Miyasaka, Kota	Morioka, Mai	Muto, Akihiko	OP06-07 (P-264)
FT2-15 (P-076)	FT6-07 (P-120)	OP09-05 (P-248)	Nakao, Kazuki
" FT6-11 (P-128)	Morishita, Shinichi	Myouga, Ayumi	FT5-07 (P-018)
Miyata, Takaki	OP18-03 (P-239)	FT7-23 (P-233)	" FT5-08 (P-020)
OP01-04 (P-185)	Morishita, Yoshihiro	" S02-05	Nakato, Ryuichiro
" OP03-07 (P-200)	FT1-01 (P-277)	" TW-5	FT6-14 (P-134)
" OP04-03 (P-075)	" S02-02	N	Nakatsu, Yousuke S02-02
Miyawaki, Atsushi	" <b>SW2-11 (FT1-05) (P-283)</b>	Nagao, Yusuke	Nakayama, Sohei
OP10-07 (P-150)	" TW-3	OP02-05 (P-067)	FT5-03 (P-012)
Miyazaki, Aya	Morita, Mineto	Nagashima, Fumiaki	Nakazawa, Keiichi
FT2-13 (P-072)	SW1-01 (FT7-04) (P-007)	OP11-02 (P-203)	<b>SW2-02 (FT6-22) (P-149)</b>
Miyazawa, Hidenobu	Morita, Ritsuko <b>S02-02</b>	Nagayama, Chikashi	Nakazawa, Naotaka
OP04-04 (P-077)	Morita, Shinichi	OP14-05 (P-223)	FT6-12 (P-130)
Mizoguchi, Takamasa	FT6-05 (P-116)	Nagy, Andras S03-06	Namba, Takashi
OP08-03 (P-099)	Morita, Yuika	Naito, Hanako	OP03-07 (P-200)

Nambu, Sanae	FT7-07 (P-209)	SW1-07 (FT2-07) (P-086)	Ohashi, Kazumasa	S02-02
OP03-04 (P-196)	" OP14-06 (P-226)	Obata, Fumiaki	Ohkawa, Yasuyuki	
Narita, Tomohiro	Nishina, Yukio	SW2-06 (FT7-08) (P-210)	FT4-10 (P-238)	
FT4-14 (P-090)	FT4-07 (P-056)	Obata, Yayoi	<b>S01-01</b>	Ohnishi, Yuichi
Naruse, Kiyoshi	Nishinakamura, Ryuichi	Ochi, Haruki	FT5-15 (P-030)	
FT1-13 (P-263)	FT3-18 (P-173)	FT4-11 (P-240)	Ohno, Shigeo	
" OP02-05 (P-067)	Nishino, Yutaro	" <b>FT4-12 (P-241)</b>	OP08-08 (P-106)	
Nawa, Akihiro	FT6-23 (P-151)	" FT7-16 (P-222)	Ohota, Toshihiro	
FT7-06 (P-207)	Nishioka, Masahiro	" OP06-11 (P-271)	FT6-05 (P-116)	
Ng, Huck Hui	FT4-05 (P-052)	" OP13-01 (P-152)	Ohta, Kunimasa	
OP02-03 (P-063)	" OP15-07 (P-057)	Ochiai, Hiroshi	FT4-02 (P-047)	
Ng, Vivian	Nishioka, Tadaaki	OP11-07 (P-282)	" <b>OP15-02 (P-046)</b>	
OP02-03 (P-063)	FT3-02 (P-184)	Oda, Hiroki	" SW1-09 (FT3-14) (P-165)	
Niibe, Ichitaro	Nishiwaki, Kiyoji	OP05-10 (P-016)	Ohta, Naoyuki	
OP15-08 (P-059)	OP13-02 (P-154)	" <b>OP09-03 (P-245)</b>	OP09-08 (P-253)	
Niimori, Daisuke	" OP13-03 (P-156)	Oda, Yoshihisa	<b>SS-04</b>	Ohtaka-Maruyama, Chiaki
SW1-09 (FT3-14) (P-165)	Nishiwaki, Yuko	Ogaki, Soichiro	OP03-05 (P-197)	
Nikaido, Masataka	OP18-05 (P-091)	FT2-12 (P-070)	Ohtsuka, Satoshi	
OP13-04 (P-158)	Niwa, Hitoshi	" OP18-02 (P-237)	OP15-01 (P-044)	
Nishida, Haruka	FT1-07 (P-247)	Ogawa, Ryuhei	Ohtsuka, Toshiyuki	
FT5-14 (P-029)	" OP15-01 (P-044)	FT4-03 (P-049)	OP09-02 (P-243)	
Nishida, Hiroki	Noda, Chiyo	Ogawa, Takehiko	Ohuchi, Hideyo	
OP12-02 (P-028)	OP17-03 (P-006)	FT7-02 (P-003)	FT7-09 (P-212)	
" SW1-11 (FT3-16) (P-169)	Noda, Masatsugu	Ogawa, Takuya	Oishi, Mariko	
Nishida, Tomoki	FT1-14 (P-265)	OP15-04 (P-051)	OP15-08 (P-059)	
OP08-02 (P-098)	Noji, Sumihare	Ogino, Hajime	Oka, Mariko	
Nishidate, Masanobu	FT7-09 (P-212)	FT4-11 (P-240)	OP03-04 (P-196)	
FT6-07 (P-120)	" OP11-07 (P-282)	" FT4-12 (P-241)	Okabe, Masataka	
Nishihara, Akiha	" OP12-05 (P-037)	" FT7-16 (P-222)	FT1-14 (P-265)	
FT5-14 (P-029)	" OP16-01 (P-168)	" OP06-11 (P-271)	Okada, Kazunori	
Nishikawa, Hotaka	Nomura, Tadashi	" OP13-01 (P-152)	OP06-09 (P-267)	
FT5-10 (P-023)	FT1-12 (P-260)	Oginuma, Masayuki	Okada, Ryu	
Nishimatsu, Shinichiro	Nonaka, Shigenori	OP05-06 (P-117)	FT4-07 (P-056)	
FT4-14 (P-090)	Noro, Miyuki	Ogura, Atsuo	Okado, Haruo	
Nishimori, Katsuhiko	FT5-09 (P-021)	OP12-04 (P-034)	OP03-05 (P-197)	
FT7-06 (P-207)	Nosaki, Takayuki	Ogura, Atsushi	Okamoto, Kazuko	
SW1-05 (FT2-14) (P-074)	FT4-14 (P-090)	FT5-10 (P-023)	FT4-01 (P-045)	
Nishimura, Osamu	Notsu, Narumi	Ogura, Toshihiko	Okamoto, Mayumi	
FT7-07 (P-209)	OP15-08 (P-059)	FT2-15 (P-076)	OP03-07 (P-200)	
" OP14-06 (P-226)	Nouno, Tsutomu	" FT6-11 (P-128)	" OP04-03 (P-075)	
" OP14-07 (P-229)	FT4-14 (P-090)	" OP05-01 (P-107)	Okamoto, Mitsumasa	
" OP15-05 (P-053)	Nozaki, Masami	Ogura, Yousuke	TW-5	
Nishimura, Takashi	FT5-15 (P-030)	SW2-02 (FT6-22) (P-149)	Okamoto, Naoki	
OP16-05 (P-176)	O	Oguri, Eri	OP16-05 (P-176)	
Nishimura, Yui	Oates, Andrew	OP18-05 (P-091)	Okamoto, Shin-ichi	

FT3-02 (P-184)	// SW1-05 (FT2-14) (P-074)	OP03-07 (P-200)	// OP05-12 (P-022)
Okano, Hideyuki	Ozbek, Suat	// OP04-03 (P-075)	// SW1-04 (FT5-12) (P-026)
OP05-09 (P-013)	OP06-03 (P-257)	Saiga, Hidetoshi	Sasaki, Erika
Okayama, Hitomi S02-05	P	FT1-10 (P-255)	OP05-09 (P-013)
Oki, Shinya	Pan, Huichin	// SW2-02 (FT6-22) (P-149)	Sasaki, Haruka S03-02
FT6-19 (P-143)	FT6-09 (P-124)	Saito, Daisuke	Sasaki, Hiroshi
Okubo, Yusuke	Pang, Kevin	FT3-10 (P-157)	FT5-13 (P-027)
OP05-07 (P-119)	OP06-04 (P-259)	Saito, Kanako	// OP08-08 (P-106)
Okumura, Misako	Parsons, Maddy	OP03-07 (P-200)	Sasaki, Naoki
OP01-01 (P-180)	OP02-06 (P-084)	Saito, Kuniaki	OP07-05 (P-131)
Olivier, Pourquie	Peng, Jeff Chieh-fu	OP15-05 (P-053)	Sasakura, Yasunori <b>S03-02</b>
OP05-06 (P-117)	OP06-02 (P-256)	Saito, Motoki	Sasamura, Takeshi
Omi, Ai FT1-10 (P-255)	Piotrowski, Tatjana	FT6-23 (P-151)	OP02-08 (P-071)
Omori, Hisayoshi	OP13-04 (P-158)	Saito, Taro	Sato, Eiji <b>FT6-06 (P-118)</b>
FT2-12 (P-070)	Prasitsak, Thanit	OP18-03 (P-239)	Sato, Eriko
Onimaru, Koh	OP12-06 (P-040)	Saitsu, Hiroto	FT2-15 (P-076)
OP06-08 (P-266)	Prigent, Claude	SW1-03 (FT5-18) (P-035)	Sato, Katsuhiko
Onishi, Akira	SW1-08 (FT2-01) (P-088)	Sakaguchi, Akane	OP13-05 (P-160)
FT1-11 (P-258)	Proserpio, Valentina	FT5-22 (P-041)	// <b>OP13-06 (P-162)</b>
Onodera, Nozomi	OP14-02 (P-214)	Sakai, Masao	// OP16-03 (P-172)
FT1-02 (P-278)	Prost, Jacques	FT4-14 (P-090)	Sato, Masanao
Onuma, Takeshi	OP16-02 (P-170)	Sakai, Yoshifumi	OP01-05 (P-186)
SW1-11 (FT3-16) (P-169)	Pui, Han Pin	FT6-16 (P-138)	Sato, Shigeru
Onuma, Yasuko	FT7-01 (P-001)	Sakakibara, Akira	OP06-11 (P-271)
FT2-13 (P-072)	Q	OP03-07 (P-200)	Sato, Takahiko
// FT6-06 (P-118)	Qu, Wei OP18-03 (P-239)	Sakakura, Yasunori	FT7-19 (P-227)
Orii, Hidefumi	R	SW2-02 (FT6-22) (P-149)	// <b>OP16-07 (P-179)</b>
OP10-02 (P-141)	Rabbani, Piul	Sakane, Yuto S03-03	// OP07-01 (P-123)
Osada, Hideto	OP14-01 (P-211)	Sakata, Hiroyuki	Sato, Takuya
FT6-11 (P-128)	Rao, Yi OP01-02 (P-182)	OP10-03 (P-142)	FT7-02 (P-003)
Osamu, Nishimura	Resse, Megan	Sakaue-Sawano, Asako	Sato, Tetsuya
OP14-07 (P-229)	OP09-06 (P-249)	OP10-07 (P-150)	FT4-10 (P-238)
Osumi, Noriko	S	Sakuma, Tetsushi	Satoh, Akira
FT1-12 (P-260)	Saga, Yumiko	OP11-07 (P-282)	FT7-17 (P-224)
Ota, Masato	FT5-22 (P-041)	// S03-02	// <b>OP18-01 (P-235)</b>
OP12-06 (P-040)	// FT6-21 (P-147)	// S03-03	Satoh, Noriyuki
Ota, Ryoma	// FT7-01 (P-001)	// S03-04	FT1-10 (P-255)
FT7-03 (P-005)	// OP05-07 (P-119)	// <b>TW-4</b>	Sato-Maeda, Mika
Ota, Satoshi S03-01	// OP05-08 (P-121)	Sakurai, Hidetoshi S03-06	FT3-01 (P-181)
Otani, Tetsuhisa	// OP17-04 (P-008)	Sampath, Karuna	Satou, Yumeko
OP08-05 (P-102)	// OP17-06 (P-208)	OP10-01 (P-139)	OP04-01 (P-073)
Ou-Yang, Huan	Sagai, Tomoko	Santos, Eduarda M.	Satou, Yutaka
FT5-02 (P-011)	FT1-13 (P-263)	OP09-06 (P-249)	FT1-08 (P-250)
Oyama, Kazunori	// SW2-03 (FT6-15) (P-136)	Sasai, Yoshiki	// OP09-07 (P-251)
FT7-06 (P-207)	Sago, Ken	FT5-13 (P-027)	// OP09-08 (P-253)

Sawa, Hitoshi	FT6-05 (P-116)	FT2-06 (P-083)	Suematsu, Nobhiko
FT2-10 (P-066)	" <b>OP06-12 (P-273)</b>	Shioi, Go FT5-07 (P-018)	SW2-10 (FT1-03) (P-280)
" FT2-11 (P-068)	Shih, De-fen	" FT5-08 (P-020)	Sugawara, Takeshi
" FT5-03 (P-012)	FT3-07 (P-202)	Shirahige, Katsuhiko	OP05-07 (P-119)
" FT6-04 (P-114)	Shimada, Atsuko	FT6-14 (P-134)	Sugie, Atsushi
Scharer, Lukas <b>S01-05</b>	SW1-12 (FT3-17) (P-171)	Shiraishi, Yo-ichi	OP01-03 (P-183)
Schilling, Thomas	Shimada, Keigo	OP05-03 (P-111)	Sugimoto, Michihiko
OP09-05 (P-248)	FT2-08 (P-062)	Shiraki, Nobuaki	OP12-04 (P-034)
Schmidt, Heiko	Shimaji, Kohei	FT2-12 (P-070)	Sugimoto, Ryo
OP06-03 (P-257)	FT4-10 (P-238)	" OP18-02 (P-237)	OP15-06 (P-055)
Sedohara, Ayako	Shimamura, Hisanobu	Shirayoshi, Yasuaki	Sugimoto, Toshimi
OP05-09 (P-013)	FT6-14 (P-134)	FT2-17 (P-236)	FT1-07 (P-247)
Sehara, Atsuko	Shimizu, Atsushi	" FT5-05 (P-015)	Sugita, Shukei
OP16-07 (P-179)	OP02-05 (P-067)	Shiroishi, Toshihiko	FT6-12 (P-130)
Sehara-Fujisawa, Atsuko	Shimizu, Hiroshi	FT1-06 (P-244)	Sugizaki, Hiroe
FT6-08 (P-122)	OP06-04 (P-259)	" FT1-13 (P-263)	FT3-18 (P-173)
" FT7-19 (P-227)	Shimizu, Nobuyuki	" SW2-03 (FT6-15) (P-136)	Sultan, Abdelrahman
Seisuke, Kimura	OP09-04 (P-246)	Shoji, Wataru	FT2-16 (P-078)
SW2-10 (FT1-03) (P-280)	" OP11-04 (P-206)	FT3-01 (P-181)	Sumi, Tomoyuki
Seki, Ryoko	Shimizu, Takashi	Siomi, Haruhiko	FT6-19 (P-143)
OP02-05 (P-067)	FT3-04 (P-191)	OP15-05 (P-053)	Sumiyama, Kenta
" OP10-01 (P-139)	" OP10-01 (P-139)	Siomi, Mikiko	OP06-10 (P-269)
Sekigami, Yuka	" OP11-01 (P-201)	OP15-05 (P-053)	Sun, Qi OP14-01 (P-211)
FT1-10 (P-255)	Shimoda, Nobuyoshi	Sone, Mizuki	Suyama, Mikita
Sekine, Sayaka	FT5-19 (P-036)	SW1-05 (FT2-14) (P-074)	FT4-10 (P-238)
SW2-04 (FT3-03) (P-187)	" SW2-05 (FT7-13) (P-218)	Stainier, Didier	Suzuki, Atsushi
Serikawa, Tadao S03-04	Shimojou, Masaki	OP14-03 (P-217)	FT5-11 (P-024)
Sham, Mai Har	FT2-09 (P-064)	Stone, Lee	" OP08-08 (P-106)
OP11-03 (P-204)	" FT6-03 (P-112)	FT4-04 (P-050)	Suzuki, Ken-ichi <b>S03-03</b>
" OP07-03 (P-127)	Shimokita, Eisuke	Stricker, Sigma	Suzuki, Kunihiro
Shi, Dongbo	FT3-15 (P-167)	OP02-03 (P-063)	FT1-12 (P-260)
OP07-02 (P-125)	Shimono, Akihiko	Su, Bo-Lun	Suzuki, Makoto
Shibano, Takashi	OP08-08 (P-106)	FT1-09 (P-252)	OP06-11 (P-271)
OP04-01 (P-073)	Shin, Masahiro	Su, Hung-Chi	Suzuki, Misao
Shibata, Eri	OP10-04 (P-144)	FT1-09 (P-252)	OP12-04 (P-034)
SW2-09 (FT7-12) (P-216)	Shindo, Asako	Su, Yi-Hsien	Suzuki, Shohei
Shibata, Norito	OP07-07 (P-135)	OP06-02 (P-256)	OP10-07 (P-150)
OP15-03 (P-048)	Shinoda, Tomoyasu	Suda, Natsuno	" OP18-05 (P-091)
" OP15-05 (P-053)	OP03-07 (P-200)	FT6-14 (P-134)	Suzuki, Takashi
Shibata, Tatsuo	" OP04-03 (P-075)	Suda, Yoko	OP01-03 (P-183)
<b>OP05-12 (P-022)</b>	Shinomiya, Ai	FT1-11 (P-258)	Suzuki, Takayuki
" OP13-06 (P-162)	OP02-04 (P-065)	Sudou, Norihiro	OP05-01 (P-107)
" OP16-03 (P-172)	Shinotsuka, Naomi	FT4-11 (P-240)	" OP05-03 (P-111)
" SW1-04 (FT5-12) (P-026)	OP01-06 (P-188)	" FT4-12 (P-241)	" SW2-11 (FT1-05) (P-283)
Shiga, Yasuhiro	Shinozuka, Takuma	" OP13-01 (P-152)	" <b>TW-3</b>

Suzuki, Tohru FT6-16 (P-138)	OP09-02 (P-243)	Takimura, Yuuya FT3-02 (P-184)	OP05-08 (P-121)
Suzuki, Yutaka OP18-03 (P-239)	Takayama, Kazuya FT5-19 (P-036)	Tamura, Koji FT6-13 (P-132)	Theveneau, Eric OP02-06 (P-084)
Szeto, Irene.Y.Y. OP07-03 (P-127)	Takebayashi-Suzuki, Kimiko FT5-11 (P-024)	" FT7-16 (P-222)	Tissir, Fadel OP07-02 (P-125)
T Tachikawa, Masashi OP13-07 (P-164)	Takeda, Hiroyuki OP12-03 (P-031)	" OP14-05 (P-223)	Tochinai, Shin FT1-16 (P-270)
" OP13-08 (P-166)	" OP18-03 (P-239)	Tan, Yicheng OP17-07 (P-276)	Toda, Tomohisa OP01-08 (P-190)
Taira, Masanori OP04-01 (P-073)	" SW1-12 (FT3-17) (P-171)	Tanaka, Akihito S03-06	Toguchida, Junya S03-06
Takada, Ritsuko FT2-06 (P-083)	Takeda, Noriyo OP02-07 (P-069)	Tanaka, Hideaki FT4-02 (P-047)	Tokishita, Shinichi FT6-05 (P-116)
Takada, Shinji FT2-06 (P-083)	Takemura, Shota FT7-14 (P-219)	Tanaka, Hiroki FT6-03 (P-112)	Tokishita, Shin-ichi OP06-12 (P-273)
" FT5-20 (P-038)	" <b>FT7-15 (P-221)</b>	Tanaka, Hiroyuki S01-02	Tokunaga, Tomoyuki FT1-11 (P-258)
" OP11-01 (P-201)	" FT7-21 (P-230)	Tanaka, Masamitsu OP02-06 (P-084)	Tomosawa, Anna FT6-08 (P-122)
" OP14-03 (P-217)	Takeo, Makoto OP02-01 (P-082)	Tanaka, Michio OP03-04 (P-196)	Tong, Ka Kui FT3-09 (P-155)
Takagi, Shin FT2-09 (P-064)	Takeo, Makoto OP14-01 (P-211)	Tanaka, Mikiko FT6-14 (P-134)	Tonoki, Ayako OP11-05 (P-275)
" FT6-03 (P-112)	Taketani, Shigeru FT5-16 (P-032)	" OP06-08 (P-266)	Toyota, Kenji FT5-24 (P-043)
Takahashi, Fumio OP01-03 (P-183)	Taketo, Makoto OP14-01 (P-211)	Tanaka, Shintaro FT4-10 (P-238)	Tran, Long OP10-01 (P-139)
Takahashi, Kazuki FT7-03 (P-005)	Takeuchi, Jun OP06-05 (P-261)	Tane, Shoji S02-05	Treen, Nicholas S03-02
Takahashi, Shuji OP04-01 (P-073)	Takeuchi, Jun K. FT3-18 (P-173)	Tani, Saori FT5-01 (P-178)	Tsai, Ming-Shian FT5-04 (P-014)
Takahashi, Yoshiko FT3-10 (P-157)	Takeuchi, Ken-ichi OP11-05 (P-275)	" OP16-06 (P-177)	Tsai, Ming-Yuan FT4-15 (P-092)
" FT3-15 (P-167)	Takeuchi, Masaki FT1-15 (P-268)	Taniguchi, Yoshihito OP02-05 (P-067)	" OP10-05 (P-146)
" OP05-04 (P-113)	Takeuchi, Miho OP04-05 (P-079)	Tanimoto, Hirokazu SS-03	Tsai, Tung-Chou FT5-02 (P-011)
Takamatsu, Ken OP17-05 (P-010)	Takeuchi, Miki FT3-04 (P-191)	Taoka, Miki OP03-04 (P-196)	Tse, William Ka Fai OP12-01 (P-025)
Takanaga, Shunsuke FT5-19 (P-036)	" OP04-05 (P-079)	Tasaki, Junichi OP14-06 (P-226)	Tsoi, Yat Long FT3-09 (P-155)
Takano, Tomomi OP13-02 (P-154)	" <b>OP11-01 (P-201)</b>	Tatsumi, Norifumi FT1-14 (P-265)	Tsuboi, Arisu FT1-04 (P-281)
Takano, Yoshiro OP14-04 (P-220)	Takeuchi, Takashi FT7-23 (P-233)	Tavosanis, Gaia OP01-03 (P-183)	Tsuji, Takashi S02-02
Takaoka, Katsuyoshi FT5-06 (P-017)	" FT7-24 (P-234)	Tayama, Sayaka SW1-12 (FT3-17) (P-171)	Tsukahara, Tatsuya OP12-03 (P-031)
Takase, Yuta FT3-10 (P-157)	" <b>S02-05</b>	Terayama, Kohei OP10-02 (P-141)	" OP18-03 (P-239)
Takashima, Yoshiki OP14-04 (P-220)	" TW-5	Teshigawara, Rika FT7-20 (P-228)	Tsukahara, Yuko
	Takeyama, Kazuhiro	Tessarollo, Lino	

FT3-18 (P-173)	Urata, Yuko	FT5-20 (P-038)	FT5-02 (P-011)
Tsukiji, Nagaharu	FT7-14 (P-219)	Watanabe, Daisuke	Wu, Xiaoming
FT1-06 (P-244)	" FT7-15 (P-221)	OP08-02 (P-098)	FT6-16 (P-138)
Tsukioka, Aimi	" <b>FT7-21 (P-230)</b>	Watanabe, Hiroshi	Wu, Yi-Chun
FT6-18 (P-161)	" FT7-22 (P-231)	OP06-03 (P-257)	OP18-06 (P-093)
" OP13-05 (P-160)	Uriu, Koichiro	Watanabe, Kenji	Wu, Yi-Ting
" OP13-06 (P-162)	SW1-07 (FT2-07) (P-086)	OP10-02 (P-141)	FT6-10 (P-126)
Tsutsumi, Rio	W	Watanabe, Mana	Wu, Yi-Tze
FT7-14 (P-219)	Wada, Hiroshi	OP04-05 (P-079)	OP14-08 (P-232)
" FT7-15 (P-221)	OP06-01 (P-254)	Watanabe, Masakatsu	Wynn, Sarah
" FT7-21 (P-230)	" OP06-09 (P-267)	OP08-02 (P-098)	OP07-03 (P-127)
" FT7-22 (P-231)	Wada, Hosei	Watanabe, Natsuki	X
U	OP16-03 (P-172)	FT4-05 (P-052)	Xiaohong, Song
Uchijima, Yasunobu	Wada, Youichiro	" OP15-07 (P-057)	FT4-02 (P-047)
OP07-01 (P-123)	OP07-01 (P-123)	Watanabe, Saori	Xiong, He
Uchikawa, Toru	Wakamatsu, Yoshio	OP08-03 (P-099)	OP17-07 (P-276)
FT6-02 (P-110)	FT1-12 (P-260)	Watanabe, Tadayoshi	Xiong, Ying
Uchiyama, Hideho	Wakamatsu, Yuko	OP05-05 (P-115)	FT3-08 (P-205)
FT3-12 (P-175)	OP02-05 (P-067)	Watanabe, Takahito	Xu, Zhiheng
Ueda, Masahiro	Wakaoka, Takanori	OP11-07 (P-282)	FT3-08 (P-205)
FT6-02 (P-110)	FT4-05 (P-052)	" OP12-05 (P-037)	Xue, Lei FT4-16 (P-094)
" OP03-07 (P-200)	" OP15-07 (P-057)	Watanabe, Yusuke	" FT4-17 (P-274)
" OP09-01 (P-242)	Wallingford, John	FT6-11 (P-128)	Y
Ueda, Nami	OP07-07 (P-135)	" OP05-01 (P-107)	Yabe, Taijiro
OP18-04 (P-089)	Walton, Helen	Watanabe, Yuzo	FT5-20 (P-038)
Ueda, Shogo	OP09-06 (P-249)	FT6-23 (P-151)	Yaguchi, Junko
FT6-14 (P-134)	Wan, Tan Ghee S03-06	Watt, Fiona	OP02-07 (P-069)
Ueda, Yoko	Wang, Guo-Tzau	OP14-02 (P-214)	Yaguchi, Shunsuke
FT7-19 (P-227)	OP03-01 (P-192)	Weng, Jui-Hsia	OP02-07 (P-069)
" <b>FT7-20 (P-228)</b>	Wang, Han	OP05-11 (P-019)	Yajima, Hiroshi
Ueda, Yuriko	OP17-07 (P-276)	Wilsona, Rod W.	OP06-11 (P-271)
OP09-02 (P-243)	Wang, Jing	OP09-06 (P-249)	Yamada, Lixy <b>S01-04</b>
Uemura, Tadashi	OP11-05 (P-275)	Woltjen, Knut <b>S03-06</b>	Yamada, Ryo
FT6-23 (P-151)	Wang, Li-Chun	Wong, Yu-Hui	FT6-14 (P-134)
" OP07-02 (P-125)	FT1-09 (P-252)	OP18-07 (P-095)	Yamada, Shigehito
Ueno, Naoto	Wang, Mingyong	Wong, Yuk Lau	SW1-03 (FT5-18) (P-035)
OP06-11 (P-271)	OP17-07 (P-276)	FT3-09 (P-155)	Yamaguchi, Masahiro
Ueta, Taishi	Wang, Wen-Der	Wu, Hui-Ru	OP04-06 (P-080)
OP05-03 (P-111)	FT6-10 (P-126)	OP06-06 (P-262)	Yamaguchi, Masamitsu
Uezato, Tadayosi	Wang, XingAn	Wu, Jane	FT4-10 (P-238)
FT6-06 (P-118)	OP11-03 (P-204)	OP01-02 (P-182)	Yamaguchi, Shingo
Umesono, Yoshihiko	Wang, Yu-Chiuan	Wu, Jiaxi FT3-08 (P-205)	FT3-04 (P-191)
FT7-07 (P-209)	FT5-23 (P-042)	Wu, Quan	Yamaguchi, Terry
" <b>OP14-06 (P-226)</b>	" <b>OP18-07 (P-095)</b>	OP17-06 (P-208)	OP05-08 (P-121)
" OP14-07 (P-229)	Wanglar, Chimwar	Wu, Shinn-Chih	Yamaguchi, Yoshifumi

OP01-06 (P-188)	Yazawa, Shigenobu	OP15-06 (P-055)
" OP04-04 (P-077)	FT7-07 (P-209)	" OP17-01 (P-002)
Yamakawa, Tomoko	" OP14-06 (P-226)	Yoshihama, Yohei
OP02-08 (P-071)	" OP14-07 (P-229)	OP08-08 (P-106)
" <b>OP08-04 (P-101)</b>	" OP15-05 (P-053)	Yoshimura, Jun
Yamamoto, Hiroyuki	Yeo, Jia Chi	OP18-03 (P-239)
OP04-07 (P-087)	OP02-03 (P-063)	Yoshitome, Satoshi
Yamamoto, Shigeki	Yokoi, Hayato	SW1-08 (FT2-01) (P-088)
OP05-02 (P-109)	FT6-16 (P-138)	Yoshizawa, Asuka
Yamamoto, Takashi S03-02	Yokonishi, Tetsuhiro	OP18-05 (P-091)
" S03-03	FT7-02 (P-003)	Yu, I-Shing
" S03-04	Yokoo, Masako	FT5-04 (P-014)
" TW-4	FT2-11 (P-068)	Yu, Jr-Kai
" OP11-17 (P-282)	Yokota, Yu-go	OP06-06 (P-262)
Yamamoto, Takayoshi	SW2-03 (FT6-15) (P-136)	Yu, Yuan-Ding
OP12-03 (P-031)	Yokotani, Naoki	OP03-01 (P-192)
Yamamoto, Takuya	FT7-23 (P-233)	Yuasa-Kawada, Junichi
OP16-07 (P-179)	" FT7-24 (P-234)	OP18-05 (P-091)
Yamamoto-Shiraishi, Yo-ichi	" S02-05	Z
<b>OP05-02 (P-109)</b>	" TW-5	Zenpuku, Sari
" SW2-03 (FT6-15) (P-136)	Yokoyama, Hitoshi	OP12-02 (P-028)
Yamanaka, Hiroaki	FT6-13 (P-132)	Zhang, Jidong
OP10-06 (P-148)	" FT7-16 (P-222)	OP17-02 (P-004)
Yamane, Mariko	" OP14-05 (P-223)	Zhang, Liu
FT1-07 (P-247)	Yomogida, Kentaro	SW2-06 (FT7-08) (P-210)
Yamashita, Masakane	OP18-04 (P-089)	Zhang, Qiu-Jin
FT7-03 (P-005)	Yonemura, Shigenobu	OP06-06 (P-262)
Yamashita, Shigeru	FT6-18 (P-161)	Zhang, Yongqing
SW1-01 (FT7-04) (P-007)	" OP08-05 (P-102)	FT3-08 (P-205)
Yamashita, Wataru	" OP11-01 (P-201)	Zhao, Kai
FT7-14 (P-219)	Yoshida, Ayako	FT3-08 (P-205)
" FT7-15 (P-221)	OP01-06 (P-188)	Zhao, Lanying
" FT7-21 (P-230)	Yoshida, Hideki	SW1-03 (FT5-18) (P-035)
" <b>FT7-22 (P-231)</b>	FT4-10 (P-238)	Zhao, Wei
Yamazawa, Takumi	Yoshida, Keita S03-02	FT6-21 (P-147)
SW2-02 (FT6-22) (P-149)	Yoshida, Mariko	Zhong, Zhaomin
Yanagi, Shigeru	OP01-06 (P-188)	OP17-07 (P-276)
OP01-02 (P-182)	Yoshida, Masaaki	
Yanagimachi, Ryuzo <b>PL-02</b>	FT5-10 (P-023)	
Yang, Chih-Chao	Yoshida, Michio	
FT4-08 (P-058)	FT1-11 (P-258)	
Yano, Tohru	" FT5-09 (P-021)	
FT6-13 (P-132)	Yoshida, Naoki	
Yasugi, Sadao	FT2-10 (P-066)	
FT3-13 (P-163)	Yoshida, Shosei	

## 賛助企業（寄附、ランチョンセミナー、器機展示、広告）一覧

### 【寄附／Sponsors】

大阪医薬品協会／Osaka Pharmaceutical Manufacturers Association

The company of Biologists

公益財団法人 サントリー生命科学財団／Suntory Institute for Bioorganic Research

### 【ランチョンセミナー／Luncheon Seminars】

オリンパス株式会社／Olympus Corporation

### 【器機展示／Exhibition】

カールツァイスマイクロコピー株式会社／Carl Zeiss Microscopy Co., Ltd.

株式会社ベックス／BEX CO., LTD.

ネッパジーン株式会社／NEPA GENE CO., LTD.

日立アロカメディカル株式会社／Hitachi Aloka Medical, Ltd.

和光純薬工業株式会社／Wako Pure Chemical Industries, Ltd.

株式会社イワキ／IWAKI CO., LTD.

ライカマイクロシステムズ株式会社／Leica Microsystems K.K.

ナカライテスク株式会社／NACALAI TESQUE, INC.

オリンパス株式会社／Olympus Corporation

サイエンス・アイ株式会社／Science-eye

株式会社ニコンインスティック／NIKON INSTECH CO., LTD.

WILEY-BLACKWELL

株式会社ジーンデザイン／GeneDesign, Inc.

エア・ブラウン株式会社／AR BROWN CO., LTD

### 【広告／Advertisement】

株式会社イナ・オプティカ／INA・OPTIKA CO., LTD

有限会社友田大洋堂

フナコシ株式会社／Funakoshi Co., Ltd.

(2013年4月10日現在 順不同、敬称略)

***MEMO***

***MEMO***

***MEMO***

***MEMO***

ユ ー ザ ー ニ ー ズ に 対 応 す る  
研 究 室 の 総 合 デ ィ ー ラ ー



### 営 業 品 目

理 化 学 機 器 ・ 試 薬 ・ 硝 子 器 具  
バ イ オ ・ 遺 伝 子 ・ 分 子 生 物 関 連 製 品  
研 究 設 備 ・ メ ン テ ナ ンス サービス など



有 限 公 司  
友 田 大 洋 堂

本 社 〒690-0047 松江市嫁島町 13-34  
TEL 0852-24-3456 FAX 0852-24-3461  
E-Mail アドレス : tomoda-matsue@tomoda-taiyoudo. co. jp

鳥 取 営 業 所 〒680-0862 鳥取市雲山 147-4  
TEL 0857-22-4156 FAX 0857-22-4155  
E-Mail アドレス : ttomoda@tomoda-taiyoudo. co. jp

GENETOOLS, LLC

検索キーワード

検索

UV光の照射で機能のON / OFFができるアンチセンス


## Photo-Morpholino

365 nm の UV 光の照射により開裂するモルフォリノアンチセンスオリゴです。発生の後期段階の研究に有用な、2種類の製品があります。

### Antisense Photo-Morpholino

UV 光の照射でアンチセンスの機能が OFF になります。


UV 光の照射によりモルフォリノアンチセンスオリゴが開裂して標的 RNA から解離し、発現抑制効果が失われます。



### Sense Photo-Morpholino

UV 光の照射で発現抑制効果が ON になります。

通常モルフォリノアンチセンスオリゴと、UV 光感受性のセンスオリゴをアニールした後に、胚へ導入します。UV 光の照射によりセンスオリゴが開裂して、解離したモルフォリノアンチセンスオリゴが標的 RNA に結合し、発現抑制が開始されます。



### モルフォリノアンチセンスオリゴ

モルフォリノアンチセンスオリゴは、従来使用されている S-Oligo などのアンチセンスの問題点（特異性、安定性、配列決定の難しさなど）を克服した、細胞毒性のない、第三世代のアンチセンスオリゴです。

- 発生・分化研究、遺伝学、薬物の標的分子研究などで多くの使用実績があります。
- タンパク質翻訳阻害、スプライシング阻害および miRNA 阻害用のモルフォリノアンチセンスオリゴの合成が可能です。

### Vivo-Morpholino

*in vitro* での導入用に octa-guanidine dendrimer で修飾された製品で、静脈内、腹腔内または標的組織への注射により導入します。また、培養組織にも適用でき、予備実験が可能です。

※最新の情報は、GeneTools 社ホームページ (<http://www.gene-tools.com/>) および Morpholino discussion board (<http://morpholinos.yuku.com/>) をご覧下さい。

■ 日本総代理店

フナコシ株式会社

〒113-0033 東京都文京区本郷2丁目9番7号

■ 試薬に関して

Tel. 03-5684-1620 Fax 03-5684-1775

e-mail: reagent@funakoshi.co.jp

■ 受託に関して

Tel. 03-5684-1645 Fax 03-5684-6539

e-mail: jutaku@funakoshi.co.jp

■ 機器に関して

Tel. 03-5684-1619 Fax 03-5684-5643

e-mail: kiki@funakoshi.co.jp

# HOW TO VIEW THE ONLINE ABSTRACT BOOK

46<sup>th</sup> annual meeting organizing committee

The online abstract book is only available for viewing for meeting participants and JSDB members.

Access the Meeting website

(<http://www.jsdb.jp/kaisai/jsdb2013/index-e.php>)



The 46th Annual Meeting for the Japanese Society of Developmental Biologists (cosponsor: the Asia-Pacific Developmental Biology Network)

Home Information Program Registration Sponsors and Exhibition

About Matsue Hotel Accommodation About Nursery Abstract Search JSDB Travel Fellowship and VISA

**News**

- 2013/02/19 Abstract submission has been closed.
- 2012/11/27 Updated Tentative Program
- 2012/10/04 Updated Registration
- 2012/08/08 Updated Welcome Messages
- 2012/07/24 Updated Tentative Program
- 2012/05/25 Our website has been opened.

**PDBN**

**ISDB** International Society of Developmental Biologists

The Union of Japanese Societies for Biological Science  
生物科学学会連合

**46th Annual Meeting for the Japanese Society of Developmental Biologists**  
cosponsor: the Asia-Pacific Developmental Biology Network  
第46回日本発生生物学会  
2013年5月28日(水)~31日(土)  
会場: 島根県立大学(島根県松江市)  
〒692-8501 島根県松江市大森町1-1  
電話: 0854-23-1111  
http://www.jsdb.jp/kaisai/jsdb2013

Dates: May 28 (Tue) - May 31 (Fri), 2013  
Site: Kunibiki Messe (Matsue, Shimane)  
Chairperson: Takashi Matsuzaki (Shimane University)  
Language: May 28 (in Japanese)  
May 29-31 (in English)

Abstract submission has been closed.

To download the Poster, please click here.

Contact Us | Site Map | Access

Click on "Program" from the menu bar on the left side of the page.

The 46th Annual Meeting for the Japanese Society of Developmental Biologists (cosponsor: the Asia-Pacific Developmental Biology Network)

Click Here !  
"Program"

Home Information **Program** Registration Sponsors and Exhibition

About Matsue Hotel Accommodation About Nursery Abstract Search JSDB Travel Fellowship and VISA

**News**

2013/02/19 Abstract submission has been closed.  
2012/11/27 Updated Tentative Program  
2012/10/04 Updated Registration  
2012/08/08 Updated Welcome Messages  
2012/07/24 Updated Tentative Program  
2012/05/25 Our website has been opened.

**PDBN**

**ISDB** International Society of Developmental Biologists

The Union of Japanese Societies for Biological Science  
生物科学学会連合

**46th Annual Meeting for the Japanese Society of Developmental Biologists**  
(cosponsor: the Asia-Pacific Developmental Biology Network)  
第46回日本発生生物学会  
2013年5月28日(火)~31日(金)  
〒950-8580 島根県松江市  
〒950-8580 島根県松江市  
http://www.jsdb.jp/ksdb/46/2013

Dates: May 28 (Tue) - May 31 (Fri), 2013  
Site: Kunibiki Messe (Matsue, Shimane)  
Chairperson: Takashi Matsuzaki (Shimane University)  
Language: May 28 (in Japanese)  
May 29-31(in English)

Abstract submission has been closed.

To download the Poster, please click here.

Contact Us | Site Map | Access

Scroll through the program page and click on a program title of interest.

**Plenary Lectures**

May 20 (Fri) 9:00-11:30 Room A  
**Plenary Lectures**  
Chairpersons: Tesuya Tabata (Univ. of Tokyo), Shiro Nakagawa (RIKEN)

PL-01: **Hedgehog Signaling in Development and P...**  
09:00-10:15 Matthew Scott (Stanford University School of Medicine)

PL-02: **The development of the rod and cone photoreceptor retinas and zebrafish retinas**  
10:15-11:30 William Harris (University of Cambridge)

**Symposia**

DATE: May 19 (Thu) 9:00~11:30 Room A  
**Symposium1: Neural Development: from circuits to behavior**

▲ Go to top

SAMPLE

Title click !

A popup screen will appear, asking for your ID and password. Enter the ID that was sent to you when you registered (en00xxxx or kn00xxxx) along with your password, and then you will be able to view the abstract. For JSDB members, you can view the abstract by entering your membership ID (081-XXXXXXX) and password.

44th Annual Meeting of JSDB

Please use the user ID and password that were e-mailed to you to confirm your registration.  
(either as a presenter or as an observer)

User ID:  (Example: knXXXXXX or enXXXXXX)  
Password:

authenticate

If you would like to view other abstracts, return to the program page and click on other program titles of interest.

[PL-01]

**Hedgehog Signaling in Development and Disease**

---

\*Matthew Scott  
(Stanford University School of Medicine)

---

The development of numerous tissues and organs depends on Hedgehog (Hh) protein signals that influence gene expression in target cells. Defective Hh signaling leads to birth defects and cancer. We are investigating Hh signal transduction and gene expression mechanisms in the context of cultured fibroblasts and cerebellum development. Hh signaling involves the formation of a Hh protein signal transduction organelle. Primary cilia are essential for Hh signaling in many cells as a Hh signal transduction organelle. Primary cilia are found in most cells, have been implicated in several human diseases, and have served as a platform for the direct binding of Hh protein to its receptor. We find that primary cilia are essential for Hh signaling in cultured cells, where it prevents accumulation of the Hh protein. In the absence of primary cilia, Hh protein accumulates and causes a gain-of-function phenotype. In addition, primary cilia are required for the binding of Hh to Ptc, which causes departure of both Smo and Gli3 from the primary cilium. Smo in the cilium is able to activate Gli transcription factors and control target gene expression. Using tagged proteins, and mutants that affect primary cilia, we are exploring the mechanisms of protein trafficking and target gene activation. We are characterizing direct Hh target genes in responsive cerebellum granule neuron precursors and in the medulloblastoma tumors that arise from the precursors when Ptc function is reduced.

Signaling in development

---

Page Copyright (C) Japanese Society of Developmental Biologists All Rights Reserved.

Close

If you logout, you will need to reenter your ID and password to view the abstracts.

Edited by Organizing Committee of the 46th annual meeting of JSDB (2013)

URL: <http://www.jsdb.jp/kaisai/jsdb2013/>

E-mail: [jsdb2013@jsdb.jp](mailto:jsdb2013@jsdb.jp)

---

Printed in Japan 2013 by Sasaki Printing & Publishing Co., Ltd.